

THE TEKNOR/NOTRAX® ADVANTAGE

Quality Craftsmanship


For over 40 years, the name Teknor Apex has meant superior quality, service, and innovative products for the food service industry. Now known as Apex[™], this brand is the cornerstone of Superior Manufacturing Group's Food Service Matting Division offering the widest selection of products to a variety of markets including entrance matting, antifatigue/safety matting, and food service matting.

Exceeding Expectations

Apex[™] offers a complete selection of floor matting options to meet any application requirement, quality expectation, and budget. Continually striving to develop the finest in quality matting, Apex[™] has several products that either meet or exceed the National Sanitation Foundation (NSF) standard for grease and oil protection and durability.

Still the Best Choice

As the industry leader, Apex[™] will continue to provide the very best products and service to meet the demands of the market and remain your best choice for floor matting products.



MICROSTOP™

is a unique anti-microbial rubber compound made from a specially formulated blend of raw materials that inhibits the growth of microorganisms such as bacteria, and fungi that can cause odor, stains, and product deterioration. MicroStop™ is incorporated directly into the mat during the manufacturing process so it cannot be washed off or wear away over time as anti-

All MicroStop[™] products from Apex[™] are manufactured here in the U.S.A. and pass ASTM G-21, the test used by NSF/ANSI for standard 52 as it pertains to the anti-microbial properties of supplemental flooring for use in food preparation, dry storage, and warewashing areas.

microbial treatments can. Apex™ floor matting products

with MicroStop™ should be used in conjunction with

standard cleaning and disinfecting practices in order to

provide a cleaner and healthier work environment.

Look for the MicroStop™ logo with select Apex™ food service matting products.

CHOOSING THE RIGHT MAT

Your selection should be determined by the optimum combination of comfort, drainage and quality.

COMFORT


- · Generally thicker mats are more comfortable.
- 7/8" mats are best where workers remain for a full shift.
- 1/2" mats are excellent for extended use work stations.
- 3/8" mats are best for traffic areas.

DRAINAGE

- In areas of frequent spills and standing water, use a full-drainage mat.
- In drier work and traffic areas, a mat that offers moderate drainage is adequate.

OUALITY

Grease and oil break down mats and shorten service life.
Certain types of matting are formulated and designed to provide greater protection against grease and oil – the primary contributor to rubber deterioration.




LOCATION AND MAT RECOMMENDATION

	LOCATION	RECOMMENDATION	REQUIREMENTS
1	Cooking Line	San EZE®, San EZE II®, Tek Tough®, Optimat®, Ultra Mat Max™, Superflow®, Niru® Versa Runner®	Flexible configurations, exposure to greases & oils, good drainage, anti-fatigue, and anti-slip properties
2	Carving Station	San EZE®, San EZE II®, Tek Tough®, Niru® Versa Runner®, Hercules®, Step Light®, Superflow®	Flexible configurations, some exposure to greases, oils, $\&$ water, drainage $\&$ comfort
3	Dishwasher/Pot Scrub	Tek Tough®, Tek Tough Jr.®, Ultra Mat®, Challenger®, Competitor®, Superflow®	Flexible configurations, some exposure to greases, oils, & water, drainage & comfort
4	Dessert Bar	Tek Tough Jr.®, Superflow®, Comfort Zone™, Competitor®	Beveled edges for cart traffic, reduced tripping hazard, some exposure to greases, oils $\&$ water
5	Bar	Optimat®, Superflow®, Grip True®, Tek Connect®	Drainage, anti-slip, and comfort
6	Waitperson Station	Tek Connect®, Comfort Zone™	Flexible configurations, drainage & comfort
7	Walk-in Freezers	Multi-Mat II®, Grip True®, Deep Freeze Mat™	Withstand cold temperatures, anti-slip surface
8	Receiving	Traction Mat®, Corrugated Runner®, Niru® Versa Runner®	Withstand heavy traffic, anti-slip surface low profile for cart & dolly traffic
9	Cash Register	Superfoam®, Comfort Rest Series, Marble Sof-Tyle™, Foot Saver®	Strong anti-fatigue properties, durable
10	Foyer	Water Master, Atlantic Olefin, Bristol Ridge, Uptown™, Boulevard™, Chevron, Aqua Edge	Good water absorbing qualities
11	Entrance	Ridge Scraper, Finger Scrape, Water Master, BrilliantStep™	Keeps moisture and debris outside, withstands elements, Branding (BrilliantStep™)
12	Dining or Kitchen Entrance	Atlantic Olefin, Bristol Ridge, Uptown™	Aesthetically pleasing and functional

#T11 SAN-EZE II® Our top-of-the-line grease-proof mat

Thickness: 7/8"

- Tested and certified by the National Sanitation Foundation (NSF) for grease and oil protection and durability
- Provides superior ergonomic comfort and traction in wet or greasy areas
- Beveled ramps and corners available to reduce trip hazards
- Modular design with connecting system for longer lengths and custom configurations
- Drainage system removes liquid and debris from worker platform
- Manufactured with MicroStop[™] anti-microbial rubber compound that inhibits the growth of bacteria and fungi to provide a cleaner and healthier work environment



AVAILABLE COLORS: Brick Red









DIMENSIONS	WGT	MODEL NO.
Full: 39" x 58 ¹ /2"	38.0	182-766
Square: 39" x 39"	25.0	182-741
Medium: 39" x 29 ¹ / ₄ "	19.0	182-725
Small: 39" x 19 ¹ / ₂ "	12.5	290-981

Also available in custom sizes. Call for quotation.

Attachable Ramp: Packed 12 per box.

DIMENSIONS	WGT	MODEL NO.
Roll: 29' x 1 ³ /4"	14.0	293-829
Precut: 58 ¹ /2" x 1 ³ /4"	2.5	296-293
Precut: 39" x 13/4"	1.5	293-738
Precut: 291/4" x 13/4"	1.2	293-720

Attachable Ramp Corner Piece: Packed 12 per bag.

DIMENSIONS	WGT	MODEL NO.
N/A	1.0	182-808

Mat Connector: Packed 12 per bag.

DIMENSIONS	WGT	MODEL NO.
N/A	0.2	406-954









A heavy duty grease-resistant mat #T12 SAN-EZE®



Thickness: 7/8"

- Two versions: Standard Nitrile rubber blend (black), and heavy-duty 100% Nitrile rubber (brown)
- Tested and certified by the National Sanitation Foundation (NSF) for grease and oil protection and durability (brown mat only)
- Provides sure traction in wet or greasy areas
- Modular design with connecting system for longer lengths and custom configurations
- Manufactured with MicroStop™ anti-microbial rubber compound that inhibits the growth of bacteria and fungi to provide a cleaner and healthier work environment (brown mat only)

AVAILABLE COLORS: Black, Brown





Black: 3 Year Limited Warranty

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Brown: 4 Year Limited Warranty

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

		Black	Brown
DIMENSIONS	WGT	MODEL NO.	MODEL NO.
Full: 39" x 58 ¹ / ₂ "	38.0	183-210	183-244
Square: 39" x 39"	25.0	183-103	183-137
Medium: 39" x 291/4"	19.0	182-998	183-020
Small: 39" x 19 ¹ / ₂ "	12.5	182-881	182-915

Also available in custom cut sizes. Call for quotation.

Attachable Ramp

Packed 12 per box.		Black	Brown
DIMENSIONS	WGT	MODEL NO.	MODEL NO.
Roll: 29' x 13/4"	14.0	183-426	183-442
Precut: 581/2" x 13/4"	2.5	183-509	183-525
Precut: 39" x 13/4"	1.5	183-459	183-475
Precut: 291/4" x 13/4"	1.2	183-384	183-400

Corner Piece Packed 6 per box. Mat Connector Packed 12 per bag.

	Black	Brown
WGT	MODEL NO.	MODEL NO.
1.0	183-582	183-608

	Black	Brown
WGT	MODEL NO.	MODEL NO.
0.2	406-952	406-953







#T13 TEK-TOUGH® An outstanding anti-fatigue mat

Thickness: 7/8"

- Available in general purpose (black) and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Provides superior comfort and traction in wet or greasy areas
- Beveled ramps and corners available to reduce trip hazards
- Modular design with connecting system for longer lengths and custom configurations
- Drainage system removes liquid and debris from worker platform




AVAILABLE COLORS: Red, Black

Black: 2 Year Limited Warranty

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Red: 5 Year Limited Warranty



		Black	Red
DIMENSIONS	WGT	MODEL NO.	MODEL NO.
3' x 5'	30.0	435-001	439-502
3' x 3'	18.0	435-719	439-632
3' x 2'	12.0	435-717	439-600

Attachable Ramps: Packed 6 per box.

		Black	Red
DIMENSIONS	WGT	MODEL NO.	MODEL NO.
36" x 1 ³ /4"	1.0	437-525	439-634
60" x 1 ³ /4"	2.0	437-526	439-635

Connector: Packed 12 per bag.

DIMENSIONS	WGT	Black MODEL NO.	Red
DIMENSIONS	wai	MIODEL NO.	MODEL NO.
N/A	0.2	437-412	439-628











Built-in beveled edge #T14 TEK-TOUGH JR.®



Thickness: 1/2"

- · Lightweight design for easy handling and cleaning
- Molded-in beveled edges to reduce trip hazards
- Drainage system removes liquid and debris from worker platform
- Mat connectors available
- Manufactured with MicroStop[™] anti-microbial rubber compound that inhibits the growth of bacteria and fungi to provide a cleaner and healthier work environment (gray mat only)

AVAILABLE COLORS: Black, Red, Gray



Black: 1 Year Limited Warranty

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Red and Gray: 3 Year Limited Warranty

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

	Bla	ack
DIMENSIONS	WGT	MODEL NO.
3' x 5'	20.0	436-931
3' x 10' (9'10"actual length)	40.0	437-434
3' x 15' (14'8"actual length)	60.0	440-448
3' x 20' (19'6"actual length)	80.0	440-451

Mat Connector: Packed 12 per bag.		Black		
	DIMENSIONS		WGT	MODEL NO.
	N/A		0.2	441-725

		Red	Gray
DIMENSIONS	WGT	MODEL NO.	MODEL NO.
3' x 5'	20.0	436-932	436-971
3' x 10' (9'10"actual length)	40.0	440-447	440-446
3' x 15' (14'8"actual length)	60.0	440-449	440-450
3' x 20' (19'6"actual length)	80.0	440-453	440-452

Mat Connector: Packet	Red	Gray		
DIMENSIONS	WGT	MODEL NO.	MODEL NO.	
N/A	0.2	441-727	441-726	








#T15 OPTIMAT® The honeycomb anti-fatigue mat

Thickness: 1/2"

- Available in standard Nitrile rubber (brown) and 100% Nitrile rubber (red) compounds for varying degrees of grease and oil resistance
- Tested and certified by the National Sanitation Foundation (NSF) for grease and oil protection and durability
- · Lightweight design for easy handling and cleaning
- Modular design with connecting system for longer lengths and custom configurations
- · Drainage system removes liquid and debris from worker platform
- Manufactured with MicroStop[™] anti-microbial rubber compound that inhibits the growth of bacteria and fungi to provide a cleaner and healthier work environment



AVAILABLE COLORS: Brown, Red



Brown

2 Year Limited Warranty


		,			
QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					


Red

3 Year Limited Warranty

	_	,			
QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					







Connector		Brown	Red
DIMENSIONS	WGT	MODEL NO.	MODEL NO.
A type	0.03	406-194	406-196
B type	0.03	406-195	406-197

Pack: 12 per bag. **Important**: **Specify A or B type.** Use every 12". 36" ends use A type. Sides with dimensions other than 36" use B connectors.








The mat that never ends #T16 TEK-CONNECT®



Thickness: 1/2"

- Available in general purpose (black) and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Molded-in mat connectors allow for longer lengths and easy custom configurations
- Connects on 3' and 4' sides (ideal mat for 4' wide runners)
- Drainage system removes liquid and debris from worker platform

AVAILABLE COLORS: Red, Black



Red

3 Year Limited Warranty

FAIR	GOOD	BETTER	BEST	ULTIMATE
	FAIR	FAIR GOOD	FAIR GOOD BETTER	FAIR GOOD BETTER BEST

Black

1 Year Limited Warranty



	R	ed
DIMENSIONS	WGT	MODEL NO.
3' x 4'	16.0	752-237

	Bl	ack
DIMENSIONS	WGT	MODEL NO.
3' x 4'	16.0	752-155









Reversible anti-fatigue mat with a beveled edge

Thickness: 5/8"

- Available in general purpose (black) and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Reversible for extended life
- Molded-in beveled edges to reduce trip hazards and allow for cart traffic
- · Lightweight for easy handling and cleaning
- Drainage system removes liquid and debris from worker platform



AVAILABLE COLORS: Black, Red

Black


1 Year Limited Warranty

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Red


2 Year Limited Warranty

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					1
drainage					
wearability					1
traction					





	Black			
DIMENSIONS	WGT	MODEL NO.		
3' x 5'	17.0	1002-250		
4' x 6'	27.0	T18-U0046-BL		












High-end kitchen comfort #544 COMFORT ZONE™



Thickness: 5/8"

- Available in general purpose (black) and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Molded-in beveled edges to reduce trip hazards
- Drainage system removes liquid and debris from worker platform
- Manufactured with MicroStop™ anti-microbial rubber compound that inhibits the growth of bacteria and fungi to provide a cleaner and healthier work environment (red mat only)


AVAILABLE COLORS: Red, Black




Black

Q UALITY M ETER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Red





		Black
DIMENSIONS	WGT	MODEL NO.
3' x 5'	31.0	544-S0035-BL

		Red
DIMENSIONS	WGT	MODEL NO.
3' x 5'	31.0	544-S0035-RD







#T22 GRIP TRUE® Aggressive grip traction


Thickness: 3/8"

- Available in general purpose (black) and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Unique aggressive rubber surface for the ultimate in sure footing
- Sure traction design keeps mat firmly in place
- · Drainage system for use in wet areas




AVAILABLE COLORS: Red, Black

Black




Red

















Thickness: 1/2"

- Available in general purpose (black) and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- · Lightweight for easy handling and cleaning
- Drainage system removes liquid and debris from worker platform
- Modular design with connecting system for longer lengths and custom configurations

Black



neu					
QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

		Black	Red
DIMENSIONS	WGT	MODEL NO.	MODEL NO.
3' x 3'	17.0	993-437	993-436
3' x 5'	30.0	993-596	993-597

ULTRA MAT

Heavy-weight quality #T56 ULTRA MAT MAX™



Thickness: 3/4"

- Available in general purpose (black) and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Unique support design offers exceptional fatigue relief
- Drainage system removes liquid and debris from worker platform
- Modular design with molded-in connecting system for longer lengths and custom configurations
- Optional beveled ramps available to reduce trip hazards
- Manufactured with MicroStop[™] anti-microbial rubber compound that inhibits the growth of bacteria and fungi to provide a cleaner and healthier work environment (red mat only)



Black:



Red:

FAIR	GOOD	BETTER	BEST	ULTIMATE
	FAIR	FAIR GOOD	FAIR GOOD BETTER	FAIR GOOD BETTER BEST

Ked	Only)	

,,		Black	Red
DIMENSIONS	WGT	MODEL NO.	MODEL NO.
3' x 3'	24.0	T56-U0033-BL	T56-U0033-RD
3' x 5'	39.0	T56-U0035-BL	T56-U0035-RD

Attachable F	tachable Ramps: Black		Red
DIMENSIONS	WGT	MODEL NO.	MODEL NO.
3' male	1.8	551-M0003-B	L 551-M0003-TC
5' male	3.0	551-M0005-B	L 551-M0005-TC
3' female	1.6	551-F0003-B	L 551-F0003-TC
5' female	3.0	551-F0005-B	L 551-F0005-TC










#T30 COMPETITOR® Built-in beveled edge

Thickness: 1/2"

- Available in general purpose (black) and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- · Lightweight for easy handling and cleaning
- Molded-in beveled edges to reduce trip hazards
- Drainage system removes liquid and debris from worker platform
- · Low profile for easy cart access



AVAILABLE COLORS: Black, Red

Black





Red




















Thickness: 3/4"

- Available in general purpose (black) and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Aggressive anti-slip surface for better traction
- · Drainage system removes liquid and debris from worker platform

Black



Red



		Black	Red
DIMENSIONS	WGT	MODEL NO.	MODEL NO.
3' x 5'	34.0	065-340	065-341

Economy heavy duty matting - metric size* #T26 HERCULES®



Thickness: 7/8"

- Available in general purpose (black) and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Aggressive anti-slip surface for better traction
- Drainage system removes liquid and debris from worker platform
- For those that prefer metric sizes

Black

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Red

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

*39" x 58½" is equal to 1 meter x 1.5 meters

•		Black	Red
DIMENSIONS	WGT	MODEL NO.	MODEL NO.
39" x 58 ¹ /2"	41.0	065-338	065-339
39" x 39"	26.0	065-588	065-591
39" x 29 ¹ /4"	20.0	065-589	065-592
39" x 19 ¹ /2"	14.0	065-590	065-593








#T23 MULTI-MAT II® Reversible drainage mat

Thickness: 3/8"

- Available in general purpose (black), standard (brown), and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Non-skid surface for added traction
- Reversible for extended life
- Drainage system for use in wet areas
- · Low profile for easy cart access



AVAILABLE COLORS: Red, Brown, Black

Black

OD BETTER BEST ULTIMATE	GO	FAIR	QUALITY METER
			grease resistance
			comfort
			drainage
			wearability
			traction
			traction

Brown

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Red



		Black	Brown
DIMENSIONS	WGT	MODEL #	MODEL #
Sheet : 3' x 2'	7.5	410-940	411-564
Sheet : 3' x 4'	15.0	410-941	411-565
Sheet : 3' x 8'	30.0	410-942	411-566
Roll : 2' x 30'	75.0	411-574	411-573
Roll : 2' x 60'	150.0	411-572	411-571
Roll : 3' x 32'	120.0	410-943	411-567
Roll : 3' x 64'	240.0	410-944	411-568
Roll : 4' x 30'	150.0	411-570	411-569

		Red
DIMENSIONS	WGT	MODEL #
Sheet : 3' x 2'	8.5	416-228
Sheet : 3' x 4'	17.0	416-229
Sheet : 3' x 8'	34.0	416-230
Roll : 2' x 30'	85.0	416-231
Roll : 2' x 60'	170.0	416-232
Roll : 3' x 32'	136.0	416-233
Roll : 3' x 64'	272.0	416-234
Roll : 4' x 30'	170.0	416-235

Custom Roll:	Black	Brown	Red
DIMENSIONS	WGT	WGT	WGT
2' x (3' increments)	2.5	2.5	2.8
3' x (2' increments)	3.8	3.8	4.2
4' x (3' increments)	4.9	4.9	5.6

2', 3' & 4' widths up to 64' long. Must be ordered in increments shown above PRICES AND WEIGHTS FOR CUSTOM SIZES ARE PER RUNNING FOOT.










Grease-proof comfort #755 NIRU® VERSA RUNNER®



Thickness: 3/8"

- Made from a durable grease-proof 100% Nitrile rubber compound
- Slotted perforations for drainage
- Ribbed underside enhances anti-fatigue value and channels liquid away from the mat
- · Low profile for easy cart access
- Manufactured with MicroStop[™] anti-microbial rubber compound that inhibits the growth of bacteria and fungi to provide a cleaner and healthier work environment

AVAILABLE COLORS: Red, Black




Note: Call for custom cut.

Black

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					1
comfort					
drainage					
wearability					
traction					

Red





		Black		
DIMENSIONS	WGT	MODEL NO.		
2' x 60'	180.0	755-C0024-BL		
3' x 60'	270.0	755-C0036-BL		
4' x 60'	360.0	755-C0048-BL		

	Red		
DIMENSIONS	WGT	MODEL NO.	
2' x 60'	180.0	755-C0024-RD	
3' x 60'	270.0	755-C0036-RD	
4' x 60'	360.0	755-C0048-RD	







#T19 STEP LIGHT® Light-duty anti-fatigue matting

Thickness: 1/2"


- · Available in general purpose (black), and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Unique and aggressive anti-slip surface for added traction
- · Lightweight for easy handling and cleaning
- · Drainage system for use in wet areas

Black



Red





		Black	Red
DIMENSIONS	WGT	MODEL NO.	MODEL NO.
3' x 5'	16.0	754-274	754-275

#T47 PLASTI-TILE Heavy-duty shelf and bar liner

Thickness: 7/8"

- · Tough and durable PVC molded vinyl
- 12" x 12" tiles easily snap together
- Improves drainage and air circulation

12" x 12" Interlocking Tiles

COLOR	PACK	WGT.	MODEL NO.
Black	24	1.0	065-585
Blue	24	1.0	065-583
Green	24	1.0	065-586
Yellow	24	1.0	065-584










The most comfortable mat on the market #T17 SUPERFOAM®



Thickness: 5/8"

- Closed cell PVC Nitrile foam blend does not absorb liquids
- Highly resistant to greases, oils, and animal & vegetable fats
- · Lightweight for easy handling and cleaning
- All four sides are beveled to minimize trip hazards
- Perforated version with drainage holes to facilitate removal of liquids and debris

AVAILABLE COLORS: Black



Solid

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Perforated

FAIR	GOOD	BETTER	BEST	ULTIMATE
	FAIR	FAIR GOOD	FAIR GOOD BETTER	FAIR GOOD BETTER BEST

Solid Version:

DIMENSIONS	WGT	MODEL NO.
3' x 2'	4.8	065-547
3' x 3'	7.3	065-548
3' x 4'	9.7	065-549
3' x 5'	12.1	065-550
3' x 6'	14.5	065-551
3' x 8'	19.4	065-552

Perforated Version:

DIMENSIONS	WGT	MODEL NO.
3' x 2'	4.8	T17-P0032-BL
3' x 3'	7.3	T17-P0033-BL
3' x 4'	9.7	T17-P0034-BL
3' x 5'	12.1	T17-P0035-BL
3' x 6'	14.5	T17-P0036-BL
3' x 8'	19.4	T17-P0038-BL







#T20 F00TSAVER® Solid surface rubber mat

Thickness: 3/8"

- Diamond deck plate surface for added traction
- · Superior comfort and support
- Ideal for dry areas and workstations
- Available in interlocking or finished pieces
- Molded-in beveled edges to reduce trip hazards




AVAILABLE COLORS: Black

Black

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					














Finished Piece:

DIMENSIONS	WGT	MODEL NO.
28" x 31"	10.0	367-813

Endcap Piece:

DIMENSIONS	WGT	MODEL NO.
28" x 31"	10.0	354-605


Heavy-duty connecting mat #T31 CLICK MAT SOLID



Thickness: 3/4"


- Durable rubber compound protects against oils, greases, and machine cutting fluids
- Modular design with connecting system for longer lengths and custom configurations
- Beveled ramps available to reduce trip hazards and allow for easy cart access
- Superior anti-fatigue support


AVAILABLE COLORS: Black



Black

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					





	Black		
DIMENSIONS	WGT	MODEL NO.	
3' x 3'	18.0	4457-150	

Attachable Ramps:		Black
DIMENSIONS	WGT	MODEL NO.
3' Male	1.8	551-M0003-BL
3' Female	1.6	551-F0003-BL









#T41 COMFORT REST PEBBLE FOAM *Vinyl anti-fatigue mat*


Thickness: Standard 3/8", Heavy-Duty 9/16"

- Pebble-embossed PVC sponge provides excellent support and comfort
- Non-directional top surface adds traction and is easy to clean
- All four sides are beveled to minimize trip hazards
- · Perfect anti-fatigue mat for dry applications



AVAILABLE COLORS: Coal







Custom sizes available -	Standard	approx. 3/8" thick	Heavy-Du	I ty approx. 9/16" thick
please call for quotation.		Coal		Coal
DIMENSIONS	WGT	MODEL #	WGT	MODEL #
2' x 3'	4.3	4468-397	6.6	4454-399
2' x 5'	7.0	4468-419	11.0	4468-413
3' x 5'	11.0	4454-512	16.5	4454-408
3' x 10'	22.0	4454-518	33.0	4454-411
4' x 6'	17.6	4454-524	26.4	4454-417
2' x 60'	90.0	4454-533	132.0	4451-000
3' x 60'	135.0	4454-536	198.0	4451-003
4' x 60'	180.0	4454-542	264.0	4451-004


Vinyl anti-fatigue mat #T42 COMFORT REST RIBBED FOAM



Thickness: Standard 3/8", Heavy-Duty 9/16"

- PVC sponge provides excellent support and comfort
- All four sides are beveled to minimize trip hazards
- · Perfect anti-fatigue mat for dry applications

AVAILABLE COLORS: Coal, Silver



QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Custom sizes av	Custom sizes available -		Standard approx. 3/8" thick		Heavy-Duty a	pprox. 9/16" thick
please call for qu	uotation.	Coal	Silver		Coal	Silver
DIMENSIONS	WGT	MODEL #	MODEL #	WGT	MODEL #	MODEL #
2' x 3'	4.3	4458-356	4458-359	6.6	4454-165	4454-166
2' x 5'	7.3	4468-410	4468-408	11.0	4468-404	4468-402
27" x 36"	4.5	434-399	434-405	N/A	N/A	N/A
27" x 60"	8.5	434-400	434-406	N/A	N/A	N/A
3' x 5'	11.0	0434-396	0434-402	16.5	4454-171	4454-172
3' x 10'	33.0	4458-425	4458-428	33.0	4454-162	4454-164
4' x 6'	17.6	4458-433	4458-436	26.4	4454-179	4454-180
2' x 60'	90.0	0434-395	0434-401	*54.0	*T42-R0524-BL	*T42-R0524-GY
3' x 60'	135.0	0434-397	0434-403	*82.0	*T42-R0536-BL	*T42-R0536-GY
4' x 60'	180.0	0434-398	0434-404	*115.0	*T42-R0548-BL	*T42-R0548-GY


*T42 Heavy Duty available in 30' rolls only.



#T21 TRACTION MAT® Solid surface multi-purpose 3/8" mat

Thickness: 3/8"

- Available in general purpose (black), standard (brown), and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Non-skid surface for added traction
- Low profile for easy cart access



AVAILABLE COLORS: Black, Brown, Red


Black

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Brown

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Red



		Black	Brown
DIMENSIONS	WGT	MODEL NO.	MODEL NO.
Sheet : 3' x 2'	8.0	411-627	411-635
Sheet : 3' x 4'	16.0	411-628	411-636
Sheet : 3' x 8'	34.5	411-629	411-637
Roll : 3' x 32'	128.0	411-632	411-640
Roll : 3' x 64'	256.0	411-633	411-641

	Red		
DIMENSIONS	WGT	MODEL NO.	
Sheet : 3' x 2'	8.0	418-005	
Sheet : 3' x 4'	16.0	418-006	
Sheet : 3' x 8'	34.5	418-007	
Roll : 3' x 32'	128.0	418-010	
Roll : 3' x 64'	256.0	418-011	

Custom Roll: 2', 3' & 4' widths up to 64' long. Must be ordered in 2' increments shown below. For custom 2' and 4' widths, please call for quotation. Prices and weights shown are per running foot. See Multi-Mat II® chart.



Vinyl runner mat #T27 CORRUGATED RUNNER®



Thickness: 1/8"

- Corrugated rib-tooth design improves traction
- Creates a barrier to cold floors and offers a silencing effect on noisy tile floors
- Low profile for easy cart access
- Vinyl construction offers protection against many oils, greases and chemicals

AVAILABLE COLORS: Black





QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					





		Black
DIMENSIONS	WGT	MODEL NO.
2' x 75' Roll	52.0	4450-120
3' x 75' Roll	80.0	065-418
4' x 75' Roll	125.0	4459-607



#470 MARBLE SOF-TYLE™ *Easy-care comfort*

Thickness: 1/2"

- Smooth marble-pattern top surface of heavy-duty rubber is combined with dense closed cell foam base utilizing exclusive UniFusion™ technology
- UniFusion™ bond guaranteed for the life of the mat (See warranty for details)
- Sloped beveled foam on all 4 undersides allows for easy access onto and off of the mat
- Top surface easy to sweep clean



AVAILABLE COLORS: Black, Gray, Blue

All Colors





		Black
DIMENSIONS	WGT	MODEL NO.
2' x 3'	9.0	470-H2436-BL
3' x 5'	23.0	470-H3660-BL

		Blue
DIMENSIONS	WGT	MODEL NO.
2' x 3'	9.0	470-H2436-BU
3' x 5'	23.0	470-H3660-BU

		Gray
DIMENSIONS	WGT	MODEL NO.
2' x 3'	9.0	470-H2436-GY
3' x 5'	23.0	470-H3660-GY



Designed to withstand cold temps #765 DEEP FREEZE MAT™



Thickness: 3/8"

- The only rubber mat specifically formulated to perform in deepfreeze environments
- Features a raised knob solid top surface to enhance traction
- Tested to withstand temperatures to 40° Fahrenheit (approximately - 40° Celsius)
- Low profile for easy cart access

AVAILABLE COLORS: Black



Black

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					1
traction					



		Black
DIMENSIONS	WGT	MODEL NO.
2' x 60'	180.0	765-C0024-BL
3' x 60'	270.0	765-C0036-BL
4' x 60'	360.0	765-C0048-BL






#T45 SANI-TUFF® All-rubber cutting boards

- · Won't crack, splinter, swell, or absorb liquids or odors
- Lasts far longer than wood or plastic
- NSF tested and certified
- Resiliency preserves knife edges longer
- Can be resurfaced by sanding
- Optional cutouts and gravy groove available





AVAILABLE COLORS:

1/2" Thick

SIZE	PACK	WGT.	MODEL NO.
6" x 8"	12	1.0	148-155
8" x 8"	12	1.4	149-880
12" x 18"	6	4.7	157-628
15" x 20"	6	6.5	159-905
18" x 24"	6	9.4	161-331
48" x 72"	1	76.0	T45-S2048-BF

3/4" Thick

I	SIZE	PACK	WGT.	MODEL NO.
	12" x 18"	4	7.0	157-651
١	15" x 20"	4	9.7	159-921
	18" x 24"	4	14.0	161-356
١	48" x 72"	1	113.0	T45-S3048-BF

1" Thick


MODEL NO.	WGT.	PACK	SIZE
157-594	9.5	3	12" x 18"
159-871	13.0	3	15" x 20"
161-299	18.7	3	18" x 24"
T45-S4048-BF	150.0	1	48" x 72"

2" Thick

SIZE	PACK	WGT.	MODEL NO.
48" x 72"	1	300.0	T45-S8048-BF

1" Round Boards

DIAMETER	PACK	WGT.	MODEL NO.
12"	10	5.0	147-454
14"	10	6.5	147-538
16"	10	8.8	147-629



2" Round Boards

DIAMETER	PACK	WGT.	MODEL NO.
12"	5	10.5	147-462
14"	5	13.0	147-553
16"	5	17.0	147-637

THICKNESS	
1/2"	
3/4"	
1"	
2"	

- **Custom Sizes** Available up to 48" x 72"
 - Weight: .0433 lbs. per cubic inch


Custom Round Sizes:

• Same as equivalent square size plus \$15.00 net.

Options:

- Cutouts: \$22.00 each
- Gravy Groove: \$24.00 extra

Thermoplastic cutting boards #T46 PLASTI-TUFF®



- Made from a white high density polyethelene
- Won't crack, splinter, swell, or absorb liquids or odors
- Highly resistant to warping
- NSF tested and certified
- Available in several sizes and thicknesses
- Optional cutouts and gravy groove available









Custom Round Sizes:

• Same as equivalent square size plus \$15.00 net.

Options:

Cutouts: \$22.00 eachGravy Groove: \$24.00 extra

1/2" Thick

SIZE	PACK	WGT.	MODEL #
6" x 8"	12	0.8	168-476
8" x 8"	12	1.1	169-136
12" x 18"	6	3.7	171-876
15" x 20"	6	5.1	173-070
18" x 24"	6	7.4	173-724
48" x 96"	1	79.0	177-949

Custom Sizes

THICKNESS
1/2"
3/4"
1"
2"

3/4" Thick

SIZE	PACK	WGT.	MODEL #
12" x 18"	4	5.6	171-892
15" x 20"	4	7.7	173-096
18" x 24"	4	11.1	173-740
48" x 96"	1	118.0	177-964

1" Thick

SIZE	PACK	WGT.	MODEL #
12" x 18"	3	7.41	171-868
15" x 20"	3	10.29	173-054
18" x 24"	3	14.8	173-690
48" x 96"	1	158.0	177-931

- Available up to 49" x 109"
- Weight: .0343 lbs. per cubic inch



#T48 RAINBOW-PAK® Thermoplastic cutting boards

Thickness: 1/2"

- Made from a high density polyethelene
- Won't crack, splinter, swell, absorb liquids or odors
- · Highly resistant to warping
- NSF tested and certified
- Each Rainbow-Pak® consists of 6 color-coded cutting boards to minimize the risk of cross contamination



AVAILABLE COLORS: Red, Green, Blue, Yellow, Tan



Assorted Colors - 6 per pack

SIZE	WGT.	MODEL#
12" x 18" X 1/2"	22.0	437-522
15" x 20" X 1/2"	30.0	437-523
18" x 24" X 1/2"	45.0	437-524

Single Color - 6 per pack

•	' '			
SIZE	COLOR	MODEL#		
12" x 18" X 1/2"	Red	754-662		
12" x 18" X 1/2"	Green	754-663		
12" x 18" X 1/2"	Blue	437-943		
12" x 18" X 1/2"	Yellow	437-940		
12" x 18" X 1/2"	Tan	437-941		
15" x 20" X 1/2"	Red	754-664		
15" x 20" X 1/2"	Green	754-665		
15" x 20" X 1/2"	Blue	437-948		
15" x 20" X 1/2"	Yellow	437-945		
15" x 20" X 1/2"	Tan	437-946		
18" x 24" X 1/2"	Red	754-666		
18" x 24" X 1/2"	Green	754-667		
18" x 24" X 1/2"	Blue	437-953		
18" x 24" X 1/2"	Yellow	437-950		
18" x 24" X 1/2"	Tan	437-951		

Rainbow Pak Rak

- Helps organize and maintain cutting boards
- · Cutting boards not included

SIZE	WGT.	MODEL NO.
_	2.0	437-521





Wall Chart & Cutting Guide



Rainbow Pak Rak



Hot Water Hose

- Withstands hot water temperatures up to 200° Fahrenheit
- Rubber jacket resists abrasion

Hot Water Hose

LENGTH	I.D.	PACK	WGT	MODEL#
25'	5/8"	10	5.3	724-546
50'	5/8"	5	10.0	724-311
50'	3/4"	3	15.3	724-547





Nozzles

DESCRIPTION	PACK	WGT	MODEL #
(A) Pro Series	5	1.0	752-784
(B) Premium	10	1.0	725-369
(C) Standard	5	1.0	714-089

Nozzles

- Insulated nozzle with contoured grip
- For hot water use
- Ideal for all wash down needs

BAR RAIL MAT



Thickness: 5/8"

- For use in restaurants, bars or anywhere drinks are served
- Prevents glasses and bottles from "walking" on wet counters
- · Bar mats have insets for jigger storage and can hold up to six glasses

AVAILABLE COLORS: Brown





	Brown		
DIMENSIONS	WGT	MODEL NO.	
3" x 27"	1.0	T98-4490-322	
12" x 18"	2.0	T98-4490-321	

#T28 FINGER SCRAPE *Ultimate entrance mat*

Thickness: 3/8"


- Tough rubber compound remains flexible even in extreme cold temperatures
- · Slip resistant surface
- Molded rubber bristles grab and hold dirt
- Molded beveled edging on all 4 sides creates a retention dam to trap moisture while reducing trip hazards



AVAILABLE COLORS: Black









		Black
DIMENSIONS	WGT	MODEL NO.
16" x 24"	4.0	0065-857
24" x 32"	10.0	0438-022
28" x 46"	16.4	4490-204
32" x 39"	15.0	0438-023
36" x 60"	27.0	0065-856
36" x 72"	33.0	0438-024

Perfect for entrances and C-stores #T29 RIDGE SCRAPER



Thickness: 1/4"

- Durable rubber matting designed with a low profile for door clearance / cart traffic
- Raised bar design scrapes debris from shoes
- Easy to clean simply hose off
- Raised edge contains spills

AVAILABLE COLORS: Black



Q UALITY M ETER	FAIR	GOOD	BETTER	BEST	ULTIMATE
water absorption					
dirt scraping					
outdoor use					
wearability					




	Black			
DIMENSIONS	WGT	MODEL NO.		
3' x 5'	11.0	0065-587		
3' x 10'	48.0	4468-247		
4' x 6'	18.0	4468-246		



#T34 AQUA EDGE Dirt / Moisture – carpet edge – rubber backing

Thickness: 3/8"

- Molded bubble pattern facilitates scraping and drying, while raised perimeter retains moisture and debris
- Extremely durable ideal for high traffic areas
- Fashionable carpet-to-the-edge to blend in with the décor
- 26 ounces of tufted yarn per sq. yard for increased moisture retention
- Anti-microbial carpet treatment to stop bacteria and germs at the door
- Recommended product for "Green Cleaning" applications
- High grade rubber backing reduces mat movement



AVAILABLE COLORS: Dark Brown, Charcoal, Slate Blue



QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
water absorption					
dirt scraping					
outdoor use					
wearability					



Custom sizes available - please call for quotation.		Dark Brown	Charcoal	Slate Blue	
DIMENSIONS	WGT	MODEL NO.	MODEL NO.	MODEL NO.	
3' x 5'	7.0	4454-721	4454-720	4454-723	
4' x 6'	11.0	4454-741	4454-740	4454-743	





Traps dirt/moisture, rubber border & backing #T35 WATER MASTER



Thickness: 3/8"

- 100% polypropylene stain and fade resistant fibers
- Raised waffle pattern facilitates scraping and drying, while the channel design retains moisture and debris
- Raised rubber border on all 4 sides acts as a containment barrier that traps moisture and debris
- 26 ounces of tufted yarn per sq. yard for increased moisture retention
- Recommended product for "Green Cleaning" applications
- Molded rubber cleats on the underside of the mat grip underlying surfaces and minimizes mat movement

AVAILABLE COLORS: Dark Brown, Charcoal, Slate Blue





QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
water absorption					
dirt scraping					
outdoor use					
wearability					

Custom sizes available - please call for quotation.		Dark Brown	Charcoal	Slate Blue
DIMENSION	is wgt	MODEL NO.	MODEL NO.	MODEL NO.
3' x 5'	7.0	4468-436	4468-435	4468-433
4' x 6'	24.0	4468-478	4468-432	4468-430



#138 UPTOWN™ *Upscale scrape & entrance mat*

Thickness: 3/8"

- High-low looped pile entrance mat that provides functionality for drying and retaining moisture and debris, while offering an upscale, elegant look
- 40 ounces of tufted Decalon® yarn per square yard offer the ultimate in moisture absorption and crush resistance
- A heavy-weight vinyl backing available in corresponding colors to ensure minimum mat movement and enhance the aesthetic appeal of the mat
- Recommended product for "Green Cleaning" applications



AVAILABLE COLORS: Charcoal, Brown



QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
water absorption					
dirt scraping					
outdoor use					
wearability					



		Charcoal	Brown
DIMENSIONS	WGT	MODEL NO.	MODEL NO.
3' x 5'	13.0	138-S0035-CH	138-S0035-BR
4' x 6'	21.0	138-S0046-CH	138-S0046-BR





Combine w/ Uptown™ for high-end matting system #139 BOULEVARD™



Thickness: 3/8"

- A unique high-low wave design of alternating Decalon® drying yarn and Decalon® yarn wrapped with a tough mono-filament for ultra-aggressive scraping
- 40 ounces of tufted yarn per square yard offer the ultimate in moisture absorption and crush resistance
- A heavy-weight vinyl backing available in corresponding colors to ensure minimum mat movement and enhance the aesthetic appeal of the mat
- Recommended product for "Green Cleaning" applications

AVAILABLE COLORS: Charcoal, Brown





QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
water absorption					
dirt scraping					
outdoor use					
wearability					

		Charcoal	Brown
DIMENSIONS	WGT	MODEL NO.	MODEL NO.
3' x 5'	14.0	139-S0035-CH	139-S0035-BR
4' x 6'	22.0	139-S0046-CH	139-S0046-BR





#T37 ATLANTIC OLEFIN Superior water absorption

Thickness: 3/8"

- Stain resistant, 100% Olefin fibers A step above commodity entrance matting
- Exceptional water absorption
- · Vinyl backing helps reduce mat movement



AVAILABLE COLORS: Forest Green, Dark Toast, Gun Metal, Slate Blue, Crimson





		Forest Green	Dark Toast	Gun Metal	Slate Blue	Crimson
DIMENSIONS	WGT	MODEL NO.	MODEL NO.	MODEL NO.	MODEL NO.	MODEL NO.
2' x 3'	4.0	4468-175	4468-173	4468-171	4468-174	4468-172
3' x 4'	8.0	4468-111	0434-315	0434-323	4468-110	0434-331
3' x 5'	10.0	4468-181	0434-316	0434-324	4468-078	0434-332
3' x 6'	12.0	4468-103	0434-317	0434-325	4468-102	0434-333
3' x 10'	20.0	4468-119	0434-318	0434-326	4468-118	0434-334
4' x 6'	16.0	4468-163	0434-320	0434-328	4468-082	0434-336
4' x 8'	21.0	4468-127	0434-321	0434-329	4468-126	0434-337
4' x 10'	27.0	4468-180	4468-133	4468-131	4468-134	4468-132
3' x 60'	120.0	4468-159	0434-319	0434-327	4468-086	0434-335
4' x 60'	160.0	4468-155	0434-322	0434-338	4468-090	0434-388
6' x 60'	240.0	4468-151	4468-137	4468-135	4468-138	4468-136

Custom sizes available - please call for quotation.





Best scraper mat #T39 BRISTOL RIDGE



Thickness: 3/8"

- A lighter-weight double rib high / low design best scraper mat on the market
- Solution dyed to prevent fading
- Vinyl backing helps reduce mat movement
- Low profile to perform in narrow clearance doorways



Custom sizes ava		Forest Green	Coffee	Cardinal	Midnight	Slate Blue
please call for quo	WGT	MODEL#	MODEL#	MODEL #	MODEL #	MODEL #
2' x 3'	4.0	4457-860	4457-881	4457-883	4457-884	4457-887
3' x 4'	9.0	4457-861	0434-363	0434-355	0434-347	4457-895
3' x 5'	12.0	4457-862	0434-364	0434-356	0434-348	4457-902
3' x 6'	13.5	4457-863	0434-365	0434-357	0434-349	4457-910
3' x 10'	22.8	4457-944	4457-912	0434-358	0434-350	4457-945
3' x 20'	44.0	4457-864	4457-914	4457-916	4457-917	4457-920
4' x 6'	18.0	4457-865	0434-368	0434-360	0434-352	4457-926
4' x 8'	24.0	4457-866	0434-369	0434-361	0434-353	4457-934
4' x 20'	58.0	4457-867	4457-938	4457-940	4457-941	4457-942
3' x 60'	120.0	4458-167	0434-367	0434-359	0434-351	4458-188
4' x 60'	182.0	4458-174	0434-370	0434-362	0434-354	4458-189
6' x 60'	263.0	4458-184	4458-180	4458-182	4458-183	4458-190

Dirt / Moisture #T40 CHEVRON



Thickness: 5/16"

- Popular chevron carpet design attractive and functional
- Multi-directional pattern scrapes debris from shoes regardless of traffic flow
- · Vinyl backing helps reduce mat movement
- Low profile to perform in narrow clearance doorway

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
water absorption					
dirt scraping					·
outdoor use					
wearability					1


		Charcoal	Dark Brown	Slate Blue
DIMENSIONS	WGT	MODEL NO.	MODEL NO.	MODEL NO.
2' x 3'	5.0	4459-101	4459-102	4459-103
3' x 5'	12.0	4459-117	4459-118	4459-119
4' x 6'	19.0	4459-141	4459-142	4459-143

Custom sizes available - please call for quotation.



BRILLIANTSTEP™ IMAGE MATTING

- · Dye-injection process for long lasting, vibrant color
- Color palette of 16 base colors
- Perfect for placement inside entrances of restaurants, hotels, retail shops, department stores, schools and supermarkets



DEALER SHOWROOM MERCHANDISERS



VERTICAL DISPLAY RACK

Free-standing rack with point-of-purchase selection guide designed for display of 12" mat samples. Requires only one square foot of showroom floor space. Ships complete with product samples and catalogs. No assembly required.

MULTI-MAT II® RACK

Point-of-purchase rack that holds two 32' rolls of Multi-Mat II®. Complete with attractive header display that provides a way to merchandise and sell custom sizes direct from showroom floor.





CUTTING BOARD DISPLAY RACK

Cardboard merchandiser for marketing

Plasti-TUFF® and Sani-TUFF® boards.



- Heavy-duty galvanized steel frame resists rust
- Five inch high density polyurethane casters
- Holds up to 500 lbs. of matting

DIMENSIONS	WGT	MODEL NO.
40" x 42" x 28"	85	755-641



MAT UTILITY KART



- Heavy-duty galvanized steel frame resists rust
- Quick and easy to assemble and store
- Middle section will transport a 44 gallon container
- Removable handles (folds up for easy handling)
- Bolt-on casters

DIMENSIONS	WGT	MODEL NO.
44" x 25" x 30"	50	112-733



MAT REPLACEMENT GUARANTEE

Mats are guaranteed against defects in material, workmanship, and breakdown due to grease and oil exposure. Matting subjected to grease must be cleaned on a regular basis with hot water and a detergent that contains neither bleach, nor chlorine or butyl.

Factory liability is limited to the remaining warranty from date of purchase. Warranty claims must be authorized for return and shipped prepaid for inspection and evaluation. Replacement matting is prorated to the equivalent of the remaining period.

Notes – improper cleaning, handling, folding, or use of commercial dishwasher for cleaning mats will shorten expected useful life. This is not covered under replacement guarantee.

DO NOT use BLEACH or any BUTYL-BASED DEGREASER regardless of where the mat is used. Usage of these chemicals will void the product warranty.

INDEX

#T34	AQUA EDGE32	#T23	MULTI-MAT II®	. 14
#T37	ATLANTIC OLEFIN	#755	NIRU® VERSA RUNNER®	. 15
	BAR RAIL MAT29	#T15	OPTIMAT®	6
#139	BOULEVARD TM	#T47	PLASTI-TILE	. 16
	BRILLIANTSTEP™ IMAGE MATTING38	#T46	PLASTI-TUFF®	. 27
#T39	BRISTOL RIDGE	#T48	RAINBOW-PAK®	. 28
#T25	CHALLENGER®13		RAK-A-MAT	. 39
#T40	CHEVRON	#T29	RIDGE SCRAPER	. 31
#T31	CLICK MAT SOLID19	#T11	SAN-EZE II®	2
#T41	COMFORT REST PEBBLE FOAM20	#T12	SAN-EZE®	3
#T42	COMFORT REST RIBBED FOAM 21	#T45	SANI-TUFF®	. 26
#544	COMFORT ZONE TM	#T19	STEP LIGHT®	. 16
#T30	COMPETITOR®12	#T18	SUPERFLOW®	8
#T27	CORRUGATED RUNNER®	#T17	SUPERFOAM®	. 17
	DEALER SHOWROOM MERCHANDISERS 38	#T16	TEK-CONNECT®	7
#765	DEEP FREEZE MAT TM	#T14	TEK-TOUGH JR.®	5
#T28	FINGER SCRAPE	#T13	TEK-TOUGH®	4
#T20	F00TSAVER®	#T21	TRACTION MAT®	. 22
#T22	GRIP TRUE®10	#T56	ULTRA MAT MAX®	. 11
#T26	HERCULES®	#T32	ULTRA MAT®	. 11
	HOSES & NOZZLES 29	#138	UPTOWN TM	. 34
#470	MARBLE SOF-TYLE TM 24	#T35	WATER MASTER	. 33
	MAT UTILITY KART			

- **1.** Payment terms are net 30 days.
- 2. BROKEN CARTON CHARGE: \$5.00; HOSE CARTONS: \$12.00.
- **3.** MINIMUM ORDER: Standard sizes, \$100.00 (net invoice); custom sizes, no minimum. Orders under minimum will be processed plus \$25.00 (net) handling charge.
- **4.** RETURN MERCHANDISE: Request to return merchandise must be approved by the factory. Unauthorized returns will be refused. Authorized merchandise returns are subject to a 20% restocking fee, with a \$25 minimum charge.
- **5.** DROP SHIPMENTS: As a favor for dealers, stock merchandise will be drop shipped subject to a \$25.00 drop shipment charge.
- **6.** DAMAGED CLAIMS: Title to merchandise passes at the time of pick-up by the carrier. Loss or damage claims must be filed with the carrier.
- **7.** Orders are accepted at the prices in effect at the time of shipment. Prices are subject to change without notice.
- **8.** Because of the unique characteristic of rubber-based products, the specifications listed are nominal measurements.
- 9. Stated warranty relates only to manufacturing defects and protection from grease and oil exposure under normal operating conditions. Improper cleaning and material handling (folding, tearing, etc.) may shorten the expected useful life of rubber matting and is not subject to warranty claim. Never fold rubber matting. The use of commercial dishwasher is not recommended for cleaning floor matting. Intense hot water for extended period of time in a dishwasher can contribute to rubber deterioration. In heavy grease areas, daily cleaning is recommended.
- 10. Superior Manufacturing Group guarantees the bond on all NoTrax®/Apex™ laminated mats that incorporate the UniFusion™ process for the lifetime of the mat. The bond is guaranteed under normal conditions of use in reasonable dry application environments, or a full refund or replacement mat (based on the manufacturer's discretion) will be issued. Proof of purchase is required for all refunds or replacements. This lifetime warranty protects against de-lamination or bond failure, and does not cover issues unrelated to the bond such as wear or foam tears.

MATTING ICONS



Drainage:

Open construction allows for moisture to pass through, providing secure footing in a wet environment.



Anti-Slip:

Matting designed to provide added traction through aggressive surface patterns and textures.



Welding:

Made of durable rubber compounds, these mats can be used in areas where welding takes place.



Anti-Static:

Formulated to absorb static electricity.



Outdoor Use: Heavy-duty construction designed to act as a first line of defense against tracked-in dirt by scraping, soil and moisture from shoes.



Custom:

Mats available in custom sizes and/or lengths.



Food Service:

Matting suitable for use in kitchens, bars and other food service areas where durability, grease resistance and drainage are a priority.



Ergonomic/Anti-Fatigue:

Matting that alleviates foot pressure, stimulates blood circulation and helps reduce stress on the lower back, leg joints and major muscle groups.



Food Processing:

Matting suitable for use in food processing plants/areas where exposure to animal fats, greases, and oils are common.



Products featuring the GreenTRAX[™] logo in this catalog are top-rated for use in a highly efficient entrance matting system for Green Cleaning



SUPERIOR MANUFACTURING GROUP, INC.

HOW TO ORDER

Fax: 800.310.9412 • Phone: 866.966.8729 Or, contact your local Apex[™] Representative. When ordering, please order by model number.



FOOD SERVICE DIVISION The Plant 60 Valley Street Suite 101 Providence, RI 02909



MOSELLE DIVISION Moselle, Mississippi USA ISO 9001:2002



CALHOUN DIVISION Calhoun, Georgia USA ISO 9001:2002



SMG - EUROPE B.V. Barendrecht, Netherlands



CORPORATE HEADQUARTERS Chicago, Illinois USA

