



CF928 928L



Model: CF928

Description:

- * Net capacity Litre: 928L
- * Double top-open door
- * Refrigerant: R134a or R600a
- * Input power: 385W
- * Power Consumption: 4.2 kw.h/24h
- * With compressor
- * Adjustable Thermostat temperature control
- * Single-temperature type
- * Manual Defrosting
- * Outside condensor
- * Climate Type: N, ST
- * Handle with lock
- * With inside light
- * With basket
- * With wheel
- * Freezing capacity: 42kg/24h
- * Freezing temperature: $\leq -18^{\circ}\text{C}$
- * 240V/50Hz/BS plug

www.frinko.mk www.klimafilia.mk +389 47 203 900



* Warranty term:

Compressor (year): 3

Whole unit (year): 1

* Safety approval: CE,CB,RoHS,SONCAP,KUWAIT,SASO

Packing & Loading:

* 1PC/CTN

* Export Standard Carton

* N.W.:122KGS G.W.:135KGS

* Product size: 2260*723*980mm

* EC Dimension: 2285*755*1000mm

* 1*40"HQ: 30pcs



CF828 828L



Model: CF828

Description:

- * Net capacity Litre: 828L
- * Double top-open door
- * Refrigerant: R134a or R600a
- * Input power: 350W
- * Power Consumption: 3.5 kw.h/24h
- * With compressor
- * Adjustable Thermostat temperature control
- * Single-temperature type
- * Manual Defrosting
- * Outside condensor
- * Climate Type: N, ST
- * Handle with lock
- * With inside light
- * With basket
- * With wheel
- * Freezing capacity: 38kg/24h
- * Freezing temperature: $\leq -18^{\circ}\text{C}$
- * 240V/50Hz/BS plug

www.frinko.mk www.klimafilia.mk +389 47 203 900



* Warranty term:

Compressor (year): 3

Whole unit (year): 1

* Safety approval: CE,CB,RoHS,SONCAP,KUWAIT,SASO

Packing & Loading:

* 1PC/CTN

* Export Standard Carton

* N.W.:118KGS G.W.:125KGS

* Product size: 2260*723*890mm

* EC Dimension: 2285*755*915mm

* 1*40"HQ: 30pcs



CF758 758L



Model: CF758

Description:

- * Net capacity Litre: 758L
- * Double top-open door
- * Refrigerant: R134a or R600a
- * Input power: 340W
- * Power Consumption: 2.8 kw.h/24h
- * With compressor
- * Adjustable Thermostat temperature control
- * Single-temperature type
- * Manual Defrosting
- * Outside condensor
- * Climate Type: N, ST
- * Handle with lock
- * With inside light
- * With basket
- * With wheel
- * Freezing capacity: 3.5kg/24h
- * Freezing temperature: $\leq -18^{\circ}\text{C}$
- * 240V/50Hz/BS plug

www.frinko.mk www.klimafilia.mk +389 47 203 900



* Warranty term:

Compressor (year): 3

Whole unit (year): 1

* Safety approval: CE,CB,RoHS,SONCAP,KUWAIT,SASO

Packing & Loading:

* 1PC/CTN

* Export Standard Carton

* N.W.:105KGS G.W.:110KGS

* Product size: 2260*723*825mm

* EC Dimension: 2285*755*855mm

* 1*40"HQ: 45pcs



CF600 600L



Model: CF600

Description:

- * Net capacity Litre: 600L
- * Double top-open door
- * Refrigerant: R134a or R600a
- * Input power: 280W
- * Power Consumption: 2.5 kw.h/24h
- * With compressor
- * Adjustable Thermostat temperature control
- * Single-temperature type
- * Manual Defrosting
- * Outside condensor
- * Climate Type: N, ST
- * Handle with lock
- * With inside light
- * With basket
- * With wheel
- * Freezing capacity: 30kg/24h

www.frinko.mk www.klimafilia.mk +389 47 203 900



* Freezing temperature: $\leq -18^{\circ}\text{C}$

* 240V/50Hz/BS plug

* Warranty term:

Compressor (year): 3

Whole unit (year): 1

* Safety approval: CE, CB, RoHS

Packing & Loading:

* 1PC/CTN

* Export Standard Carton

* N.W.: 80KGS G.W.: 92KGS

* Product size: 1940*675*815mm

* EC Dimension: 1980*748*855mm

* 1*40"HQ: 54pcs



CF500 500L



Model: CF500

Description:

- * Net capacity Litre: 500L
- * Double top-open door
- * Refrigerant: R134a or R600a
- * Input power: 240W
- * Power Consumption: 2.35 kw.h/24h
- * With compressor
- * Adjustable Thermostat temperature control
- * Single-temperature type
- * Manual Defrosting
- * Outside condensor
- * Climate Type: N, ST
- * Handle with lock
- * With inside light
- * With basket
- * With wheel
- * Freezing capacity: 20kg/24h
- * Freezing temperature: $\leq -18^{\circ}\text{C}$
- * 240V/50Hz/BS plug

www.frinko.mk www.klimafilia.mk +389 47 203 900



* Warranty term:

Compressor (year): 3

Whole unit (year): 1

* Safety approval: CE, CB, RoHS

Packing & Loading:

* 1PC/CTN

* Export Standard Carton

* N.W.:72KGS G.W.:85KGS

* Product size: 1660*675*815mm

* EC Dimension: 1700*750*855mm

* 1*40"HQ: 63pcs



CF400 400L



Model: CF400

Description:

- * Net capacity Litre: 400L
- * Double top-open door
- * Refrigerant: R134a or R600a
- * Input power: 235W
- * Power Consumption: 2.3 kw.h/24h
- * With compressor
- * Adjustable Thermostat temperature control
- * Single-temperature type
- * Manual Defrosting
- * Outside condensor
- * Climate Type: N, ST
- * Handle with lock
- * With inside light
- * With basket
- * With wheel
- * Freezing capacity: 20kg/24h
- * Freezing temperature: $\leq -18^{\circ}\text{C}$
- * 240V/50Hz/BS plug

www.frinko.mk www.klimafilia.mk +389 47 203 900



* Warranty term:

Compressor (year): 3

Whole unit (year): 1

* Safety approval: CE,CB,RoHS

Packing & Loading:

* 1PC/CTN

* Export Standard Carton

* N.W.:68KGS G.W.:80KGS

* Product size: 1370*675*815mm

* EC Dimension: 1410*750*855mm

* 1*40"HQ: 72pcs



CF350 350L



Model: CF350

Description:

- * Net capacity Litre: 350L
- * Top-open door freezer
- * Single door
- * Refrigerant: R134a or R600a
- * Input power: 190W
- * Power Consumption: 1.9 kw.h/24h
- * With compressor
- * Adjustable Thermostat temperature control
- * Single-temperature type
- * Manual Defrosting
- * Outside condensor
- * Climate Type: N, ST
- * Handle with lock
- * With inside light
- * With basket
- * With wheel
- * Freezing temperature: $\leq -18^{\circ}\text{C}$
- * 240V/50Hz/BS plug
- * Warranty term:

www.frinko.mk www.klimafilia.mk +389 47 203 900



Compressor (year): 3

Whole unit (year): 1

* Safety approval: CE,CB,RoHS

Packing & Loading:

* 1PC/CTN

* Export Standard Carton

* N.W.:60KGS G.W.:65KGS

* Product size: 1240*675*815mm

* EC Dimension: 1280*750*855mm

* 1*40"HQ: 81pcs



CF300 300L



Model: CF300

Description:

- * Net capacity Litre: 300L
- * Top-open door freezer
- * Single door
- * Refrigerant: R134a or R600a
- * Input power: 175W
- * Power Consumption: 1.35 kw.h/24h
- * With compressor
- * Adjustable Thermostat temperature control
- * Single-temperature type
- * Manual Defrosting
- * Outside condensor
- * Climate Type: N,ST
- * Handle with lock
- * With inside light
- * With basket
- * With wheel
- * Freezing temperature: $\leq -18^{\circ}\text{C}$
- * 240V/50Hz/BS plug
- * Warranty term:

www.frinko.mk www.klimafilia.mk +389 47 203 900



Compressor (year): 3

Whole unit (year): 1

* Safety approval: CE,CB,RoHS

Packing & Loading:

* 1PC/CTN

* Export Standard Carton

* N.W.:47KGS G.W.:50KGS

* Product size: 1065*555*910mm

* EC Dimension: 1100*605*970mm

* 1*40"HQ: 100pcs



CF250 250L



Model: CF250

Description:

- * Net capacity Litre: 250L
- * Top-open door freezer
- * Single door
- * Refrigerant: R134a or R600a
- * Input power: 158W
- * Power Consumption: 1.3 kw.h/24h
- * With compressor
- * Adjustable Thermostat temperature control
- * Single-temperature type
- * Manual Defrosting
- * Outside condensor
- * Climate Type: N,ST
- * Handle with lock
- * With inside light
- * With basket
- * With wheel
- * Freezing temperature: $\leq -18^{\circ}\text{C}$
- * 240V/50Hz/BS plug
- * Warranty term:

www.frinko.mk www.klimafilia.mk +389 47 203 900



Compressor (year): 3

Whole unit (year): 1

* Safety approval: CE,CB,RoHS

Packing & Loading:

* 1PC/CTN

* Export Standard Carton

* N.W.:46KGS G.W.:50KGS

* Product size: 1065*555*810mm

* EC Dimension: 1100*605*870mm

* 1*40"HQ: 114pcs

CF220 220L



Model: CF220

Description:

- * Net capacity Litre: 220L
- * Top-open door freezer
- * Single door
- * Refrigerant: R134a or R600a
- * Input power: 145W
- * Power Consumption: 1.25 kw.h/24h
- * With compressor
- * Adjustable Thermostat temperature control
- * Single-temperature type
- * Manual Defrosting
- * Outside condensor
- * Climate Type: N,ST
- * Handle with lock
- * With inside light
- * With basket
- * With wheel
- * Freezing temperature: $\leq -18^{\circ}\text{C}$
- * 240V/50Hz/BS plug
- * Warranty term:



Compressor (year): 3

Whole unit (year): 1

* Safety approval: CE,CB,RoHS

Packing & Loading:

* 1PC/CTN

* Export Standard Carton

* N.W.:44KGS G.W.:48KGS

* Product size: 990*555*810mm

* EC Dimension: 1030*605*870mm

* 1*40"HQ: 124pcs



CF200 200L



Model: CF200

Description:

- * Net capacity Litre: 200L
- * Top-open door freezer
- * Single door
- * Refrigerant: R134a or R600a
- * Input power: 135W
- * Power Consumption: 1.2 kw.h/24h
- * With compressor
- * Adjustable Thermostat temperature control
- * Single-temperature type
- * Manual Defrosting
- * Outside condensor
- * Climate Type: N,ST
- * Handle with lock
- * With inside light
- * With basket
- * With wheel
- * Freezing temperature: $\leq -18^{\circ}\text{C}$
- * 240V/50Hz/BS plug
- * Warranty term:

www.frinko.mk www.klimafilia.mk +389 47 203 900



Compressor (year): 3

Whole unit (year): 1

* Safety approval: CE,CB,RoHS

Packing & Loading:

* 1PC/CTN

* Export Standard Carton

* N.W.:43KGS G.W.:47KGS

* Product size: 990*555*770mm

* EC Dimension: 1030*605*830mm

* 1*40"HQ: 126pcs



CF190 190L



Model: CF190

Description:

- * Net capacity Litre: 190L
- * Top-open door freezer
- * Single door
- * Refrigerant: R134a or R600a
- * Input power: 125W
- * Power Consumption: 1.1 kw.h/24h
- * With compressor
- * Adjustable Thermostat temperature control
- * Single-temperature type
- * Manual Defrosting
- * Outside condensor
- * Climate Type: N,ST
- * Handle with lock
- * With inside light
- * With basket
- * With wheel
- * Freezing temperature: $\leq -18^{\circ}\text{C}$
- * 240V/50Hz/BS plug
- * Warranty term:

www.frinko.mk www.klimafilia.mk +389 47 203 900



Compressor (year): 3

Whole unit (year): 1

* Safety approval: CE,CB,RoHS

Packing & Loading:

* 1PC/CTN

* Export Standard Carton

* N.W.:41KGS G.W.:45KGS

* Product size: 800*555*820mm

* EC Dimension: 840*605*860mm

* 1*40"HQ: 156pcs

CF165 165L



Model: CF165

Description:

- * Net capacity Litre: 165L
- * Top-open door freezer
- * Single door
- * Refrigerant: R134a or R600a
- * Input power: 115W
- * Power Consumption: 1.1 kw.h/24h
- * With compressor
- * Adjustable Thermostat temperature control
- * Single-temperature type
- * Manual Defrosting
- * Outside condensor
- * Climate Type: N,ST
- * Handle with lock
- * With inside light
- * With basket
- * With wheel
- * Freezing Capacity: 7.5kg/24h
- * Freezing temperature: $\leq -18^{\circ}\text{C}$



* 240V/50Hz/BS plug

* Warranty term:

Compressor (year): 3

Whole unit (year): 1

* Safety approval: CE,CB,RoHS,KUWAIT,SONCAP,SASO

Packing & Loading:

* 1PC/CTN

* Export Standard Carton

* N.W.:35KGS G.W.:42KGS

* Product size: 800*555*805mm

* EC Dimension: 840*605*825mm

* 1*40"HQ: 156pcs

CF150 150L



Model: CF150

Description:

- * Net capacity Litre: 150L
- * Top-open door freezer
- * Single door
- * Refrigerant: R134a or R600a
- * Input power: 108W
- * Power Consumption: 1.05 kw.h/24h
- * With compressor
- * Adjustable Thermostat temperature control
- * Single-temperature type
- * Manual Defrosting
- * Outside condensor
- * Climate Type: N,ST
- * Handle with lock
- * With inside light
- * With basket
- * With wheel
- * Freezing Capacity: 7kg/24h
- * Freezing temperature: $\leq -18^{\circ}\text{C}$



* 240V/50Hz/BS plug

* Warranty term:

Compressor (year): 3

Whole unit (year): 1

* Safety approval: CE,CB,RoHS

Packing & Loading:

* 1PC/CTN

* Export Standard Carton

* N.W.:34KGS G.W.:42KGS

* Product size: 800*555*770mm

* EC Dimension: 840*605*785mm

* 1*40"HQ: 156pcs

CF120 120L



Model: CF120

Description:

- * Net capacity Litre: 120L
- * Top-open door freezer
- * Single door
- * Refrigerant: R134a or R600a
- * Input power: 105W
- * Power Consumption: 1.0 kw.h/24h
- * With compressor
- * Adjustable Thermostat temperature control
- * Single-temperature type
- * Manual Defrosting
- * Outside condensor
- * Climate Type: N,ST
- * Handle with lock
- * With inside light
- * With basket
- * With wheel
- * Freezing Capacity: 5.4kg/24h
- * Freezing temperature: $\leq -18^{\circ}\text{C}$



* 240V/50Hz/BS plug

* Warranty term:

Compressor (year): 3

Whole unit (year): 1

* Safety approval: CE,CB,RoHS,SONCAP,SASO,KUWAIT

Packing & Loading:

* 1PC/CTN

* Export Standard Carton

* N.W.:32KGS G.W.:39KGS

* Product size: 585*510*900mm

* EC Dimension: 625*575*920mm

* 1*40"HQ: 200pcs

CF100 100L



Model: CF100

Description:

- * Net capacity Litre: 100L
- * Top-open door freezer
- * Single door
- * Refrigerant: R134a or R600a
- * Input power: 105W
- * Power Consumption: 1.0 kw.h/24h
- * With compressor
- * Adjustable Thermostat temperature control
- * Single-temperature type
- * Manual Defrosting
- * Outside condensor
- * Climate Type: N,ST
- * Handle with lock
- * With inside light
- * With basket
- * With wheel
- * Freezing temperature: $\leq -18^{\circ}\text{C}$
- * 240V/50Hz/BS plug

www.frinko.mk
www.klimafilia.mk
+389 47 203 900



* Warranty term:

Compressor (year): 3

Whole unit (year): 1

* Safety approval: CE,CB,RoHS

Packing & Loading:

* 1PC/CTN

* Export Standard Carton

* N.W.:30KGS G.W.:37KGS

* Product size: 585*510*770mm

* EC Dimension: 625*575*800mm

* 1*40"HQ: 240pcs

CF380 380L



Model: CF380

Description:

- * Net capacity Litre: 380L
- * Ex window freezer
- * Double door
- * Refrigerant: R134a or R600a
- * Input power: 300W
- * Power Consumption: 1.9 kw.h/24h
- * With compressor
- * Adjustable Thermostat temperature control
- * Single-temperature type
- * Manual Defrosting
- * Outside condensor
- * Climate Type: N, ST
- * With basket
- * With wheel
- * Freezing temperature: $\leq -12^{\circ}\text{C}$
- * 240V/50Hz/BS plug
- * Warranty term:
 - Compressor (year): 3
 - Whole unit (year): 1



* Safety approval: CE,CB,RoHS

Packing & Loading:

* 1PC/CTN

* Export Standard Carton

* N.W.:59KGS G.W.:65KGS

* Product size: 1305*650*815mm

* EC Dimension: 1350*750*855mm

* 1*40"HQ: 74pcs



CF280 280L



Model: CF280

Description:

- * Net capacity Litre: 280L
- * Ex window freezer
- * Double door
- * Refrigerant: R134a or R600a
- * Input power: 280W
- * Power Consumption: 1.6 kw.h/24h
- * With compressor
- * Adjustable Thermostat temperature control
- * Single-temperature type
- * Manual Defrosting
- * Outside condensor
- * Climate Type: N, ST
- * With basket
- * With wheel
- * Freezing temperature: $\leq -12^{\circ}\text{C}$
- * 240V/50Hz/BS plug
- * Warranty term:
Compressor (year): 3
Whole unit (year): 1

www.frinko.mk www.klimafilia.mk +389 47 203 900



* Safety approval: CE,CB,RoHS

Packing & Loading:

* 1PC/CTN

* Export Standard Carton

* N.W.:59KGS G.W.:65KGS

* Product size: 1040*650*815mm

* EC Dimension: 1090*750*855mm

* 1*40"HQ: 96pcs