

# Electrolux



RESTAURANT SUPPLIES INTERNATIONAL

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia

HEAVY DUTY LINE





14000 €



L-700 series



Wall set, L750 kind, 750 mm depth working by gas. Depending on the needs of the fitting to be made, units of 400, 800, 1200 or 1600 mm can be placed.

L-900 series



[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
 +389 47 203 900  
 +389 2 329 8 130  
 made in macedonia

Set of kitchen to be fitted centrally, composed of 8 units, L900 kind, sized 800mm length x 900mm depth. There are lots of possible combinations. This set could be placed in a Restaurant - Hotel or Collectivity with a capacity of 300-350 persons, depending on the category. The working of the appliances can be by gas, electricity or mixed one.

CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES . . . . .

Volcano 4sf eN  
(11.152.047)

Gas cooking range with 4 burners and gas oven. The whole appliance is made of stainless steel. Top grids are made of cast iron. Three position switches to control the burners and , and regulator for the oven 100-340 C.Flame failure devices and igition system. Adjustable feet.

External Dimensions: 700x700x850mm  
2 burner x 5kw  
2 burners x 6,5 kw  
Oven: 6,5 kw

1530 €



Volcano 6sf eN ( photo )  
(11.152.048)

Gas cooking range with 6 burners and gas oven. The whole appliance is made of stainless steel. Top grids are made of cast iron. Three position switches to control the burners and , and regulator for the oven 100-340 C.Flame failure devices and igition system. Adjustable feet.

External Dimensions: 1050x700x850mm  
3 burner x 5kw  
3 burners x 6,5 kw  
Oven: 6,5 kw

2190 €



GC4G-LReN

PL4eN

FCG2X10eN



[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia

	FCG1X10eN Gas fryer single	FCG2X10eN Gas fryer double	PL4eN Lavastone grill	GC4G-LReN Gas griddle plate
Price	1180 €	2287 €	1476 €	1526 €
Kw	9	18	9	12
Capacity	10 lt	10+10 lt		
External Dimentions	350x700x850mm	700x700x850mm	600x700x850mm	600x700x850mm

••••• CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES



### VOLCANO-4SF (11.152.028)

Gas stove with four burners and gas oven. Stainless steel construction, with four three-position switches for temperature control of burner, regulated 100°-340°C oven thermostat, flame failure devices and ignition system. Adjustable feet.

Dimensions: 700x700x850mm  
 HEAT INPUT  
 Small burner: 1x2,9kW  
 Medium burner: 2x5kW  
 Large burner: 1x6,5kW  
 Oven: 6,5kW

**1697 €**



### VOLCANO-6SF (11.152.033)

Gas stove with six burners and gas oven plus neutral cupboard. Same construction as 4SF model.

Dimensions: 1050x700x850mm  
 HEAT INPUT  
 Burners: 3x5Kw and 3 x 6Kw  
 Oven: 6,5Kw

**2435 €**



## Gas & Electric - Deep Fryers

### FCG-1x10e (11.120.011)

GAS fryer with special design for easy cleaning. Stainless steel construction AISI 304 18/10. Adjustable height legs. Thermostat 50-200°C and thermal fuse 230°C.

Power (single model) 9kW  
 Capacity: 10Lt.  
 Dimensions: 350x700x850mm

**1180 €**



CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES . . . . .

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
 +389 47 203 900  
 +389 2 329 8 130  
 made in macedonia

PROFI LINE 700

Gas & Electric - Deep Fryers

FCG-2x10e (11.120.012)

GAS fryer with special design for easy cleaning. Stainless steel construction. Adjustable height legs. Thermostat 50-200 °C and thermal fuse 230 °C.

Power (double model) 18kW  
Capacity: 2x10Lt.  
Dimensions: 700x700x850m

2287 €



Combination for the small kitchen

Gas Griddle Plate & Lava Stone Grill

GC/4G-Le 700X600 (11.159.031)

Gas griddle plate, stand unit to be combined in Line 700 with flat surface on practical storage cupboard underneath.

Power: 9kW  
Dimensions: 600x700x850mm

1476 €



Fitted perfectly for small size restaurants, can be combined with gas stove Volcano-4SF & and Fryer FCG-2X10

PL-4e

PL-4e (11.159.030)

Gas lava stone grill with separate grills for fish & meat. Upper grill and lower grill for barbecue or grill. Upper grill easy removable for easy cleaning. Practical storage cupboard and adjustable legs.

Power: 12 kW  
Dimensions 600x700x850mm

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)

+389 47 203 900  
+389 2 329 8 130  
made in macedonia

1476 €



CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES



### VOLCANO-2M (11.152.010)

Gas stove with two burners and storage cupboard. Stainless steel construction. Temperature independent regulated by two three position switches. Practical storage cupboard with stainless steel handle.

DIMENSIONS	LENGTH	WIDTH	HEIGHT
External:	425mm	700mm	850mm
Cupbaord:	370mm	670mm	500mm

#### HEAT INPUT:

Burner	
Small:	1x 5 kW
Large:	1x6,5kW



923 €

VOLCANO-2MO (11.152.024)  
On open stand ( without door ).

848 €

### VOLCANO-6 LF (11.152.022)

Gas stove with 6 burners and large oven(3xGN1/1). Casing made of stainless steel. Burner temperature is separately controlled by 6 three-position switches. Equipped with ignition system, gas thermostat 1000-3400C and flame failure devices. Adjustable plastic feet.

DIMENSIONS	LENGTH	DEPTH	HEIGHT
Outer:	1200mm	700mm	850mm
Oven:	1000mm	650mm	320mm

#### HEAT INPUT

Burners :	3x5kW,3 x 6,5 kW
Oven:	10kW



2656 €

### VOLCANO-6MO : (11.152.021)

Six burners gas stove on open stand. Stainless steel AISI 304 18/10 construction. Separately temperature control of the burners. Equipped with igniter, burner thermostats and thermocouples. Plastic adjustable feet.

DIMENSIONS	LENGTH	DEPTH	HEIGHT
Outer:	1200mm	700mm	850mm

#### HEAT INPUT

Burners:	3x5kW and 3x6,5kW
----------	-------------------



1807 €

**TGGO ( 11.158.004 )**

Gas top range with pilot flame on 2/1 GN gas oven. Casing made of stainless steel AISI 304. Temperature control by a safety valve with thermocouple and igniter. Oven for GN 2/1 baking trays and grills in stainless steel, equipped with thermostat 100-340oC, igniter, thermocouple, and shut-off device. Adjustable plastic feet with metal joins to the bottom of the appliance.



<b>DIMENSIONS</b>	<b>LENGTH</b>	<b>DEPTH</b>	<b>HEIGHT</b>
Outer:	850mm	700mm	850mm
Oven 2/1:	680mm	600mm	320mm
<b>HEAT INPUT</b>			
Top range:	9kW		
Oven:	6,5kW		

**2398 €**

**TG-M ( 11.158.005 )**

Gas top range on double cupboard. Casing made of stainless steel. Temperature controlled by a safety valve with thermocouple and igniter. Adjustable plastic feet with metal joins to the bottom of the appliance.



<b>DIMENSIONS</b>	<b>LENGTH</b>	<b>DEPTH</b>	<b>HEIGHT</b>
Outer:	850mm	700mm	850mm
<b>HEAT INPUT</b>			
Top range:	9kW		

**1771 €**

**V2/TGGO: (11.158.001)**

Gas stove 2 burners with pilot flame on 2/1 GN gas oven and practical storage cupboard. Casing made of stainless steel. Each burner is separately controlled by a safety valve with thermocouple and igniter. Oven for GN 2/1 baking trays and burner grills in stainless steel, equipped with thermostat 100-340oC, igniter, thermocouple and shut-off device. Adjustable plastic feet with metal joins to the bottom of the appliance.



<b>DIMENSIONS</b>	<b>LENGTH</b>	<b>DEPTH</b>	<b>HEIGHT</b>
Outer:	1200mm	700mm	850mm
Oven 2/1:	680mm	600mm	320mm
Storage cupboard:	370mm	650mm	500mm
<b>HEAT INPUT</b>			
Small burner:	5kW		
Large burner:	6,5kW		
Top range:	9kW		
Oven:	6,5kW		

**3319 €**

**V2+2TGGO: (11.158.006)**

Gas stove 4 burners with pilot flame on 2/1 GN gas oven and practical storage cupboard. Casing made of stainless steel. Each burner is separately controlled by a safety valve with thermocouple and igniter. Oven for GN 2/1 baking trays and burner grills in stainless steel, equipped with thermostat 100-340oC, igniter, thermocouple and shut-off device. Adjustable plastic feet with metal joins to the bottom of the appliance.



<b>DIMENSIONS</b>	<b>LENGTH</b>	<b>DEPTH</b>	<b>HEIGHT</b>
Outer:	1200mm	700mm	850mm
Oven 2/1:	680mm	600mm	320mm
Storage cupboard:	370mm	650mm	500mm
<b>HEAT INPUT</b>			
Small burner:	5kW		
Large burner:	6,5kW		
Top range:	9kW		
Oven:	6,5kW		

**3505 €**

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
 +389 47 203 900  
 +389 2 329 8 130  
 made in macedonia



# PROFI LINE 700 - GAS GRIDDLE PLATES WITH STORAGE CUPBOARD OR OVEN

## GC/2G

Gas griddle plates, single or double ones with three variations for the griddle plates: Smooth (L), Ribbed (R) or 1/2 smooth+1/2 ribbed (LR). Stainless steel construction. Equipped with storage cupboard or alternatively with 2/1 oven. Models are equipped with separately controls for each half of the griddle

### DIMENSIONS

#### LENGTH DEPTH HEIGHT

425mm 700mm 850mm

Cooking surface: 20,4 dm<sup>2</sup>

OPTION: Chromed surface

Rating power 7kW

GC/2GL  
(11.159.009)



1070 €

GC/2GR  
(11.159.010)



1144 €

G/2GL  
(11.159.025)



1034 €

Ribbed single griddle on open stand  
G/2GR (11.159.026) 1.024 €

Double gas griddles with storage cupboard or on open stand.

### DIMENSIONS

#### LENGTH DEPTH HEIGHT

850mm 700mm 850mm

Cooking surface: 40,8 dm<sup>2</sup>

OPTION: Chromed surface

Rating power 14kW

Double on open stand L=flat R=ribbed

G/4GL (11.159.027) 1.502 €

G/4GR (11.159.028) 1.570 €

Double with storage cupboard GC/4GR (11.159.011) ribbed

GC/4GL  
(11.159.012)



1771 €

GC/4GLR  
(11.159.013)



1826 €

G/4GLR  
(11.159.029)



1679 €

### DIMENSIONS

#### LENGTH DEPTH HEIGHT

850mm 700mm 850mm

With gas oven.

GGO/4GL



2435 €

GGO/4GR  
(11.159.015)



2398 €

GGO/4GLR  
(11.159.016)



2416 €

CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES . . . . .



•••••CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

**PC-2G**

Gas pasta cooker made of stainless steel.  
Temperature operating 30-90°C. Connect 1/2" warm or cold water.

DIMENSIONS:	LENGTH	DEPTH	HEIGHT
PC-2G:	425mm	700mm	850mm
GAS MODEL:		PC-2G	
Power (kW):		8,5	
Capacity (lt):		15	
Bucket dimensions:	306x340x300mm		

**PC-2G**



**1771 €**



**PC-4G**

Gas pasta cooker made of stainless steel. Temperature operating 30-90°C. Connect 1/2" warm or cold water.

DIMENSIONS:	LENGTH	DEPTH	HEIGHT
PC-4G:	850mm	700mm	850mm
GAS MODEL:		PC-4G	
Power (kW):		13,6	
Capacity (lt):		2x15	
Bucket dimensions:	306x340x300mm		

**PC-4G**



**3189 €**

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
 +389 47 203 900  
 +389 2 329 8 130  
 made in macedonia

### BMCG-2(11.125.002)

GasGN Bain-Maries with basin depth 200mm. Temperature control with thermostats 300-900C. Water inlet and outlet system, plus overflowing control. Full stainless steel construction. Adjustable plastic feet with metal joins to the bottom of the appliance.

#### BMCG/2

Controls: Ignition system, gas thermostat, thermocouples.

Heat Input: BMCG/2: 6,5kW

DIMENSIONS	LENGTH	DEPTH	HEIGHT
external2:	425mm	700mm	850mm
Basin:	300mm	630mm	200mm



812 €

### BMCG-4 (11.125.003)

GasGN Bain-Maries with basin depth 200mm. Temperature control with thermostats 300-900C. Water inlet and outlet system, plus overflowing control. Full stainless steel construction. Adjustable plastic feet with metal joins to the bottom of the appliance.

#### BMCG/4

Controls: Ignition system, gas thermostat, thermocouples.

Heat Input: BMCG/4: 13kW

DIMENSIONS	LENGTH	DEPTH	HEIGHT
External:	850mm	700mm	850mm
Basin: 2x	300mm	630mm	200mm



1106 €

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
 +389 47 203 900  
 +389 2 329 8 130  
 made in macedonia

CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES . . . . .



# PROFI LINE 700 - GAS LAVA STONE GRILLS

## PL/2 (11.159.019)

Gas lava stone grill with separate grills for fish & meat. Upper grill and lower grill for barbecue or grill. Upper grill easy removable for easy cleaning. Practical storage cupboard and adjustable legs.

## PL-2



Single (PL/2): 9 kW  
Dimensions: 425\*700\*850 mm (L\*W\*H)

1070 €

## PL/4 ( 11.159.018 )

Gas lava stone grill with separate grills for fish & meat. Upper grill and lower grill for barbecue or grill. Upper grill easy removable for easy cleaning. Practical storage cupboard and adjustable legs.

## PL-4



Double (PL/4) : 21 kW  
Dimensions: 850\*700\*850 mm (L\*W\*H)

1586 €

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia

.....CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

### FCG/2

( 11.120.005 )

Gas deep fryers with modern design for easy cleaning. Stainless steel construction, adjustable height legs with metal joins to the bottom of the appliance. Burner with safety valve, thermocouple, igniter. Also with temperature display

#### DIMENSIONS

	LENGTH	DEPTH	HEIGHT
FCG/2:	425mm	700mm	850mm
Basket:	230mm	300mm	110mm

Rating power:	14kW
Capacity:	15Lt.

### FCG/2



1476 €

### FCG/4

( 11.120.006 )

Gas deep fryers with modern design for easy cleaning. Stainless steel construction, adjustable height legs with metal joins to the bottom of the appliance. Burner with safety valve, thermocouple, igniter. Equipped with temperature display.

#### DIMENSIONS

	LENGTH	DEPTH	HEIGHT
FCG/4:	850mm	700mm	850mm
Basket:	230mm	300mm	110mm

Rating power:	28kW
Capacity:	2x15Lt.

### FCG/4



2656 €

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
 +389 47 203 900  
 +389 2 329 8 130  
 made in macedonia



# PROFI LINE 700 - GAS TILTING BRATT & BOILING PANS

## KBRG

Gas tilting brat pans with modern design for easy cleaning. Stainless steel construction, adjustable height legs, quality materials, high performance. Available with automatic or manual pan tilting system.

OPTION: Water Inlet

DIMENSIONS	LENGTH	DEPTH	HEIGHT
Outer:	850mm	700mm	850mm
Tank Dimensions:	700mm	444mm	190mm
Capacity:	50 lt		
Gas consumption:	13 kW		

KBRG-4M: ( 11.160.002 )

**3.983 €**

KBRG-4A: ( 11.160.003 )

**5.090 €**



.....CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

## KPGD

Gas boiling pans with modern design for easy cleaning. Available with direct (D) or indirect (ID) heating, normal (N) or auto-clave (A) and in different capacities (Lt). Stainless steel construction, adjustable height legs.

Model extension: Capacity  
50N or 50A 50 Lt

Model	Boiler	Height
Liters	Diameter	
50	Φ400	455mm

Gas Power: 12,8 kW

DIMENSIONS:	LENGTH	DEPTH	HEIGHT
Outer:	800mm	700mm	850mm

KPGD-50N: ( 11.153.008 )

**3.980 €**

KPGD-50A: ( 11.153.011 )

**4.426 €**

KPGID-50N: ( 11.153.009 )

**5.312 €**

KPGID-50A: ( 11.153.010 )

**5.754 €**



[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
 +389 47 203 900  
 +389 2 329 8 130  
 made in macedonia

PL4-1U (11.159.033)

Single gas lava stone grill with separate grills for meat or fish. Cooks with lava stone or water or both. Line 600

Ext.Dimensions 425x600x310  
Power : 9 Kw

**848 €**



PL4-2U (11.159.033)

Double gas lava stone grill with separate grills for meat or fish. Cooks with lava stone or water or both. Line 600

Ext.Dimensions 800x600x310  
Power : 21 Kw

**1280 €**



PL4-3U (11.159.033)

Triple gas lava stone grill with separate grills for meat or fish. Cooks with lava stone or water or both. Line 600

Ext.Dimensions 1200x600x310  
Power : 27 Kw

**1600 €**



**VOLCANO-4U** (11.152.032)

Gas stove with 4 burners, table top unit. Characteristics as the Volcano-4 Line 700. Stainless steel burner grill.

**DIMENSIONS**      **LENGTH**   **WIDTH**   **HEIGHT**  
External:            850mm   600mm   310mm

Power consumption

Small burner:      1 x2,9kW

Medium burner:    2x5kW

Large burner:      1x6,5kW

**1217 €**



### GAS GRIDDLE PLATES TABLE TOP UNIT

**GU/4G-L** (11.123.001)

Gas griddle plate table top unit for Line 700 with flat surface.

**DIMENSIONS**      **LENGTH**   **DEPTH**   **HEIGHT**  
850mm   600mm   310mm

Rating power:      14kW

**1217 €**



CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES.....

[www.electrolux.com.mk](http://www.electrolux.com.mk)

[www.elektroluks.com.mk](http://www.elektroluks.com.mk)

+389 47 203 900

+389 2 329 8 130

made in macedonia



# LINE 700 - ELECTRIC HEAVY DUTY STOVES

## SEO/4E (11.052.007)

Electric stove with 4 hot plates and electric oven. Casing made of stainless steel. Hot plate operation is separately controlled by 4 four-position switches. Adjustable plastic feet with metal joins to the bottom of the appliance. The oven's temperature is controlled by two thermostats.



DIMENSIONS	LENGTH	DEPTH	HEIGHT
Outer:	700mm	700mm	850mm
Oven:	560mm	600mm	320mm

Rating power:

1x1,5kW  
2x2kW  
1x2,6kW

Oven:

4kW

Operating voltage:

380V

**1844 €**

ALSO AVAILABLE NOW WITH SQUARE PLATES AND TABLE TOP UNIT!

## SCEO/6E (11.052.008)

Electric stove with 6 hot plates and 1/1GN electric oven. Casing made of stainless steel. Hot plates operation is separately controlled by 6 four-position switches. Adjustable plastic feet with metal joins to the bottom of the appliance. The oven's temperature is controlled by two thermostats.



DIMENSIONS	LENGTH	DEPTH	HEIGHT
Outer:	1050mm	700mm	850mm
Oven:	560mm	600mm	320mm
cupboard:	310mm	650mm	500mm

Rating power:

3x2kW  
3x2,6kW

Oven:

4kW

Operating voltage:

380V

**2398 €**

ALSO AVAILABLE NOW WITH SQUARE PLATES!

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
 +389 47 203 900  
 +389 2 329 8 130  
 made in macedonia

# LINE 700 - ELECTRIC HEAVY DUTY STOVES

## S/2E:

Electric stove with 2 hot plates on open stand. Casing made of stainless steel. Hot plates operation is separately controlled by 2 four-position switches. Adjustable plastic feet with metal joins to the bottom of the appliance.

### DIMENSIONS

LENGTH	DEPTH	HEIGHT
350mm	700mm	850mm

Rating power:

1x2kW

1x2,6kW

Operating voltage: 380V

## S/4E:

Electric stove with 4 hot plates on open stand. Casing made of stainless steel AISI 304. Hot plates operation is separately controlled by 4 four-position switches. Adjustable plastic feet with metal joins to the bottom of the appliance.

### DIMENSIONS

LENGTH	DEPTH	HEIGHT
700mm	700mm	850mm

Rating power:

1x1,5kW

2x2kW

1x2,5kW

Operating voltage: 380V

## S/6E (11.052.011)

Electric stove with 6 hot plates on open stand. Casing made of stainless steel. Hot plates operation is separately controlled by 6 four-position switches. Adjustable plastic feet with metal joins to the bottom of the appliance.

### DIMENSIONS

LENGTH	DEPTH	HEIGHT
1050mm	700mm	850mm

Rating power:

3 x2kW

3x2,6kW

Operating voltage: 380V

ALSO AVAILABLE NOW WITH SQUARE PLATES



S-2E: (11.052.010)

**737 €**

SC-2E: (11.052.005)

**812 €**

S4-E: (11.052.009)

**1.106 €**

SC-4E: (11.052.006)

**1.307 €**

ALSO AVAILABLE NOW WITH SQUARE PLATES AND TABLE TOP UNIT!



**1476 €**

[www.electrolux.com.mk](http://www.electrolux.com.mk)

[www.elektroluks.com.mk](http://www.elektroluks.com.mk)

+389 47 203 900

+389 2 329 8 130

made in macedonia

CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES . . . . .



# LINE 700 - GAS & ELECTRIC-DEEP FRYERS

.....CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

## FCE/2 ( 11.020.005)

FRYERS Electric deep fryers with modern design for easy cleaning. Stainless steel construction, adjustable height legs with metal joins to the bottom of the appliance.

Thermostat 50-190 °C, thermic fuse, power pilot lamp.

Rating power                      9 kW  
Capacity:                            15 Lt.  
Operating voltage:                380/3+N

DIMENSIONS	LENGTH	DEPTH	HEIGHT
FCE/2:	425mm	700mm	850mm
Basket:	230mm	300mm	110mm

## FCE/2



960 €

## FCE/4 ( 11.020.006)

FRYERS Electric deep fryers with modern design for easy cleaning. Stainless steel construction, adjustable height legs with metal joins to the bottom of the appliance.

Thermostat 50-190°C, thermic fuse, power pilot lamp.

Rating power                      18KW  
Capacity:                            2x15Lt.  
Operating voltage:                380/3+N

DIMENSIONS	LENGTH	DEPTH	HEIGHT
FCE/4:	850mm	700mm	850mm
Basket:	230mm	300mm	110mm

## FCE/4



1660 €

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
+389 47 203 900  
+389 2 329 8 130  
made in macedonia

# LINE 700 - ELECTRIC GRIDDLE PLATES WITH STORAGE CUPBOARD OR OVEN

## GC/2EL - GEO/4ELR

Electric griddle plates, single or double ones with three variations for the griddle plates: Smooth (L), Ribbed (R) or ½ smooth + ½ ribbed (LR). Stainless steel construction. Equipped with storage cupboard or alternatively for models GEO4/E and GEO/4G with 2/1 oven. Models are equipped with separately controls for each half of the griddle plates, and 2 extra controls for the oven.

OPTIONS: Chromed surface

Rating power:

GC/2E:	3kW
GEO/4E:	10kW
Operating voltage:	380 V
Ovens operating voltage:	380 V
Oven's power:	1x6,0kW

DIMENSIONS	LENGTH	DEPTH	HEIGHT
GC/2E:	425mm	700mm	850mm
Cookign surface:	20,4 dm <sup>2</sup>		
GEO/4E:	700mm	700mm	850mm
Cooking surface:	40,8 dm <sup>2</sup>		
Oven:	560mm	600mm	320mm

**GEO/4ELR**



**G/4E-LR**



**GC/2EL**



\*Single models with storage cupboard underneath

GC/2E-L (11.059.008)

**1.218 €**

GC/2E-R (11.059.009)

**1.255 €**

\*Single on open stand

G/2E-L (11.059.021)

**1.079 €**

G/2E-R (11.059.022)

**1.180 €**

\*Double with storage cupboard underneath

GC/4E-L (11.059.003)

**1.623 €**

GC/4E-R (11.059.002)

**1.697 €**

GC/4E-LR (11.059.004)

**1.660 €**

\*Double on open stand

G/4E-L (11.059.018)

**1.476 €**

G/4E-R (11.059.019)

**1.550 €**

G/4E-LR 1/2L + 1/2R (11.059.020)

**1.512 €**

\*Double with GN oven 2/1 underneath

GEO/4E-L (11.059.005)

**2.582 €**

GEO/4E-R (11.059.006)

**2.619 €**

GEO/4E-LR (11.059.007)

**2.637 €**

[www.electrolux.com.mk](http://www.electrolux.com.mk)

[www.elektroluks.com.mk](http://www.elektroluks.com.mk)

+389 47 203 900

+389 2 329 8 130

made in macedonia



**BMCE/2** (11.025.002)

Electric GN Bain-Maries with basin depth 200mm. Temperature control with thermostats 300-900C. Water inlet and outlet system, plus overflowing control. Full stainless steel AISI 304 18/10 construction. Storage cupboard underneath. Adjustable plastic feet with metal joins to the bottom of the appliance.

BMCE/2 and BMCE/4

Controls: Thermostat 300-900C. ON/OFF main switch, pilot lamp.

Rating power: BMCE/2: 1,5 kW

DIMENSIONS	LENGTH	DEPTH	HEIGHT
BMCE/2:	425mm	700mm	850mm
Basin:	300mm	630mm	200mm
Cupboard:	370mm	850mm	500mm

**BMCE/2**



775 €

**BMCE/4** (11.025.003)

Electric GN Bain-Maries with basin depth 200mm. Temperature control with thermostats 300-900C. Water inlet and outlet system, plus overflowing control. Full stainless steel AISI 304 18/10 construction. Storage cupboard underneath. Adjustable plastic feet with metal joins to the bottom of the appliance.

BMCE/2 and BMCE/4

Controls: Thermostat 300-900C. ON/OFF main switch, pilot lamp.

Rating power: BMCE/4: 3 kW

DIMENSIONS	LENGTH	DEPTH	HEIGHT
BMCE/4:	850mm	700mm	850mm
Basin:	300mm	630mm	200mm
Cupboard:	800mm	850mm	500mm

**BMCE/4**



1145 €

.....CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
 +389 47 203 900  
 +389 2 329 8 130  
 made in macedonia

# LINE 700 - ELECTRIC-BOILING PANS & TILTING BRAT PANS

## ELECTRIC-BOILING PANS

### KPEID

Electric boiling pans with modern design for easy cleaning. Available with direct (D) or indirect (ID) heating, normal (N) or auto-clave (A) and in different capacities (Lt.). Stainless steel construction, adjustable height legs.

MODEL	SUPPLY	THERM.	CAPAC	SYSTEM
KPEID 50N	ELEC.	indirect	50L	manu.
KPEID 50A	ELEC.	indirect	50L	auto..

Electric Power: 6 kW

DIMENSIONS:	LENGTH	DEPTH	HEIGHT
Outer:	800mm	700mm	850mm



MODEL	CODE
KPEID 50N:	(11.053.004)
KPEID 50A:	(11.053.005)

**4.206 €**

**4.648 €**

## Manual & automatic system tilting brat pans

### KBRE-4M

Electric tilting bratt pans with modern design for easy cleaning. Stainless steel construction, adjustable height legs, quality materials, high performance. Available with automatic or manual pan tilting system.

OPTION: Water Inlet.

Capacity:	50 lt
Elec. power consumption:	10,2 kW
Elec. operating voltage:	3x380+N

DIMENSIONS	LENGTH	DEPTH	HEIGHT
Outer:	850mm	700mm	850mm
Tank Dimensions:	700mm	444mm	110mm

### KBRE-4M



KBRE-4M: (11060.000)

KBRE-4A: (11.060.001)

**3.984€**

**5.092€**

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)  
 +389 47 203 900  
 +389 2 329 8 130  
 made in macedonia



**VOLCANO-3**

(11.152.001) (70.002.116)

Gas stove with three burners, 1/1 GN gas oven and storage cupboard. Casing made of stainless steel. Burner temperature is separately controlled by 3 three-position switches. Equipped with ignition system, gas thermostat 100-340°C and flame failure device. Practical storage cupboard with aluminum profile door handle. Adjustable plastic feet with metal joins to the bottom of the appliance.



**2214 €**

**HEAT INPUT**

Burners: 3x6,5k W  
Oven: 5 kW

DIMENSIONS	LENGTH	DEPTH	HEIGHT
Outer:	1200mm	570mm	850mm
Oven:	530mm	450mm	300mm
Cupboard:	370mm	470mm	500mm

**NEW  
REMOVABLE TRAY ( OIL COLLECTOR )  
UNDERNEATH THE BURNERS.**

**VOLCANO-3 - ECO**

Gas stove with three burners, 1/1 GN gas oven .Casing made of stainless steel. Burner temperature is separately controlled by 3 three-position switches. Equipped with ignition system, gas thermostat 100-340°C and flame failure device. Adjustable plastic feet with metal joins to the bottom of the appliance.



**1770 €**

**HEAT INPUT**

Burners: 3x6,5k W  
Oven: 5 kW

DIMENSIONS	LENGTH	DEPTH	HEIGHT
Outer:	1200mm	570mm	850mm
Oven:	530mm	450mm	300mm

**VOLCANO-1M**

( 11.152.031 )

High pressure single gas burner equipped with ignition system and flame failure device. Practical drip-drawer.



HEAT INPUT: 14 - 28 Kw

DIMENSIONS	LENGTH	DEPTH	HEIGHT
	600mm	600mm	300mm

**923 €**

[www.electrolux.com.mk](http://www.electrolux.com.mk)  
[www.elektroluks.com.mk](http://www.elektroluks.com.mk)

+389 47 203 900  
+389 2 329 8 130  
made in macedonia

••••• CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES