

Q Series

QJ71MES96 MES Interface

Simplifying MES

Increasing visibility and productivity



**IMPROVED
COMMUNICATION** 

Allows direct connection from the shop floor to your MES databases

**MORE
FLEXIBILITY** 

Network loading reduced by event-driven communication


**INTELLIGENT
DESIGN** 

Multiple interfaces can be connected to a single database allowing scalable control over multiple production lines

**LATEST
STANDARDS** 

Easy, menu driven, setup requires no knowledge of communication programs or protocols

Higher productivity through improved visibility



Reducing the traditional "data concentrating" PC layer opens up visibility and control.


The new Qseries MES module allows users to interface their production control systems directly to an MES database. This allows users to "win" at many levels:

- It removes the need for an interfacing PC layer - reducing hardware costs and installation time.
- It removes the need for specialist interfacing software run on the PC layer; saving on expensive software and services while reducing installation costs.
- It simplifies the MES architecture reducing the total commissioning time.
- It can improve reliability and accessibility as the module is based on industrial PLC design standards.
- The simplified system provides greater direct data visibility increasing the opportunity to achieve higher productivity.

The Q series MES module simplifies the MES application and enables users to take their e-F@ctory concept to the next level.


Direct connection

The QJ71MES96 MES module enables users to connect to a wide range of commercial databases including Oracle, Microsoft SQL Server and Access for example.



Easy set-up reduces commissioning time

The easy-to-use set-up software makes it possible for users to configure Device tags, Server Services and Job settings through an intuitive, menu driven software, without the need for knowledge of specialist communication programs.




Intuitive, menu driven software

Reduced loading

An event-driven communication method helps the MES module to reduce network loading, for example, the MES module can transfer data via SQL texts when a user defined trigger condition occurs. The trigger condition could be a certain value being reached or the status of an action that takes place in a machine process. By using this method the MES module can significantly reduce network traffic compared to a traditional system using a PC layer, which would normally be based on a polling architecture.

Recipe handling and more!

Support for bi-directional data transfer allows the MES module to also receive data updates and "directions" as well as downloading production information from the MES database. This is achieved by pre-registering SQL jobs in the MES module and allowing the main MES information system to trigger these remotely.




Bi-direction information flow helps keep productivity levels high

Reliability is key

Triggering and Database buffering functions enable the MES module to ensure reliable information delivery. When data transmissions exceed the system or network bandwidth the "Trigger buffering function" is enabled allowing the MES interface module to buffer the data to an internal memory. The stacked data is processed and resent sequentially once network/data loads are reduced.

If a more serious failure occurs where the MES module becomes disconnected from the main MES system the Database or DB buffering function allows all unsent SQL data to be stored on a CompactFlash (CF) card. The buffered data can then either be sent on reconnection of the host database or can be loaded manual from the CF card. This function minimises the production data that is lost from the system and allows the MES database to be updated once the systems are reconnected.



MES interfaces are available for System Q and for GOT1000 products

What is e-F@ctory?

The three main targets of today's manufacturers are to reduce costs, increase productivity and improve quality. e-F@ctory integrates automation components which are already "best in class" into a single harmonious system. Its objective is to guarantee a streamlined information flow between the shop floor and the top floor.



Delivering productivity and cost savings

■ As used by Mitsubishi

e-F@ctory is more than just a concept from Mitsubishi Electric. It is already being used through out many of our own factories for efficient automation covering everything from planning to installation, operation and maintenance. It helps us realize greater productivity, machine utilization and quality.

■ Scalable solutions

The modular architecture of the e-F@ctory concept makes it suitable for companies of all sizes and for system expansion and growth. All data from shop floor to top floor such as process, production and quality control data is available in real-time. The MES interfaces for the Q series and GOT1000 HMIs allow users to integrate their e-F@ctory in to their MES solution.

Specifications ///

Software			
Item	Specifications		
DB interface	No. of connected databases	max. 32 items/project	
	Supported databases	Oracle® 8i, Oracle® 9i, Oracle® 10g, Microsoft® SQL Server 2000, Microsoft® SQL Server 2000 Desktop Engine (MSDE2000), Microsoft® Access 2000, Microsoft® Access 2003	
	Jobs	Allowable number of settings	max. 64 items/project
		Trigger buffering	max. 128 times
	Trigger conditions	No. Of conditions can be combined	max. 2 conditions (Combination can be selected either AND or OR)/job
		Condition type	21 types Period: 1 to 32767 seconds Time: Year, month, day, day of the week, hour, minute Value monitoring: Compares tag component value and tag component value (6 types). Compares tag component value and constant value (6 types). Module startup Handshake
	Action	Allowable number of settings	max. 10 actions/job
		Type	4 types (Select, update, insert, operation)
		No. of communication action fields	max. 8192 fields/project • [DB-Tag link setting]: Maximum 256 rows/communication action • [Select/Update conditions]: Maximum 8 rows/communication action
		No. of operations possible for operation action	(Maximum 20 dyadic operations)/operation action
	Program execution	Operators for operation action	6 types (Addition, subtraction, multiplication, division, remainder, character string combination)
		Allowable number of settings	Maximum 2 programs (One program before execution of initial action + one program after execution of final action)/job
	Device tag	No. of tags	64 tags/project
		No. of components	256 components/tag, 4096 components/project
Data type		5 types (Signed single-precision integer type (16 bits), signed double-precision integer type (32 bits), single-precision floating point type (32 bits), bit type, character string type (1 to 32 characters))	
Statistical processing		6 types (Average, maximum, minimum, moving average, moving maximum, moving minimum)	
DB buffering	Buffering capacity during communication error	Maximum capacity: CompactFlash card capacity - 32 MB (16 MB to 512 MB)	
XML processing	Command type	3 types (One-shot execution of a job, enabling the job, disabling the job)	
	Request message size	Maximum 128 KB	
	Reception protocol	HTTP1.0	
	User authentication	No. of accounts: 16 User ID: 1 to 20 characters Password: 6 to 14 characters	
Working log	Error log capacity	max. capacity: 1 MB • At least 4800 logs can be recorded.	
	Event log capacity	max. capacity: 2 MB • At least 4800 logs can be recorded. (When there is no detailed log) • At least 2 logs can be recorded. (When there is a detailed log)	

Transmission specifications

Item	Specifications	
Ethernet	Interface	10BASE-T 100BASE-TX
	Data transmission rate	10 Mbps 100 Mbps
	Transmission method	Base band

EUROPEAN BRANCHES

MITSUBISHI ELECTRIC EUROPE B.V. 25, Boulevard des Bouvets F-92741 Nanterre Cedex Phone +33 (0) 1 55 68 55 68	FRANCE
MITSUBISHI ELECTRIC EUROPE B.V. Gothaer Straße 8 D-40880 Ratingen Phone +49 (0) 21 02/4 86-0	GERMANY
MITSUBISHI ELECTRIC EUROPE B.V. Westgate Business Park, Ballymount IRL-Dublin 24 Phone +353-1/4 50 50 07	IRELAND
MITSUBISHI ELECTRIC EUROPE B.V. Via Paracelso 12 I-20041 Agrate Brianza (MI) Phone +39 (0) 3 96 05 31	ITALY
MITSUBISHI ELECTRIC EUROPE B.V. Carretera de Rubi, 76-80 E-08190 Sant Cugat del Vallés Phone +34 93/5 65 31 60	SPAIN
MITSUBISHI ELECTRIC EUROPE B.V. Travellers Lane GB-Hatfield Herts. AL10 8 XB Phone +44 (0) 1707/27 61 00	UK

EUROPEAN REPRESENTATIVES

GEVA Wiener Straße 89 AT-2500 Baden Phone +43 (0)2252 / 85 55 20	AUSTRIA	B.TECH A.S. Na Ostrove 84 CZ - 58001 Havlickov Brod Phone +420 (0)569 / 408 841	CZECH REPUBLIC	BEIJER ELECTRONICS SIA Vestienes iela 2 LV-1035 Riga Phone +371 (0)784 / 2280	LATVIA	SIRIUS TRADING Aleea Lacul Morii Nr.3 RO-060841 Bucuresti, Sector 6 Phone +40 (0)21 / 430 40 06	ROMANIA	AUTOCONT CONTROL Radlinskeho 47 SK - 02601 Dolny Kubin Phone +421 (0)43 / 5868 210	SLOVAKIA	CS MTRADE SLOVENSKO Vajanskeho 58 SK - 92101 Piestany Phone +421 (0)33 / 7742 760	SLOVAKIA	ILAN & GAVISH LTD 24 Shenkar St., Kiryat Arie IL-49001 Petah-Tiqva Phone +972 (0)3 / 922 18 24	ISRAEL
TEHNIKON Oktyabrskaya 16/5, Off.704 BY-220030 Minsk Phone +375 (0)17 / 210 46 26	BELARUS	BEIJER ELECTRONICS A/S Lautrupvej 1-3 DK-2750 Ballerup Phone +45 (0)70 / 26 46 46	DENMARK	BEIJER ELECTRONICS UAB Savanoriu Pr. 187 LT-02300 Vilnius Phone +370 (0)5 / 232 3101	LITHUANIA	ELEKTROSTILY Rubzovskaja nab.4-3, No.8 RU-105082 Moscow Phone +7 495 / 545 3419	RUSSIA	CS MTRADE SLOVENSKO Vajanskeho 58 SK - 92101 Piestany Phone +421 (0)33 / 7742 760	SLOVAKIA	INEA D.O.O. Stegne 11 SI-1000 Ljubljana Phone +386 (0)1 / 513 8100	SLOVENIA	TEXEL ELECTRONICS LTD 2 Ha'umanut, P.O.B. 6272 IL-42160 Netanya Phone +972 (0)9 / 863 08 91	ISRAEL
KONING & HARTMAN B.V. Woluwelaan 31 BE-1800 Vilvoorde Phone +32 (0)2 / 97 44 05 8	BELGIUM	BEIJER ELECTRONICS OÜ Pärnu mnt.160i EE-11317 Tallinn Phone +372 (0)6 / 51 81 40	ESTONIA	INTEHISIS SRL bld. Traian 23/1 MD-2060 Kishinev Phone +373 (0)22 / 66 4242	MOLDOVA	ICOS Ryazanskij Prospekt, 8A, Office 100 RU-109428 Moscow Phone +7 495 / 232 0207	RUSSIA	BEIJER ELECTRONICS AB Box 426 SE-20124 Malmö Phone +46 (0)40 / 35 86 00	SWEDEN	BEIJER ELECTRONICS AB Box 426 SE-20124 Malmö Phone +46 (0)40 / 35 86 00	SWEDEN	KAZPROMAUTOMATICS 2, Scladsckaya str. KAZ-470046 Karaganda Phone +7 3212 / 50 11 50	ISRAEL
AKHMATON 4 Andrej Ljapchev Blvd. P.b 21 BG-1756 Sofia Phone +359 (0)2 / 97 44 05 8	BULGARIA	BEIJER ELECTRONICS OY Jaakonkatu 2 FIN-01620 Vantaa Phone +358 (0)207 / 463 500	FINLAND	KONING & HARTMAN Haarlerbergweg 21-23 NL-1101 CH Amsterdam Phone +31 (0)20 / 587 76 00	NETHERLANDS	NPP "URALELEKTRA" Sverdlova 11A RU-620027 Ekaterinburg Phone +7 343 / 353 2745	RUSSIA	ECONOTEC AG Hinterdorfstr. 12 CH-8309 Münsingen Phone +41 (0)44 / 838 48 11	SWITZERLAND	BEIJER ELECTRONICS AB Box 426 SE-20124 Malmö Phone +46 (0)40 / 35 86 00	SWEDEN	KAZPROMAUTOMATICS 2, Scladsckaya str. KAZ-470046 Karaganda Phone +7 3212 / 50 11 50	KAZAKHSTAN
INEA CR D.O.O. Losinjska 4a HR-10000 Zagreb Phone +385 (0)1/36 940 -01/-02/-03	CROATIA	UTEKO A.B.E.E. S, Mavrogenous Str. GR-18542 Piraeus Phone +30 211 / 1206 900	GREECE	BEIJER ELECTRONICS AS Postboks 487 NO-3002 Drammen Phone +47 (0)32 / 24 30 00	NORWAY	CRAFT C & E Toplicina str.4 lok 6 SRB-1800 Nis Phone +381 (0)18 / 292-24-4/5, 523 962	SERBIA	ECONOTEC AG Hinterdorfstr. 12 CH-8309 Münsingen Phone +41 (0)44 / 838 48 11	SWITZERLAND	BEIJER ELECTRONICS AB Box 426 SE-20124 Malmö Phone +46 (0)40 / 35 86 00	SWEDEN	KAZPROMAUTOMATICS 2, Scladsckaya str. KAZ-470046 Karaganda Phone +7 3212 / 50 11 50	KAZAKHSTAN
AUTOCONT C.S. Jelinkova 59/3 CZ-721 00 Ostrava Svinov Phone +420 (0)59 / 5691 150	CZECH REPUBLIC	MELTRADE LTD Fertő utca 14. HU-1107 Budapest Phone +36 (0)1 / 431-9726	HUNGARY	MPL TECHNOLOGY Ul. Krakowska 50 PL-32-083 Balice Phone +48 (0)12 / 630 47 00	POLAND	INEA SR D.O.O. Karadzordjeva 12/260 SER-113000 Smederevo Phone +381 (0)26 / 617 163	SERBIA	GTS Danulaceze Cad.No.43 KAT.2 TR-34384 Okmeydanı-Istanbul Phone +90 (0)212 / 320 1640	TURKEY	BEIJER ELECTRONICS AB Box 426 SE-20124 Malmö Phone +46 (0)40 / 35 86 00	SWEDEN	G8I LTD Private Bag 2016 ZA-1600 Isando Phone +27 (0)11 / 928 2000	SOUTH AFRICA



Mitsubishi Electric Europe B.V. /// FA - European Business Group /// Gothaer Straße 8 /// D-40880 Ratingen /// Germany
Tel.: +49(0)2102-4860 /// Fax: +49(0)2102-4861 120 /// info@mitsubishi-automation.com /// www.mitsubishi-automation.com

Specifications subject to change /// Art. no. 204904-A /// 08.2007
All trademarks and copyrights acknowledged.