

HEKA-EURO-LUX I (computer contr.) - capacity for ca. 70 hen eggs or equivalent

999,00 EUR

EL I

The Heka-Euro-Lux 1 is technically perfect. This incubator will make every breeder's heart content. Suitable for all poultry breeds, even the delicate ones, producing astonishing hatching results over and over again. The microprocessor controls the complete functionality of the Heka-Euro-Lux 1, including the following:

temperature control, humidity and cooling cycle.

Complete with easy usable LCD display allowing convenient illuminated controls of the incubator, sharing updated information with you. The standard equioment of the Heka-Euro-Lux 1 includes the following: Full automatic egg turning, humidity regulation, dual thermostat, with alarm feature, door fitted with insulated glazing, interior lighting, two turning trays and two hatching trays. Please state in your order, wether you would like to connect the appliance directly to the water supply or you require a water reserve tank at no additional cost. We grant a two year warranty.





HEKA-EURO-LUX II (Computer controlled) - Capacity for ca. 126 Hen eggs or equivalent

1.030,00 EUR

EL II

The Heka Euro Lux II is like the Heka Euro Lux I an oustanding incubator with a high quality technical equipment at a very reasonable price but with a larger capacity. Like a duck takes to water astonishing hatch results are no coincidence. We recommend this incubator for all poultry breeds, including water fowl and water fancy fowl.

All you need to do is to key-in your desired data and the temperature, humidity, egg turning rythm, cooling off time and cycle are then regulated by our reliable and failure-free computer control system.

The LCD display allows convenient illuminated controls of the incubator, sharing updated information with you. Our standard equipment of the Heka-Euro-Lux includes the following: full automatic egg turning, humidity regulation, dual thermostat with an alarm feature, insulated glazing, interior lighting, 3 trays of your choice and 2 hatching trays.

Please state in your order whether you would like to connect the appliance straight to the water supply, or you require a reserve tank at no additional cost.

We grant a two year warranty on our incubator.

Size: width 53 cm, depth 55 cm, height 69 cm,

Weight: ca.: 37 kg





HEKA-EURO-LUX III (Comp.-gest.) - für ca. 288 Hühner- oder ca. 410 Zwerghuhneier

1.390,00 EUR

EL III

This incubator provides a respectable capacity for 288 hen eggs and is therefore more suitable for the breeder with a larger breeding stock. Preeminent hatch results assure success and enjoyment in poultry breeding. The microprocessor control system quaranties a reliable, failure-free regulation of the temperature, humidity, egg turning rhytm, cooling off time and cooling cycle. Fluctuations are therefore eliminated. Our standard equipment of the Heka-Euro-Lux includes the following: full automatic egg turning, humidity regulation, dual thermostat with an alarm feature, insulated glazing, interior lighting, 4 trays of your choice and 2 hatching trays.

Please state in your order whether you would like to connect the appliance straight to the water supply, or you require a reserve tank at no additional cost.

We grant a two year warranty on our incubator.

Size: width 68 cm, depth 60 cm, height 79 cm,

Weight:ca.: 54 kg





HEKA-EURO-LUX IV (Computer controlled) - capacity for ca. 600 hen eggs or equivalent

1.950,00 EUR

EL IV

No doubt, this incubator is suitable for all kinds of eggs, even the delicate ones, from game, poultry and water fowl to through to parrots and birds of prey. The Heka-Euro-lux IV will not fail your expectations as its advanced technical equipment assure astonishing results. Like all our models of this series, the Heka-Euro-lux IV is furnished with a microprocessor controlling the temperature, humidity, egg turning rhythm, cooling off time and cooling cycle. The LCD display allows convenient illuminated controls of the incubator, sharing updated information with you.

Our standard equipment of the Heka-Euro-lux IV includes the following: Our standard equipment of the Heka-Euro-Lux includes the following: full automatic egg turning, humidity regulation, dual thermostat with an alarm feature, insulated glazing, interior lighting, 6 trays of your choice and 2 hatching trays. A great variety of trays are available.

Please state in your order whether you would like to connect the appliance straight to the water supply, or you require a reserve tank at no additional cost.

We grant a two year warranty on our incubator.

Size: width 65 cm, depth 70 cm, height 99 cm,

Weight: ca. 78 kg





HEKA-EURO-LUX V - Cabin Incubator (computer controlled) for 720 hen eggs or e

2.100,00 EUR

ELV

Spacious, with an enormous capacity for ca. 720 eggs or equivalent- suitable for all kinds of eggs, from game, poultry and waterfowl through to parrots and birds of prey - the Heka-Euro-Lux will not fail your expectations. Its advanced technical equipment assures astonishing results over and over again. The computer control system quaranties a reliable, failure-free regulation of the temperature, humidity, egg turning rhythm, cooling off time and cooling cvcle. Fluctuations are therefore elimated. As the desired data is easily keyed-in, the Heka-Euro-Lux II allows convenient illuminated controls of the incubator, sharing updated information with you. Our standard equipment includes the following: full automatic egg turning, humidity regulation, dual thermostat with an alarm feature, insulated glazing, interior lighting, 8 trays of your choice and 2 hatching trays. A great variety of trays are available. Please state in your order your specific requirements.

We grant a two year warranty on our incubator.

Size: width 68 cm, depth 70 cm, height 119 cm.

Weight: ca. 90 kg





HEKA-EURO-LUX ROM - Combined Setter and Hatcher Incubator(computer controlled)

1.890,00 EUR

ROM

Setter capacity for ca. 126 hen eggs Hatcher capacity for at least 90 hen eggs

Technical perfect - great value for money. This incubator is suitable for all kinds of eggs, even the delicate ones, from game, poultry and waterfowl through to parrots and birds of prey. Both, setter and hatcher compartment are equipped with a separate computer control system. This means the compartments are regulated and controlled independently, a very important aspect regarding the humidity, which has to be much higher during the hatching phase. The computer control system guaranties a reliable, failure-free regulation of the temperature, humidity, egg turning cycle, cooling time and cycle in both setter and hatcher compartment. Fluctuations are therefore eliminated. The LCD display of the Heka Euro-Lux Rom allows convenient illuminated controls of the incubator, sharing updated information with you. Our standard equipment of the Heka –Euro-Lux Rom includes the following: Full automatic egg turning, humidity regulation, dual thermostat with an alarm feature, door fitted with insulated glazing, interior lighting, instruction booklet, 3 trays of your choice and two hatching trays. Please state your specific requirements when ordering. We grant a two year warranty on our incubators.

Size: width 53 cm, depth 55 cm, height 120 cm,

Weight: ca. 70 kg, Power consumption in 24 hours when setter and hatcher are used simultaneously ca. 1,5 KW

