

VC200 200 liter



Model:VC200

Description:

- * Net capacity: 200 liter
- * Refrigerant:R134a
- * Input power:220W
- * With compressor
- * Adjustable Thermostat temperature control
- * Refrigerating temperature:0°C-10°C
- * Climate class:N,ST
- * 220V/50Hz
- * Three big round pin plug
- * Shelf:3 wire
- * With canopy
- * Evaporator:Inside
- * Condenser:Web type in compressor compartment
- * fan assisted cooling system
- * self-evaporation water tray
- * single vertical light
- * mechanical control



- * no condensation on glass, as hot air blowing onto glass door
- * double glazing with one layer in tempered glass
- * With lock and key
- * With extruded handle
- * 4 castors and 2 in lock
- * Painted Aluminum Interior
- * Warranty term: 3 years warranty for compressor and 1 year for whole unit
- * Safety approval: CE, CB, RoHS

Packing & Loading:

- * 1PC/CTN
- * Export Standard Carton
- * N.W.: 58KGS G.W.: 63KGS
- * Product size: 540x620x1500mm
- * EC Dimension: 590x670x1540mm
- * 1*20"GP: 40pcs
- 1*40"GP: 82pcs
- 1*40"HQ: 82pcs



VC280 280 liter



Model:VC280

Description:

- * Net capacity: 280 liter
- * Refrigerant:R134a
- * Input power:268W
- * With compressor
- * Adjustable Thermostat temperature control
- * Refrigerating temperature:0°C-10°C
- * Climate class:N,ST
- * 220V/50Hz
- * Three big round pin plug
- * Shelf:4 wire
- * With canopy
- * Evaporator:Inside
- * Condenser:Web type in compressor compartment
- * fan assisted cooling system
- * self-evaporation water tray
- * single vertical light
- * mechanical control

www.frinko.mk www.klimafilia.mk +389 47 203 900



- * no condensation on glass, as hot air blowing onto glass door
- * double glazing with one layer in tempered glass
- * With lock and key
- * With extruded handle
- * 4 castors and 2 in lock
- * Painted Aluminum Interior
- * Warranty term: 3 years warranty for compressor and 1 year for whole unit
- * Safety approval: CE, CB, RoHS

Packing & Loading:

- * 1PC/CTN
- * Export Standard Carton
- * N.W.: 68KGS G.W.: 73KGS
- * Product size: 570x620x1760mm
- * EC Dimension: 620x670x1800mm
- * 1*20"GP: 27pcs
- 1*40"GP: 57pcs
- 1*40"HQ: 75pcs



VC360 360 liter



Model:VC360

Description:

- * Net capacity: 360 liter
- * Refrigerant:R134a
- * Input power:285W
- * With compressor
- * Adjustable Thermostat temperature control
- * Refrigerating temperature:0°C-10°C
- * Climate class:N,ST
- * 220V/50Hz
- * Three big round pin plug
- * Shelf:4 wire
- * With canopy
- * Evaporator:Inside
- * Condenser:Web type in compressor compartment
- * fan assisted cooling system
- * self-evaporation water tray
- * single vertical light
- * mechanical control

www.frinko.mk www.klimafilia.mk +389 47 203 900



- * no condensation on glass, as hot air blowing onto glass door
- * double glazing with one layer in tempered glass
- * With lock and key
- * With extruded handle
- * 4 castors and 2 in lock
- * Painted Aluminum Interior
- * Warranty term: 3 years warranty for compressor and 1 year for whole unit
- * Safety approval: CE, CB, RoHS

Packing & Loading:

- * 1PC/CTN
- * Export Standard Carton
- * N.W.: 75KGS G.W.: 85KGS
- * Product size: 600x620x1960mm
- * EC Dimension: 650x670x2000mm
- * 1*20"GP: 27pcs
- 1*40"GP: 54pcs
- 1*40"HQ: 71pcs

VC400 400 liter



Model:VC400

Description:

- * Net capacity: 400 liter
- * Refrigerant:R134a
- * Input power:320W
- * With compressor
- * Adjustable Thermostat temperature control
- * Refrigerating temperature:0°C-10°C
- * Climate class:N,ST
- * 220V/50Hz
- * Three big round pin plug
- * Shelf:5 wire
- * With canopy
- * Evaporator:Inside
- * Condenser:Web type in compressor compartment
- * fan assisted cooling system
- * self-evaporation water tray
- * single vertical light
- * mechanical control



- * no condensation on glass, as hot air blowing onto glass door
- * double glazing with one layer in tempered glass
- * With lock and key
- * With extruded handle
- * 4 castors and 2 in lock
- * Painted Aluminum Interior
- * Warranty term: 3 years warranty for compressor and 1 year for whole unit
- * Safety approval: CE, CB, RoHS

Packing & Loading:

- * 1PC/CTN
- * Export Standard Carton
- * N.W.: 85KGS G.W.: 95KGS
- * Product size: 600x620x2020mm
- * EC Dimension: 650x670x2090mm
- * 1*20"GP: 27pcs
- 1*40"GP: 54pcs
- 1*40"HQ: 54pcs



VC660 660 liter



Model:VC660

Description:

- * Net capacity: 660 liter
- * Refrigerant:R134a
- * Input power:360W
- * With compressor
- * Adjustable Thermostat temperature control
- * Refrigerating temperature:0°C-10°C
- * Climate class:N,ST
- * 220V/50Hz
- * Three big round pin plug
- * Shelf:5 wire
- * With canopy
- * Evaporator:fin blade
- * Condenser:Web type in compressor compartment
- * fan assisted cooling system
- * self-evaporation water tray
- * single vertical light
- * mechanical control

www.frinko.mk www.klimafilia.mk +389 47 203 900



- * no condensation on glass, as hot air blowing onto glass door
- * double glazing with one layer in tempered glass
- * With lock and key
- * With extruded handle
- * 4 castors and 2 in lock
- * Painted Aluminum Interior
- * Warranty term: 3 years warranty for compressor and 1 year for whole unit
- * Safety approval: CE, CB, RoHS

Packing & Loading:

- * 1PC/CTN
- * Export Standard Carton
- * N.W.: 110KGS G.W.: 122KGS
- * Product size: 700x790x2020mm
- * EC Dimension: 750x840x2090mm
- * 1*20"GP: 21pcs
- 1*40"GP: 42pcs
- 1*40"HQ: 42pcs

VC550 550 liter



Model:VC550

Description:

- * Net capacity: 550 liter
- * Refrigerant:R134a
- * Input power:350W
- * With compressor
- * Adjustable Thermostat temperature control
- * Refrigerating temperature:0°C-10°C
- * Climate class:N,ST
- * 220V/50Hz
- * Three big round pin plug
- * Shelf:5 wire
- * With canopy
- * Evaporator:fin blade
- * Condenser:Web type in compressor compartment
- * fan assisted cooling system
- * self-evaporation water tray
- * single vertical light
- * mechanical control



- * no condensation on glass, as hot air blowing onto glass door
- * double glazing with one layer in tempered glass
- * With lock and key
- * With extruded handle
- * 4 castors and 2 in lock
- * Painted Aluminum Interior
- * Warranty term: 3 years warranty for compressor and 1 year for whole unit
- * Safety approval: CE, CB, RoHS

Packing & Loading:

- * 1PC/CTN
- * Export Standard Carton
- * N.W.: 102KGS G.W.: 112KGS
- * Product size: 700x690x2020mm
- * EC Dimension: 750x740x2090mm
- * 1*20"GP: 24pcs
- 1*40"GP: 48pcs
- 1*40"HQ: 48pcs