





Optional Trim Kits To create a more built-in look, optional trim kits are available for a stand-alone refrigerator, stand-alone freezer, or for both units together in a side-by-side configuration.



Professional Series® All-Freezer/All-Refrigerator Duo PLFU1778E S/PLRU1778E S

33.7 Total Cubic Feet

All Freezer:

- EasyCare™ Genuine Stainless Steel Door
- UltraPro Stainless
 Steel Handle
- 2 Full-Width Cantilever Glass Shelves
- 1 Full-Width Sliding Glass Shelf
- 2 Full-Access Sliding Storage Baskets
- 2 Tilt-Out Wire Door Bins
- 3 Full-Width Fixed White Door Bins
- Mid-Level Lighting
- Ice Maker-Ready (IM501)
- 4 Adjustable Leg Levelers
- Dynamic Condenser Allows for Built-In Applications
- Optional Trim Kit Available (ALLFRZKIT)

Optional Duo Trim Kit Available (DUOTRIMKIT)

All Refrigerator:

- EasyCare[™] Genuine Stainless Steel Door
- UltraPro Stainless Steel Handle
- 3 Full-Width Cantilever Glass Shelves
- 1 Full-Width Fixed Glass Shelf
- 4 Adjustable Clear Door Bins
- 1 Full-Width Fixed White Gallon Door Bin
- Clear Dairy Door
- Clear Deli Drawer
- 2 Clear Crispers
- 1 Humidity Control
- Mid-Level Lighting
- Tall Bottle Retainer
- Tall Bottle Caddy
- 4 Adjustable Leg Levelers
- Dynamic Condenser Allows for Built-In Applications
- Optional Trim Kit Available (ALLREFKIT)

FACTS SHEET



ZRD233W

Tpo fridge freezer 55cm wide.

HOW LIFE GETS EASIER...

 The glass shelves not only look good, but ensure transparency and overview in the cooling compartment.

PRODUCT SPEC'S

SOP_Product_Code	ZRD233W
Product Code	920 403 218
Product Class	Fridge Freezer
Colour	White
Product Installation	Free- standing
Height	1404
Built In Height (mm)	0
Width (mm)	545
Built In Width (mm)	0
Depth (mm)	604

FEATURES

Freestanding fridge freezer

Fridge capacity 186 litres (net)

Freezer capacity 44 litres (net) Freezer capacity 44 litres (net) 4 star freezer can store food safely for up to 12 months and freeze down fresh food.

Fully covered dairy compartment

SOMETHING TO CONSIDER



ZI921/8FFA

In-column frost free combi fridge freezer.



ZI918/12KA In-column 50:50 Combi Fridge Freezer.

FACTS SHEET



ZI9454X IN A NUTSHELL...

4 Door Stainless Steel Total Frost-Free Combi Fridge Freezer.

HOW LIFE GETS EASIER...

PRODUCT SPEC'S

SOP_Product_Code	ZI 9454X
Product Code	925 781 828
Product Class	Fridge Freezer
Colour	White+Stainless Steel Door
Product Installation	Built-in
Height	1900
Built In Height (mm)	1900
Width (mm)	856
Built In Width (mm)	860
Depth (mm)	542

FEATURES

A 4-door stainless steel frost-free fridge freezer

Built-in fridge freezer

Fridge capacity 338 litres (net)

Freezer capacity 96 litres (net) Freezer capacity 96 litres (net) 4 star freezer can store food safely for up to 12 months and freeze down fresh food.

SOMETHING TO CONSIDER



ZI921/8FFA

In-column frost free combi fridge freezer.



ZI918/12KA

In-column 50:50 Combi Fridge Freezer.

FACTS SHEET



PRODUCT SPEC'S

Product Code	923 453 723
Gross Capacity	105
Height	815
Built In Height (mm)	820
Width (mm)	596
Built In Width (mm)	600
Depth (mm)	550
Energy Class	А
Gross Weight	40
Net Weight (kg)	37

ZUD9124A

Under Counter Fridge with 4 Star Freezer Compartment.

HOW LIFE GETS EASIER...

- 4 Star Freezer gives you the flexibility to store frozen food for up to 12 months.
- The glass shelves not only look good, but ensure transparency and overview in the cooling compartment.

FEATURES

Built-in refrigerator

1 Full Width+2 Half Depth adjustable glass shelves

Door housed dairy compartment

1 large recessed salad crisper

SOMETHING TO CONSIDER



ZRT175W

'A' energy performance undercounter fridge. Twins with ZUF105 & ZUT125 freezers.



ZRC243W

'A' energy performance fridge with a 4 star ice compartment.

FACTS SHEET



PRODUCT SPEC'S

Model Number	ZDI 6053X
Colour	Stainless steel
Product Class	Dishwasher
Installation	Built In
Noise Rating dB(A)	53
Height	818
Width (mm)	596
Depth (mm)	575
Number Of Programmes	5
Number Of Temperatures	3

ZDI6053X

60cm Fully integrated dishwasher with only 53dB(A).

HOW LIFE GETS EASIER...

- Another reason to buy as Zanussi dishwasher is its unique A performance Quick Wash programme at 60°C in just 30 minutes.
- A programme with high power prewash combined with a unique detergent dispenser to really get to grips with hard to clean pots and pans!

FEATURES

Built-in dishwasher

Capacity: 12 place settings We have dishwashers of various sizes to suit differing sizes of households. This dishwasher has a capacity of 12 standard place settings (IEC or "International European Community" standard), ideal for a family.

Residual heat drying

Residual heat drying where the dishes are dried off by the heat generated from the final hot rinse.

Electronic controls

SOMETHING TO CONSIDER



ZDF601S

Timeline fullsize electronic dishwasher - in silver, at only 44dB wash your dishes in peace!



ZDF601K

Timeline fullsize electronic dishwasher in Black - at only 44dB, wash your dishes in peace!

FACTS SHEET



PRODUCT SPEC'S

Model Number	EFC60001X
Product Code	942 490 096
Colour	Stainless Steel
Product Class	Cooker Hood
Product Installation	Built-in
Height	670
Width (mm)	598
Depth (mm)	502
Net Weight (kg)	24.69
Maximum noise level	61

EFC60001X

60cm chimney hood

HOW LIFE GETS EASIER...

 Zanussi-Electrolux hoods offer you a choice of 3 or 4 speed levels, with some offering an intensive setting.

FEATURES

Chimney hood

Charcoal filter available as an optional extra

Special charcoal filters absorb grease particles from the cooking stream.

2 x 40 watt hob Candle lights

Twin motors

SOMETHING TO CONSIDER



ZHC590X/GB

Stainless steel island hood featuring a stylish cylindrical design and 4 speed levels and an intensive setting.



ZHC916X

90cm Stainless steel chimney hood with glass canopy and 3 speed levels.

THE APPLIANCE OF SCIENCE

C Electrolux

ZANUSSI

FACTS SHEET



PRODUCT SPEC'S

Model Number	ZKC6040S
Product Class	Cooker
Product Code	948 522 185
Product Installation	Free- standing
Width (mm)	600
Depth (mm)	600
Timer Type	SET
Timer Functions	Duration, Minute minder, Stop, Switch off time of day
GrossWeight	61
Net Weight	59

SOMETHING TO CONSIDER

ZKC6040S

Electric cooker with Double Oven, Ceramic Hob and controls conveniently on top for easy access and added safety.

HOW LIFE GETS EASIER...

- Unique inclined cavity design provides an easy view into the oven.
- Ergonomically positioned at the front of the hob, the controls are easy to see and access.
- Catalytic lining on the too, back and sides of single and double ovens absorbs the splashes and grease from cooking.

FEATURES

Double oven with grill

Electric oven and hob

Dual circuit grill

Thermaflow® system


All Zanussi-Electrolux electric and mixed fuel models feature Thermaflow® true fan cooking. Thermaflow®'s fan and element ensure your oven is at uniform temperature. It heats up faster and can cooke at lower temperatures with perfect results every time. Thermaflow® also lets you cook different dishes in the same oven at the same time with no flavour transfer.



ZCGHL55XN 55cm width gas cooker with double oven and eye level grill.



ZCM641X 60cm width mixed fuel cooker with single oven.



Inverter Turbo Defrost Adds a Little Cooking Boost Panasonic has succeeded in evolving Turbo Defrost[™], which allows you to defrost foods even faster than previous Panasonic Auto Defrost. Panasonic Inverter Turbo Defrost technology is an advanced microwave sequencing system using the Inverter lowpower delivery feature. It was developed on the basis of what scientists call "Chaos Theory." This design makes it possible to distribute microwave energy with the most appropriate combination of regularity and irregularity.

Our Keep Warm and Simmer Features Help You Keep Your Food Warm Until You're Ready to Eat A pulsing delivery of very low microwave power keeps the temperature of your food at a constant level without overcooking. Our improved keep-warm menu now includes five items, so food like stew, gravy and desserts can stay warm in the oven until you're ready to serve.

Reheating and Cooking Made Simple One-Touch Sensor Cooking adjusts power levels and calculates cooking times automatically, making reheating and cooking a variety of foods easier than ever.

Need Another Minute? Use the Quick Minute Feature Set cooking times in one-minute intervals, or add a minute to a current cooking session.


Enjoy Great-Tasting Popcorn Pop a bag of prepackaged microwave popcorn at the push of a button.

CONSUMER PRODUCTS | BUSINESS PRODUCTS | INDUSTRIAL PRODUCTS

PLASMA TVS & TELEVISIONS | BLU-RAY DISC PLAYERS & DVD RECORDERS | DIGITAL CAMERAS | CAMCORDERS | HOME THEATER | PORTABL PRINTERS | NOTEBOOK COMPUTERS | NETWORK CAMERAS | VACUUMS | MICROWAVE OVENS | IRONS | KITCHEN APPLIANCES | VENTILATION MASSAGE EQUIPMENT | HEALTHCARE | SUPPLIES, PARTS & ACCESSORIES | VIEW ALL CONSUMER CATEGORIES







Door Front	Fingerprint Resistant Stainless Steel
Exterior Wrap	Stainless Steel
Door Release	Push Button
Control Panel	"Flashing Blue" Ring Dial with Button Panel
Multi-Lingual Menu Action Screen	Yes
Menu Category	Sensor (18 categories)
Auto Cook	Sensor Cook
Auto Cook Menu - Oatmeal	Yes (sensor)
Auto Cook Menu - Breakfast Sausage	Yes (sensor)
Auto Cook Menu - Omelet	Yes (sensor)
Auto Cook Menu - Soup	Yes (sensor)
Auto Cook Menu - Frozen Entrees	Yes (sensor)
Auto Cook Menu - Frozen Pizza (single)	Yes (sensor)
Auto Cook Menu - Potatoes	Yes (sensor)
Auto Cook Menu - Fresh Vegetables	Yes (sensor)
Auto Cook Menu - Canned Vegetables	Yes (sensor)
Auto Cook Menu - Frozen Vegetables	Yes (sensor)
Auto Cook Menu - White Rice	Yes (sensor)
Auto Cook Menu - Brown Rice	Yes (sensor)
Auto Cook Menu - Frozen Dinners	Yes (sensor)
Auto Cook Menu - Ground Meat	Yes (sensor)
Auto Cook Menu - Fish Fillets	Yes (sensor)
Auto Cook Menu - Pasta	Yes (sensor)
Auto Cook Menu - Stew	Yes (sensor)
Keep Warm	Yes
Popcorn	Yes
Auto Reheat	Yes (sensor)
Inverter Turbo Defrost	Yes
Power Level	10 levels
Multi-Stage Cooking	5 stages
Quick Minute	Yes
More/Less Control	Yes
Delay Start	Yes
Timer	Yes
Cook-A-Round Automatic Turntable	Revolving and Removable

Turntable Diameter	16 1/2"
Oven Interior	Ероху
Power Requirements	120V, 60Hz, 12.7A 1460W, AC only
Oven Dimensions (H x W x D) inches	10 ^{15/16} x 18 ^{7/16} x 18 ^{1/2}
Outside Dimensions (H x W x D) inches	14 x 23 ^{7/8} x 19 ^{7/16}
Net Weight (Ibs)	36.8
Weight	36.8 lbs

CONSUMER PRODUCTS | BUSINESS PRODUCTS | INDUSTRIAL PRODUCTS

PLASMA TVS & TELEVISIONS | BLU-RAY DISC PLAYERS & DVD RECORDERS | DIGITAL CAMERAS | CAMCORDERS | HOME THEATER | PORTABL PRINTERS | NOTEBOOK COMPUTERS | NETWORK CAMERAS | VACUUMS | MICROWAVE OVENS | IRONS | KITCHEN APPLIANCES | VENTILATION MASSAGE EQUIPMENT | HEALTHCARE | SUPPLIES, PARTS & ACCESSORIES | VIEW ALL CONSUMER CATEGORIES

PANASONIC DIRECT STORE POLICIES	PRICING & SPECIFICATION POLICY	PRIVACY POLICY	COPYRIGHT © 2007 P/



S-Series 422 Ice Cube Machine



ITEM #6 - Ice Maker - Model # SD-0422A



- ANITATION We've made it simple to clean
 AVINGS The perfect balance of power and efficiency
 OUND
- Designed to run whisper-quiet ERVICEABILITY
- Easy access means less downtime

- Up to 450 lbs. (204 kgs.) daily ice production
- Only 22" (55.88 cm) wide
- Removable water distribution tube with no tools
- Food zone designed with soft, round, cove corners
- Patented cleaning and sanitizing technology
- Select components made with AlphaSan_® antimicrobial

- Hinged front door for easy access
- Warranty

5-year parts and 5-year labor coverage on ice machine evaporator

5-year parts and 3-year labor coverage on ice machine compressor

3-year parts-and-labor coverage on all other ice machine, dispenser, and storage bin components



America's #1 Selling Ice Machine

Ice Cube & Flake Machines • Ice Storage Bins • Ice Dispensers



Manitowoc S-Series 422

lice	Ibs. 380 420	kgs. 173 191	kWh/100 lbs 7.3 6.1		
lice	420	-			
		191	6.1		
e 11					
f-dice	380	173	7.3		
f-dice	420	191	6.1		
Water usage/100 lbs./45.4 kgs. of Ice					
Potable Water: 18 gallons, 68 liters • Water-cooled Condenser: 153 gallons, 579 liters					
	Water u : 18 gallons, 68 li	Water usage/100 lbs./45	Water usage/100 lbs./45.4 kgs. of Ice		

Certified in Accordance with ARI Automatic Commercial Ice-Cube Machines (Batch-Type) Certification Program, which is based on ARI Standard 810

13.6 amps

115/60/1 standard. (208-230/60/1 and 230/50/1 also available.)

Max. fuse size: Air-cooled and Water-cooled: 20 amps HACR-type circuit breakers can be used in place of fuses.

Water-cooled: 12.9 amps

Ice Machine Electric

Min. circuit ampacity: Air-cooled:

Specifications

7,000 (average) 9,600 (peak)

Nominal rating: 3/4 HP **Cupra-Nickel Condenser:**

(Water-cooled models) Adds protection from

corrosive water elements.

• Ambient Temperature Range:

35° to 110°F (1.6° to 43.3°C)

• Water Temperature Range:

35° to 90°F (1.6° to 32.2°C) • Water Pressure Ice Maker

Min. 20 psi (137.9 kPA) Max. 80 psi (551.1 kPA)

· Condenser Inlet Water In:

Min. 20 psi (137.9 kPA)

Max. 150 psi (1,034.2 kPA)

(Water-cooled only)

Operating Limits:

Air and water:

Water In:

BTU Per Hour:


Compressor:

		24-	HOUR PF	ODUCTI	DN †		lbs. kg	s.
AIR-COOLED UNIT WATER-COOLED UNIT								
air temp water temp			air temp	W	ater ter	пр		
۴	50°	70°	90°	۴	50°	70°	90°	
°C	10°	21°	32°	°C	10°	21°	32°	
70°	450	420	390	70°	470	440	400	
21°	204	191	177	21°	213	200	181	
80°	430	400	370	80°	460	430	390	
27°	195	181	168	27°	209	195	177	
90°	410	380	350	90°	450	420	380	
32°	186	173	159	32°	204	191	172	

+Production for dice and half dice cubes. Data is published for 60 Hz machines. 50 Hz machines produce approximately 7% less ice.

Space-Saving Designs		S-422 B-420	S-422 B-400*
	Height	7 <mark>6.50</mark> " 194.31 cm	64.50" 193.83 cm
	Width	<mark>22.00</mark> " <mark>55.88</mark> cm	30.00" 76.20 cm
	Depth	34.00" 86.30 cm	34.00" 86.30 cm
\sim	Bin Storage	310 lbs. 140.7 kgs.	290 lbs. 131.7 kgs.

Height includes adjustable bin legs 6.00° to 7.00°, (15.24 to 17.78 cm) set at 6.00° 15.24 cm), purposes multiply ARI capacity by 1.3 (30%) to arrive at approximate "Application Rating Capacity. * K-00141 bin adapter required.



2/05 Continuing product improvement may necessitate change of specifications without notice.

©2005 Manitowoc

2979A

Installation Note - Minimum installation clearance- Top: 12" (30.48 cm); Sides: 8" (20.32 cm); Back: 5" (12.7 cm).



MANITOWOC ICE, INC. 2110 South 26th Street, P.O. Box 1720 Manitowoc, WI 54221-1720, USA Ph: 920-682-0161 • Fax: 920-683-7589 Visit us online at www.manitowocice.com Manitowoo



Automatic Cleaning System purchased as an option and installed in the field.







AuCS®SO Accessory

2 Cube Sizes Available



FACTS SHEET



PRODUCT SPEC'S

Colour	Silver
Product Class	Washing Machine
Product Installation	Free-standing
Max Spin Speed	1600
Washing Technology	Eco valve with 3 rinses
SOP_Product_Code	ZWF16070S
Product Code	914 521 430
Bar Code	8009279040696
Load Capacity kg (Wash)	6
Front Door	Big porthole

ZWF16070S

6kg Essential washing machine 1600rpm

HOW LIFE GETS EASIER...

- From 1000rpm to 1600rpm, Zanussi-Electrolux offers a range of spin speeds.
- No compromises even in the number of programmes. You can choose between 21 programmes and we know you won't need anymore!
- For a more convenient and economic wash, Delay Start is now available in Essential washing machines and washer dryers.

FEATURES

6kg wash capacity

A genuine 6kg wash capacity means that you wash and dry less often saving you time, energy, water and hassle.

Advanced yet simple to use electronic controls

Whether push button or dial operated we put a host of programmes at your fingertips. Programming your Zanussi machine is as easy as One, Two, Three. 1) Turn the machine on. 2) Select the fabric type. 3) Press 'start' then sit back and relax. The machine automatically works out the best programme for the fabric type.

Quick wash

Ideal if you want to wash smaller lightly soiled loads on a regular basis, Quick Wash cleans a 3kg load in almost half the time of a 5kg load on Cotton 60°C (for XC machines). It also does it using less energy and with an 'A' rating for wash performance.

Unique Night Wash programme Night Wash has no spin phases during rinses for an extremely low noise level during the entire cycle. This makes it ideal for washing

during the night and for taking advantage of lower rate electricity costs. The programme also has rinse hold at the end of the cycle leaving you to start the spin cycle in the morning to finish your wash. Night Wash is 'A' rated for both energy and wash performance.

SOMETHING TO CONSIDER



ZWF12070S

6kg Essential washing machine 1200rpm



ZWF14280S

7kg Essential washing machine 1400rpm

FACTS SHEET



ZDE57140W

Vented dryer big load 7kg.

HOW LIFE GETS EASIER...

- A Vented Dryer must be situated near an outside wall to allow the warm, moist air to be expelled from the machine via a venting kit.
- With a big load capacity of 7kg, you can enjoy less washing and drying days, saving time, energy and water.
- The Easy Iron programme protects delicate and synthetic fabrics from developing permanent creases.

FEATURES

PRODUCT SPEC'S

Model Number	ZDE57140W
Colour	White
Product Class	Tumble Dryer
Product Installation	Free- standing
Drying Capacity	7
Height	850
Width (mm)	600
Depth (mm)	580
Net Weight (kg)	31.5
Energy Class	С

SOMETHING TO CONSIDER



ZDE26100W Vented dryer 6kg load.



TC180W Compact condenser dryer 3.4kg Load. ы

м

ы

м

ы

About Us

Ironing Centers

Product Resources

Customer Service

Contact Us

Buy Now



Welcome to our company website!

Discover why IRON-A-WAY is chosen more often by those who demand unmatched quality and convenience in a built-in ironing center.

Call 1-800-536-9495

Friday, January 18, 2008

Dealer Login

Login

Password

Lost Password? Click Here



Call Customer Service Get help when you need it! Toll Free 1-800-536-9495 Or Send an email and we respond to you within

Company News and Events

will

Cover and Pads

hours.



Ironing Centers Model AL-42



Features Include:

- 42" Ventilated Metal Board
- 4-Inch Height Adjustment
- 90 Degree Left/Right Swivel
- Spring Activated Fold Down Board •
- Built-In Spotlight
- Garment Bar
- Upper and Lower Hot Iron Storage
- Electrical Outlet with Electrical Cord Wrap and Restraints
- Built-In Safety Switch •
- Hot Iron Rest •
- Additional Storage Shelves
- Flush Birch Door (Options)
- Matching Appliance Door Overlays • (Options)
- Full Length Piano Hinge
- Cover and Pad Included
- Iron Optional
- Sleeveboard (Optional)
- Trim Kit (Optional)

Need a new replacement cover and pad for your IRON-A-WAY ironing center



Model AL-42 Universal Design adapts to everyone in the household. Product features comfortably meet the needs of the person who prefers to stand while ironing. Yet features are installed to meet the accessible reach requirements for someone who will be seated. The result is a product that exemplifies the

possible changing needs of the homeowner over the course of a lifetime.

- Home
- Specification Sheet
- Installation Guide
- Dealer Request
- Buy Now
- Cover & Pad Replacement

Quick Links

Model A-46

Model A-42

Model AL-42

Model E-342

Model NE-342

Model NE-242

Corporate Headquarters: IRON-A-WAY 220 W. Jackson Morton, IL 61550 Customer Service: Mon. - Fri. 8:00 am - 4:30 pm. CST Toll Free: 1-800-536-9495 Email Us: info@ironaway.com

Copyright © 2008 IRON-A-WAY, Inc. Dealer Affiliate Terms

About Us || Ironing Centers || Product Resources || Customer Service Contact Us || Buy Now || Site Index || Home

NOTE: Specification Sheet and Installation Guide are provided in Adobe Acrobat Reader (. pdf) format. Click Here for free download.