




Stainless Steel

Y - bearing units



Ležajne jedinice

FKL[®]

www.stainlesssteel.com.mk
www.fkl-serbia.com


Y - LEŽAJNE JEDINICE

Y-Bearing Units


„Y-Ležajne jedinice“ predstavljaju osnovni program FKL-ove proizvodnje i karakteristiše ga:
 „Y-bearing units represent a main programme of the FKL production, which is characterized by:



- Usaglašenost sa ISO standardima
- *Compatibility with ISO standards*
- Asortiman podređen zahtevima tržišta i kupca
- *Market and customer focused range*
- Visok kvalitet i sigurnost isporuke
- *High product's quality and reliable delivery service*

Kako koristiti ovu publikaciju *How to use this publication*



S	V
203-204-205-206 207-208-209-210 211-212-213-214 215-216-218-220	204-205-206-207 208-209-210



UES 12-15-17-20-25 30-35-40-45-50 mm otvora mm bore	UEV 20-25-30-35-40 45-50 mm otvora mm bore	UE	 	UE 2 Veličine/Size: 03/12-03/15-03-04-05-06-07-08-09-10 - unutrašnji prsten sa prepustom samo na jednoj strani - <i>Inner ring extended on one side only</i> - stezanje pomoću priteznih vijaka - <i>Grub screw locking</i> - zaptivanje: metalogumena zaptivka - <i>Seals: Metal-rubber seal</i> - trajno podmazan litijum/kalcijum mazivom - <i>Long life lithium/calcium grease</i>
LES 12-15-17-20-25 30-35-40-45-50 55-60-65-70-75 80-90-100 mm otvora mm bore	LEV 20-25-30-35-40 45-50 mm otvora mm bore	LE		LE 2 Veličine/Size: 03/12-03/15-03-04-05-06-07-08-09-10-11-12 13-14-15-16-17-18-20-24 - unutrašnji prsten sa prepustom na obe strane - <i>Inner ring extended on both sides</i> - stezanje pomoću priteznih vijaka - <i>Grub screw locking</i> - zaptivanje: metalogumena zaptivka + zaštitni lim - <i>Seals: Metal-rubber seal + metal shield</i> - trajno podmazan litijum/kalcijum mazivom - <i>Long life lithium/calcium grease</i>

- Izabrati tip ležaja - UE, LE, UY...
 - Select the bearing type*
- Izabrati izvedbu kućišta - S, V, U, F...
 - Select the housing design*
- Proveriti nalazi li se izabrana jedinica u „Ležajna jedinica“
 - Check that the selected unit is in the „Y-units“*
- Odrediti oznaku jedinice, npr. LE 204 + V 204 = LEV 204
 - Determine the unit designation,*

Example: LE 204+V 204=LEV 204

Y-LEŽAJI I LEŽAJNE JEDINICE



S	V	U	F	N
---	---	---	---	---

203-204-205-206
207-208-209-210
211-212-213-214
215-216-218-220

204-205-206-207
208-209-210

204-205-206-207
208-209-210

203-204-205-206
207-208-209-210
211-212-213-214
215-216-218-220

203-204-205-206
207-208-209-210
211-212

<p>UES 12-15-17-20-25 30-35-40-45-50</p> <p>mm otvora mm bore</p>	<p>UEV 20-25-30-35-40 45-50</p> <p>mm otvora mm bore</p>	<p>UEU 20-25-30-35-40 45-50</p> <p>mm otvora mm bore</p>	<p>UEF 12-15-17-20-25 30-35-40-45-50</p> <p>mm otvora mm bore</p>	<p>UEN 12-15-17-20-25 30-35-40-45-50</p> <p>mm otvora mm bore</p>
<p>LES 12-15-17-20-25 30-35-40-45-50 55-60-65-70-75 80-90-100</p> <p>mm otvora mm bore</p>	<p>LEV 20-25-30-35-40 45-50</p> <p>mm otvora mm bore</p>	<p>LEU 20-25-30-35-40 45-50</p> <p>mm otvora mm bore</p>	<p>LEF 12-15-17-20-25 30-35-40-45-50 55-60-65-70-75 80-90-100</p> <p>mm otvora mm bore</p>	<p>LEN 12-15-17-20-25 30-35-40-45-50 55-60</p> <p>mm otvora mm bore</p>
<p>UYS 12-15-17-20-25 30-35-40-45-50 55-60</p> <p>mm otvora mm bore</p>	<p>UYV 20-25-30-35-40 45-50</p> <p>mm otvora mm bore</p>	<p>UYU 20-25-30-35-40 45-50</p> <p>mm otvora mm bore</p>	<p>UYF 12-15-17-20-25 30-35-40-45-50 55-60</p> <p>mm otvora mm bore</p>	<p>UYN 12-15-17-20-25 30-35-40-45-50 55-60</p> <p>mm otvora mm bore</p>
<p>LYS 12-15-17-20-25 30-35-40-45-50 55-60-65-70-75 80-90-100</p> <p>mm otvora mm bore</p>	<p>LYV 20-25-30-35-40 45-50</p> <p>mm otvora mm bore</p>	<p>LYU 20-25-30-35-40 45-50</p> <p>mm otvora mm bore</p>	<p>LYF 12-15-17-20-25 30-35-40-45-50 55-60-65-70-75 80-90-100</p> <p>mm otvora mm bore</p>	<p>LYN 12-15-17-20-25 30-35-40-45-50 55-60</p> <p>mm otvora mm bore</p>
<p>USS 17-20-25-30-35 40-45-50-55-60</p> <p>mm otvora mm bore</p>	<p>USV 20-25-30-35-40 45-50</p> <p>mm otvora mm bore</p>	<p>USU 20-25-30-35-40 45-50</p> <p>mm otvora mm bore</p>	<p>USF 17-20-25-30-35 40-45-50-55-60</p> <p>mm otvora mm bore</p>	<p>USN 17-20-25-30-35 40-45-50-55-60</p> <p>mm otvora mm bore</p>
<p>LSS 25-30-35-40-45 50-55</p> <p>mm otvora mm bore</p>	<p>LSV 25-30-35-40-45 50</p> <p>mm otvora mm bore</p>	<p>LSU 25-30-35-40-45 50</p> <p>mm otvora mm bore</p>	<p>LSF 25-30-35-40-45 50-55</p> <p>mm otvora mm bore</p>	<p>LSN 25-30-35-40-45 50-55</p> <p>mm otvora mm bore</p>
<p>UKS 25-30-35-40-45 50-55-60-65-75 80-85-90</p> <p>mm otvora mm bore</p>	<p>UKV 25-30-35-40-45 50</p> <p>mm otvora</p>	<p>UKU 25-30-35-40-45 50</p> <p>mm otvora</p>	<p>UKF 25-30-35-40-45 50-55-60-65-75 80-85-90</p> <p>mm otvora</p>	<p>UKN 25-30-35-40-45 50-55-60</p> <p>mm otvora</p>
<p>LKS 25-30-35-40-45 50-55-60-65-75 80-85-90</p> <p>mm otvora mm bore</p>	<p>LKV 25-30-35-40-45 50</p> <p>mm otvora mm bore</p>	<p>LKU 25-30-35-40-45 50</p> <p>mm otvora mm bore</p>	<p>LKF 25-30-35-40-45 50-55-60-65-75 80-85-90</p> <p>mm otvora mm bore</p>	<p>LKN 25-30-35-40-45 50-55-60</p> <p>mm otvora mm bore</p>

Y - BEARINGS AND BEARING UNITS



G

T

C

D

P

204-205-206-207
208-209-210-211
212-213

204-205-206-207
208-209-210-211
212-213-214

203-204-205-206
207-208-209-210
211-212

203-204-205-206
207-208

203-204-205-206
207-208

UEG

20-25-30-35-40
45-50

mm otvora mm bore

UET

20-25-30-35-40
45-50

mm otvora mm bore

UEC

12-15-17-20-25
30-35-40-45-50

mm otvora mm bore

UED

12-15-17-20-25
30-35

mm otvora mm bore

UEP

12-15-17-20-25
30-35-40

mm otvora mm bore

LEG

20-25-30-35-40
45-50-55-60-65

mm otvora mm bore

LET

20-25-30-35-40
45-50-55-60-65
70

mm otvora mm bore

LEC

12-15-17-20-25
30-35-40-45-50
55-60

mm otvora mm bore

LED

12-15-17-20-25
30-35

mm otvora mm bore

LEP

12-15-17-20-25
30-35-40

mm otvora mm bore

UYG

20-25-30-35-40
45-50-55-60

mm otvora mm bore

UYT

20-25-30-35-40
45-50-55-60

mm otvora mm bore

UYC

12-15-17-20-25
30-35-40-45-50
55-60

mm otvora mm bore

UYD

12-15-17-20-25
30-35

mm otvora mm bore

UYP

12-15-17-20-25
30-35-40

mm otvora mm bore

LYG

20-25-30-35-40
45-50-55-60-65

mm otvora mm bore

LYT

20-25-30-35-40
45-50-55-60-65
70

mm otvora mm bore

LYC

12-15-17-20-25
30-35-40-45-50
55-60

mm otvora mm bore

LYD

12-15-17-20-25
30-35

mm otvora mm bore

LYP

12-15-17-20-25
30-35-40

mm otvora mm bore

USG

20-25-30-35-40
45-50-55-60

mm otvora mm bore

UST

20-25-30-35-40
45-50-55-60

mm otvora mm bore

USC

17-20-25-30-35
40-45-50-55-60

mm otvora mm bore

USD

17-20-25-30-35

mm otvora mm bore

USP

17-20-25-30-35
40

mm otvora mm bore

LSG

25-30-35-40-45
50-55

mm otvora mm bore

LST

25-30-35-40-45
50-55

mm otvora mm bore

LSC

25-30-35-40-45
50-55

mm otvora mm bore

LSD

25-30-35

mm otvora mm bore

LSP

25-30-35-40

mm otvora mm bore

UKG

25-30-35-40-45
50-55-60-65

mm otvora mm bore

UKT

25-30-35-40-45
50-55-60

mm otvora mm bore

LKG

25-30-35-40-45
50-55-60-65

mm otvora mm bore

LKT

25-30-35-40-45
50-55-60

mm otvora mm bore



R

203-204-205-206
207-208-209

LEŽAJI Bearings

<p>UER 12-15-17-20-25 30-35-40-45</p> <p>mm otvora mm bore</p>	<p>UE</p>		<p>UE 2 Veličine/Size: 03/12-03/15-03-04-05-06-07-08-09-10 - unutrašnji prsten sa prepustom samo na jednoj strani/<i>Inner ring extended on one side only</i> - stezanje pomoću priteznih vijaka/<i>Grub screw locking</i> - zaptivanje: metalogumena zaptivka/<i>Seals: Metal-rubber seal</i> - trajno podmazan litijum/kalcijum mazivom/<i>Long life lithium/calcium grease</i></p>
<p>LER 12-15-17-20-25 30-35-40-45</p> <p>mm otvora mm bore</p>	<p>LE</p>		<p>LE 2 Veličine/Size: 03/12-03/15-03-04-05-06-07-08-09-10-11-12 13-14-15-16-17-18-20-24 - unutrašnji prsten sa prepustom na obe strane/<i>Inner ring extended on both sides</i> - stezanje pomoću priteznih vijaka/<i>Grub screw locking</i> - zaptivanje: metalogumena zaptivka + zaštitni lim/<i>Seals: Metal-rubber seal + metal shield</i> - trajno podmazan litijum/kalcijum mazivom/<i>Long life lithium/calcium grease</i></p>
<p>UYR 12-15-17-20-15 30-35-40-45</p> <p>mm otvora mm bore</p>	<p>UY</p>		<p>UY 2 Veličine/Size: 03/12-03/15-03-04-05-06-07-08-09-10-11-12 - unutrašnji prsten sa prepustom samo na jednoj strani/<i>Inner ring extended on one side only</i> - stezanje pomoću ekscentar prstena/<i>Eccentric locking collar</i> - zaptivanje: metalogumena zaptivka/<i>Seals: Metal-rubber seal</i> - trajno podmazan litijum/kalcijum mazivom/<i>Long life lithium/calcium grease</i></p>
<p>LYR 12-15-17-20-25 30-35-40-45</p> <p>mm otvora mm bore</p>	<p>LY</p>		<p>LY 2 Veličine/Size: 03/12-03/15-03-04-05-06-07-08-09-10-11-12 13-14-15-16-18-20-24 - unutrašnji prsten sa prepustom na obe strane/<i>Inner ring extended on both sides</i> - stezanje pomoću ekscentar prstena/<i>Eccentric locking collar</i> - zaptivanje: metalogumena zaptivka + zaštitni lim/<i>Seals: Metal-rubber seal + metal shield</i> - trajno podmazan litijum/kalcijum mazivom/<i>Long life lithium/calcium grease</i></p>
<p>USR 17-20-25-30-35 40-45</p> <p>mm otvora mm bore</p>	<p>US</p>		<p>US 2 Veličine/Size: 03-04-05-06-07-08-09-10-11-12 - unutrašnji prsten bez prepusta/<i>Inner ring and outer ring same width</i> - stezanje tesnim naleganjem/<i>Locking by interference on the shaft</i> - zaptivanje: metalogumena zaptivka/<i>Seals: Metal-rubber seal</i> - trajno podmazan litijum/kalcijum mazivom/<i>Long life lithium/calcium grease</i></p>
<p>LSR 25-30-35-40-45</p> <p>mm otvora mm bore</p>	<p>LS</p>		<p>LS 2 Veličine/Size: 05-06-07-08-09-10-11 - unutrašnji prsten sa prepustom na obe strane/<i>Inner ring extended on both sides</i> - stezanje tesnim naleganjem/<i>Locking by interference on the shafts</i> - zaptivanje: metalogumena zaptivka + zaštitni lim/<i>Seals: Metal-rubber seal + metal shield</i> - trajno podmazan litijum/kalcijum mazivom/<i>Long life lithium/calcium grease</i></p>
	<p>UK</p>		<p>UK 2+H Veličine/Size: 05-06-07-08-09-10-11-12-13-14-15-16-17-18 - provrt redukovan za jednu veličinu sedlom za pritezanje/<i>Bore reduced one size by adapter sleeve</i> - standardno sedlo za pritezanje serije X23(00)/<i>Standard adapter sleeve series H23 (00)</i> - zaptivanje: metalogumena zaptivka/<i>Seals: Metal-rubber seal</i> - trajno podmazan litijum/kalcijum mazivom/<i>Long life lithium/calcium grease</i> - ležaj i sedlo za pritezanje treba naručiti odvojeno/<i>Bearing and adapter sleeve to be ordered separately</i></p>
	<p>LK</p>		<p>LK 2+H Veličine/Size: 05-06-07-08-09-10-11-12-13-14-15-16-17-18 - provrt redukovan za jednu veličinu sedlom za pritezanje/<i>Bore reduced one size by adapter sleeve</i> - standardno sedlo za pritezanje serije X23(00)/<i>Standard adapter sleeve series H23 (00)</i> - zaptivanje: metalogumena zaptivka + zaštitni lim/<i>Seals: Metal-rubber seal + metal shield</i> - trajno podmazan litijum/kalcijum mazivom/<i>Long life lithium/calcium grease</i> - ležaj i sedlo za pritezanje treba naručiti odvojeno/<i>Bearing and adapter sleeve to be ordered separately</i></p>

KUGLIČNI LEŽAJI ZA POLJOPRIVREDNE MAŠINE BALL BEARINGS FOR AGRICULTURAL MACHINES

LEŽAJNE JEDINICE BEARING UNITS

UNUTRAŠNJI PRSTEN INNER RING	TRAJNO PODMAZANI PERMANENTLY LUBRICATED				SA OTVOROM ZA PODMAZIVANJE WITH LUBRICATION GROOVE			
	CILINDRIČNI SPOLJNI PRSTEN CYLINDRICAL OUTER RING	SFERNI SPOLJNI PRSTEN SPHERICAL OUTER RING	CILINDRIČNI SPOLJNI PRSTEN CYLINDRICAL OUTER RING	SFERNI SPOLJNI PRSTEN SPHERICAL OUTER RING	CILINDRIČNI SPOLJNI PRSTEN CYLINDRICAL OUTER RING	SFERNI SPOLJNI PRSTEN SPHERICAL OUTER RING	CILINDRIČNI SPOLJNI PRSTEN CYLINDRICAL OUTER RING	SFERNI SPOLJNI PRSTEN SPHERICAL OUTER RING
	W208PP4 30,17 80 30,18 30,18 W208PP7 30,17 80 30,18 18 W208PP10 38,11 80 42,85 21 W208PP2 49,23 90 30,18 30,18 W210PP8 38,86 90 30,18 30,18 W211PP2 55,58 100 33,34 33,34	W200PP2 38,11 80 42,96 18 W208PPB4 30,17 80 30,18 30,18 W208PPB7 30,17 80 30,18 18 W208PPB23 38,11 80 42,96 30,18 W209PPB2 45 85 30,18 30,18 W209PPB4 39 85 30,18 30,18 W208PPB11 45,24 85 36,53 22 W210PPB2 49,23 90 30,18 30,18 W210PPB5 45,34 90 30,18 30,18 W211PPB2 55,58 100 33,34 33,34	GW210PPB3 35,73 90 30,18 30,18 GW210PP9 49,40 90 36,53 23 GW211PP2 55,58 100 33,34 33,34 GW211PP4 42,16 100 33,34 33,34 GW211PP9 55,75 100 39,69 25 GW211PP13 45,34 100 33,34 25	GW209PPB2 45 85 30,18 30,18 GW209PPB4 39 85 30,18 30,18 GW209PPB11 45,24 85 36,53 22 GW210PPB5 45,34 90 30,18 30,18 GW211PPB2 55,58 100 33,34 33,34 GW211PPB8 55,58 100 33,34 25 GW211PPB9 55,75 100 39,69 25 GW211PPB10 49,23 100 33,34 33,34 GW211PPB13 45,34 100 33,34 25 GW211PPB14 51,18 100 33,34 25 GW211PPB15 55,58 100 55,55 25 GW211PPB16 55,58 100 40 25	GW210PPB3 35,73 90 30,18 30,18 GW210PP9 49,40 90 36,53 23 GW211PP2 55,58 100 33,34 33,34 GW211PP4 42,16 100 33,34 33,34 GW211PP9 55,75 100 39,69 25 GW211PP13 45,34 100 33,34 25	GW209PPB2 45 85 30,18 30,18 GW209PPB4 39 85 30,18 30,18 GW209PPB11 45,24 85 36,53 22 GW210PPB5 45,34 90 30,18 30,18 GW211PPB2 55,58 100 33,34 33,34 GW211PPB8 55,58 100 33,34 25 GW211PPB9 55,75 100 39,69 25 GW211PPB10 49,23 100 33,34 33,34 GW211PPB13 45,34 100 33,34 25 GW211PPB14 51,18 100 33,34 25 GW211PPB15 55,58 100 55,55 25 GW211PPB16 55,58 100 40 25	GW210PPB3 35,73 90 30,18 30,18 GW210PP9 49,40 90 36,53 23 GW211PP2 55,58 100 33,34 33,34 GW211PP4 42,16 100 33,34 33,34 GW211PP9 55,75 100 39,69 25 GW211PP13 45,34 100 33,34 25	GW209PPB2 45 85 30,18 30,18 GW209PPB4 39 85 30,18 30,18 GW209PPB11 45,24 85 36,53 22 GW210PPB5 45,34 90 30,18 30,18 GW211PPB2 55,58 100 33,34 33,34 GW211PPB8 55,58 100 33,34 25 GW211PPB9 55,75 100 39,69 25 GW211PPB10 49,23 100 33,34 33,34 GW211PPB13 45,34 100 33,34 25 GW211PPB14 51,18 100 33,34 25 GW211PPB15 55,58 100 55,55 25 GW211PPB16 55,58 100 40 25
	W207PP3 25 72 45 24 W208PP5 31,8 80 36,53 18 W208PP6 25,4 80 36,53 18 W208PP8 28,6 80 36,53 30,18 W208PP20 28,6 80 36,53 18 W209PP3 30 85 45 30,18 W210PP4 28,6 90 30,18 30,18 W211PP3 38,1 100 33,34 33,34 W211PP5 38,1 101,6 44,45 36,52	W208PPB5 28,6 80 36,53 18 W208PPB6 25,4 80 36,53 18 W208PPB8 28,6 80 36,53 30,18 W208PPB11 22,2 85,74 36,53 30,18 W208PPB12 28,6 85,74 36,53 30,18 W208PPB13 22,2 80 36,53 18 W208PPB18 22,2 87,34 36,53 30,18 W208PPB19 28,6 87,34 36,53 30,18 W209PPB5 31,8 85 36,53 30,18 W209PPB7 31,8 87,34 36,53 30,18 W209PPB8 31,8 85 36,53 19 W209PPB30 30 90 45 29 W209PPB25 25 90 45 29 W210PPB4 28,6 90 30,18 30,18 W210PPB6 28,6 90 36,53 30,18 W211PPB3 38,1 100 33,34 33,34 W211PPB5 38,1 104,77 44,45 36,53 W211PPB6 38,1 103,56 44,45 36,53	W208PPB5 28,6 80 36,53 18 W208PPB6 25,4 80 36,53 18 W208PPB8 28,6 80 36,53 30,18 W208PPB11 22,2 85,74 36,53 30,18 W208PPB12 28,6 85,74 36,53 30,18 W208PPB13 22,2 80 36,53 18 W208PPB18 22,2 87,34 36,53 30,18 W208PPB19 28,6 87,34 36,53 30,18 W209PPB5 31,8 85 36,53 30,18 W209PPB7 31,8 87,34 36,53 30,18 W209PPB8 31,8 85 36,53 19 W209PPB30 30 90 45 29 W209PPB25 25 90 45 29 W210PPB4 28,6 90 30,18 30,18 W210PPB6 28,6 90 36,53 30,18 W211PPB3 38,1 100 33,34 33,34 W211PPB5 38,1 104,77 44,45 36,53 W211PPB6 38,1 103,56 44,45 36,53	W208PPB5 28,6 80 36,53 18 W208PPB6 25,4 80 36,53 18 W208PPB8 28,6 80 36,53 30,18 W208PPB11 22,2 85,74 36,53 30,18 W208PPB12 28,6 85,74 36,53 30,18 W208PPB13 22,2 80 36,53 18 W208PPB18 22,2 87,34 36,53 30,18 W208PPB19 28,6 87,34 36,53 30,18 W209PPB5 31,8 85 36,53 30,18 W209PPB7 31,8 87,34 36,53 30,18 W209PPB8 31,8 85 36,53 19 W209PPB30 30 90 45 29 W209PPB25 25 90 45 29 W210PPB4 28,6 90 30,18 30,18 W210PPB6 28,6 90 36,53 30,18 W211PPB3 38,1 100 33,34 33,34 W211PPB5 38,1 104,77 44,45 36,53 W211PPB6 38,1 103,56 44,45 36,53	GW208PP17 28,6 85,74 36,53 30,18 GW210PP4 28,6 90 30,18 30,18 GW211PP3 38,1 100 33,34 33,34 GW211PP17 38,1 100 44,45 33,34	GW208PP17 28,6 85,74 36,53 30,18 GW209PPB5 31,8 85 36,53 30,18 GW209PPB8 31,8 85 36,53 22 GW209PPB26 25 85 42,85 22 GW209PPB3 30 85 45 30,18 GW210PPB4 28,6 90 30,18 30,18 GW211PPB3 38,1 100 33,34 33,34	GW208PP17 28,6 85,74 36,53 30,18 GW209PPB5 31,8 85 36,53 30,18 GW209PPB8 31,8 85 36,53 22 GW209PPB26 25 85 42,85 22 GW209PPB3 30 85 45 30,18 GW210PPB4 28,6 90 30,18 30,18 GW211PPB3 38,1 100 33,34 33,34	GW208PP17 28,6 85,74 36,53 30,18 GW209PPB5 31,8 85 36,53 30,18 GW209PPB8 31,8 85 36,53 22 GW209PPB26 25 85 42,85 22 GW209PPB3 30 85 45 30,18 GW210PPB4 28,6 90 30,18 30,18 GW211PPB3 38,1 100 33,34 33,34
	205KRR2 22,25 52 25,4 15 206KPP3 25,43 62 24 16 206KRR6 25,43 62 24 16 207KPP3 31,77 72 37,7 17 207KRR17 31,77 72 25 17 W208KRR8 31,77 80 36,53 18	205KRRB2 22,25 52 25,4 15 205PPB13 22,25 52 25,4 15 206KPPB3 25,43 62 24 16 206KRRB6 25,43 62 24 16 207KPPB3 31,77 72 25 17 207KRRB9 28,6 72 37,7 17 207KRRB12 28,6 72 25 17 207KRRB17 31,77 72 25 17 W208PPB16 31,77 80 36,53 18 209KRRB2 38,12 85 30 19	205KRRB2 22,25 52 25,4 15 205PPB13 22,25 52 25,4 15 206KPPB3 25,43 62 24 16 206KRRB6 25,43 62 24 16 207KPPB3 31,77 72 25 17 207KRRB9 28,6 72 37,7 17 207KRRB12 28,6 72 25 17 207KRRB17 31,77 72 25 17 W208PPB16 31,77 80 36,53 18 209KRRB2 38,12 85 30 19	205KRRB2 22,25 52 25,4 15 205PPB13 22,25 52 25,4 15 206KPPB3 25,43 62 24 16 206KRRB6 25,43 62 24 16 207KPPB3 31,77 72 25 17 207KRRB9 28,6 72 37,7 17 207KRRB12 28,6 72 25 17 207KRRB17 31,77 72 25 17 W208PPB16 31,77 80 36,53 18 209KRRB2 38,12 85 30 19	G206KPP4 25,43 62 24 18	G206KPPB4 25,43 62 24 18 G206KRRB6 25,43 62 24 18 G207KPPB2 28,60 72 37,7 19 GW208KRRB5 31,77 80 36,53 21 GW208PPB22 31,88 80 36,53 21	G206KPP4 25,43 62 24 18	G206KPPB4 25,43 62 24 18 G206KRRB6 25,43 62 24 18 G207KPPB2 28,60 72 37,7 19 GW208KRRB5 31,77 80 36,53 21 GW208PPB22 31,88 80 36,53 21

P R O I Z V O D N
P R O D U C T I O N



RADIJALNI
LEŽAJI

EINREIHIGE RADIAL



CILINDRIČNO VALJKASTI
LEŽAJI

CILYNDRICAL ROLLER
BEARINGS



DVOREDNI BURIČASTI
LEŽAJI

DOUBLE ROW SPHERICAL
ROLLER BEARINGS



KARDANSKA VRATILA
ZA MOTORNA VOZILA

CARDAN SHAFTS FOR
MOTOR VEHICLES



IGLIČASTI LEŽAJI I
LEŽAJI ZA POLJOPRIVREDNU
MEHANIZACIJU

NEEDLE ROLLER BEARINGS
AND BALL BEARINGS FOR
AGRICULTURAL MACHINES



SPOJNICE ZA
KARDANSKA VRATILA

OVERLOAD AND OVERRUNNING
CLUTCHES

I P R O G R A M P R O G R A M M E



**I KUGLIČNI
LEŽAJI**

BALL KUGELLAGER



**PODESIVI LEŽAJI I
LEŽAJNE JEDINICE
(Y PROGRAM)**

**Y INSERT BEARINGS AND
BEARING UNITS**




**KARDANSKA VRATILA
ZA POLJOPRIVREDU**

**CARDAN SHAFTS FOR
AGRICULTURE**



LEŽAJI KVAČILA

CLUTCH BEARINGS



**KARDANSKA VRATILA
ZA INDUSTRIJU**

**CARDAN SHAFTS FOR
INDUSTRY**



**LEŽAJI ZA AUTO
INDUSTRIJU**

**BALL BEARINGS FOR
AUTOMOTIVE INDUSTRY**