

ЕЛЕКТРОЛУКС
Electrolux



RESTAURANT SUPPLIES INTERNATIONAL

www.electrolux.com.mk
www.elektroluks.com.mk
+389 47 203 900
+389 2 329 8 130
made in macedonia

KEBAB MACHINES



Kebab machines

ADVANTAGES

**...The fastest machine.
From zero to first cut it is 12 min.**


**...Ergonomical construction.
Covers user's needs.**

**...Absolute power control saves you en-
ergy.**

**...Years of experience turns out kebab
to a money maker.**

...Various models to meet any need..

www.electrolux.com.mk
www.elektroluks.com.mk
+389 47 203 900
+389 2 329 8 130
made in macedonia



CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

Electric Kebab Knife

Electric stainless steel knife for easy and fast kebab cutting. Comes with switch on/off button and foot pump safety activation of knife.

Dimensions: 110x220mm
Knife: 110mm Ø
Power: 0,075 Kw

600 €



3PE

(12.024.001)

Electric gyros grill machine with mechanical adjustment of gap between the rotary spit and the heating elements. Includes 3 heat controlled zones, removable for easy cleaning.

Also equipped with spit and holder, plug for electric knife and motor switch. (position ON/OFF).

Operating voltage: 3x230 VAC/50Hz
Power: 8400W
Dimensions: 545x600x950mm

760 €



4PE

(12.024.002)

Electric gyros grill machine with mechanical adjustment of gap between the rotary spit and the heating elements. Includes 4 heat controlled zones, removable for easy cleaning.

Also equipped with spit and holder, plug for electric knife and motor switch. (position ON/OFF).

Operating voltage: 3x230 VAC/50Hz
Power: 12600W
Dimensions: 500x615x1380mm

904 €



www.electrolux.com.mk
www.elektroluks.com.mk

+389 47 203 900

+389 2 329 8 130

made in macedonia

2PE-K

(12.024.003)

Electric gyros grill machine. Stainless steel construction with 1 motor, 2 main switches, spit, and holder, plug for electric knife.

Power consumption:	5250W
Operating voltage:	3X230VAC
Dimensions:	480x510x915mm
Capacity:	20-30 kgr
Motor:	2 rotation/min



624 €

3PE-K

(12.024.004)

Electric gyros grill machine. Stainless steel construction with 2 switches, spit and holder, plug for electric knife. Adjustable distance of meat to heating elements, 2 horizontal independently controlled zones, hinged elements for easy cleaning of the reflector. ensure the perfect function and cover the certification of hygiene.

Power consumption:	7000W
Dimensions:	480x510x1050mm
Operating voltage:	3X230VAC
Capacity:	40kg
Motor:	2 rotation/min



725 €

4PE-K

(12.024.005)

Electric gyros grill machine. Stainless steel construction. With 3 motor switches. Spit and holder/plug for electric knife.

Power consumption:	10500W
Dimensions:	480x510x1185mm
Motor:	2 rotation/min
Capacity:	50-60kgr
Operating voltage:	3*230vac



891 €

4PG (NA)e

(12.124.016)

Gas grill with 4 burners (2 sections). Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change). Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spit distance.

Heat Input:	5,4 kW	
Gas Consumption:	Propan G31:	0,42kg/h
	Natural gas G20:	0,57m3/h
	Natural gas G25:	0,67m3/h
Capacity:	20 kg	
Dimensions:	380X420X1150mm	

DRIP DRAWER INCLUDED

526 €

4PG (NA)e



2PG (NA)e


Gas grill with 2 burners (1 section). Equipped with temperature control and thermocouples. Proper for all types of gas. Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spit distance.

Heat Input:	2,7 kW
Capacity:	10 kg
Dimensions:	380X420X950mm

DRIP DRAWER INCLUDED

358 €

2PG (NA)e



3PG (NA)e

Gas grill with 3 burners (1 section). Equipped with temperature control and thermocouples. Proper for all types of gas. Clockwise turned spit motor 2 rpm 11W/230V-50Hz Bottom placed. Adjustable spit distance.

Heat Input:	4,5 kW
Capacity:	15 kg
Dimensions:	380X420X1050mm

DRIP DRAWER INCLUDED

415 €

3PG (NA)e



www.electrolux.com.mk
www.elektroluks.com.mk
 +389 47 203 900
 +389 2 329 8 130
 made in macedonia

3PG (N)

(12.124.008)

Gas grill with 3 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change). Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spits distance.

Heat Input:	8,1 kW	
Gas Consumption:	Propan G31:	0,62kg/h
	Natural gas G20:	1,86m3/h
	Natural gas G25:	0,98m3/h
Capacity:	20 kg	
Dimensions:	550X500X735mm	

742 €



to adjust the spit

4PG (N)

(12.124.006)

Gas grill with 4 burners. Equipped with Temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change). Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spits distance.

Heat Input:	10,8 kW	
Gas Consumption:	Propan G31:	0,83kg/h
	Natural gas G20:	1,14m3/h
	Natural gas G25:	1,33m3/h
Capacity:	35 kg	
Dimensions:	550X500X880mm	

880 €



to adjust the spit

5PG (N)

(12.124.007)

Gas grill with 5 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change). Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spits distance.

Heat Input:	13,5 kW	
Gas Consumption:	Propan G31:	1,04kg/h
	Natural gas G20:	1,42m3/h
	Natural gas G25:	1,64m3/h
Capacity:	50 kg	
Dimensions:	550X500X1025mm	

1003 €



to adjust the spit

www.electrolux.com.mk
www.elektroluks.com.mk
 +389 47 203 900
 +389 2 329 8 130
 made in macedonia

3PG (NA)

(12.124.010)

Gas grill with 3 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change). Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spit distance.

Heat Input:	8,1KW	
Gas Consumption:	Propan G31:	0,62kg/h
	Natural gas G20:	0,86m3/h
	Natural gas G25:	0,98m3/h
Capacity:	20 kg	
Dimensions:	470X530X1110mm	

670 €




4PG (NA)

(12.124.009)

Gas grill with 4 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change). Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Adjustable spit distance.

Heat Input:	10,8 kW	
Gas Consumption:	Propan G31:	0,83kg/h
	Natural gas G20:	1,14m3/h
	Natural gas G25:	1,33m3/h
Capacity:	35 kg	
Dimensions:	470X530X1150mm	

810 €




5PG (NA)

(12.124.011)

Gas grill with 5 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change). Clockwise turned spit motor 2 rpm 11W/230V-50Hz upper placed. Adjustable spit distance.

Heat Input:	13,5 kW	
Gas Consumption:	Propan G31:	1,04kg/h
	Natural gas G20:	1,42m3/h
	Natural gas G25:	1,64m3/h
Capacity:	50 kg	
Dimensions:	470X530X1300mm	

924 €



CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

3PG-T

(12.124.015)

Gas grill with 3 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change).

Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Large oil collector. Easy for cleaning.

Heat Input:	8,1kW	
Gas Consumption:		
	Propan G31:	0,62kg/h
	Natural gas G20:	0,86m3/h
	Natural gas G25:	0,98m3/h
Capacity:	30 kg	
Dimensions:	470X530X890mm	

1157 €



4PG-T

(12.124.014)

Gas grill with 4 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter. Proper for all types of gas (nozzle change).

Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed. Large oil collector. Easy for cleaning.

Heat Input:	10,8kW	
Gas Consumption:		
	Propan G31:	0,83kg/h
	Natural gas G20:	1,14m3/h
	Natural gas G25:	1,33m3/h
Capacity:	40 kg	
Dimensions:	470X530X1050mm	

1302 €



5PG-T

(12.124.012)

Gas grill with 5 burners. Equipped with temperature control and thermocouples. Socket to plug in electric meat cutter.

Proper for all types of gas (nozzle change). Clockwise turned spit motor 2 rpm 11W/230V-50Hz bottom placed.

Large oil collector. Easy for cleaning.

Heat Input:	13,5kW	
Gas Consumption:		
	Propan G31:	1,04kg/h
	Natural gas G20:	1,42m3/h
	Natural gas G25:	1,64m3/h
Capacity:	50 kg	
Dimensions:	470X530X1300mm	

1449 €



THE COMPLETE LINE PG-T

HAVE A REMOVABLE UPPER BODY AS THE MACHINE SITS ON SLIDERS!

YOU CAN MOVE IT TO FRONT AND BACK TO CHANGE THE DISTANCE FROM THE SPIT TO THE BURNER.

.....CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

www.electrolux.com.mk
www.elektroluks.com.mk
 +389 47 203 900
 +389 2 329 8 130
 made in macedonia

Electrolux CHICKEN GRILL MACHINE

KTE-15

(12.061.002)

Chicken grill machine electric with 3 rotation spits. Securit door glass. Each spit can be independently regulated. Inner lighting.

Following models are available

Both in gas and electric

KTE 15: 15 chicken:	1.426 €
KTE 20-20 chicken:	1.726 €
KTE 25-25 chicken:	2.028 €
KTE 30-30 chicken:	2.328 €
KTE 35-35 chicken:	2.629 €
KTE 40-40 chicken:	2.929 €
KTE 45-45 chicke:	3.231 €
KTE 50-50 chicken:	3.532 €
KTE 55-55 chicken:	3.831 €
KTE 60-60 chicken:	4.133 €
KTE 65-65 chicken:	4.434 €
KTE 70-70 chicken:	4.735 €

KTE-15



Capacity: 5 chicken / spit
 Power consumption: 6750W
 Light: 30W
 Dimensions: 1100X420X1060mm

KTE-3

(12.061.001)

Table top chicken grill machine electric with 3 rotation spits. Front and back side of the appliance with securit glass. Each spit can be independently regulated. Inner lighting.

Capacity: 4 chicken / spit
 Power consumption: 1x2250W+2x1450W
 Dimensions: 900X750X600mm

KTE-3



1195 €

WARM CHAMBER CLOSED

Dimensions: 900X750X902mm



796 €

WARM CHAMBER GLASS

Dimensions: 900X750X902mm



869 €

Warm chamber for the chicken grill machine KTE closed with inox doors. Thermostat 30-90°C, ON/OFF switch. Stainless steel construction.

CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES