



ЕЛЕКТРОЛУКС


ИНОХ-МАТЕРИЈАЛИ

УВОЗ - ИЗВОЗ

Direktnen uvoznik

AISI Kvalitet	304	316	430	310
DIN	1,4301 1,4306	1,4401 1,4404	1,4016	1,4845
Debelina (mm)	0,2 - 30mm	0,5 - 30mm	0,2 - 3mm	1 - 15mm
Povrsina na pločata	BA,2B,4N,HR	BA,2B,4N,HR	BA,2B,4N	2B,HR

L I M O V I



Perforirana ploča 1000 x 2000						
Debelina (mm)	Dijametar na otvor					
	1	2	3	4	5	8
0,8						
1						
1,5						
2						






ЕЛЕКТРОЛУКС

INOX - МАТЕРИЈАЛИ

УВОЗ - ИЗВОЗ

Direkten uvoznik

ROUND TUBES - OKRUGLI CEVKI (Kg/m)									
mm	Debelina (mm)								
Dijametar	1,0	1,2	1,5	1,6	2,0	2,5	2,6	3,0	4,0
6	0,130	-	-	-	-	-	-	-	-
8	0,180	-	0,240	-	-	-	-	-	-
10	0,225	0,264	0,319	-	-	-	-	-	-
12	0,275	0,325	0,394	-	0,500	-	-	-	-
14	0,326	0,385	0,470	-	0,601	-	-	-	-
15	0,351	0,415	0,507	-	0,651	-	-	-	-
16	0,376	0,445	0,545	0,580	0,701	-	-	-	-
17,2 3/8"	0,406	0,481	0,590	0,620	0,761	0,921	-	-	-
18	0,426	0,505	0,620	-	0,801	-	-	-	-
19	0,452	0,536	0,659	-	0,854	-	-	-	-
20	0,476	0,565	0,695	-	0,901	-	-	-	-
21,3 1/2"	0,508	0,604	0,744	0,790	0,967	1,177	1,220	-	-
22	0,526	0,625	0,770	-	1,002	-	-	-	-
25	0,601	0,715	0,883	-	1,152	1,409	-	-	-
26,9 3/4"	0,649	0,772	0,954	1,010	1,247	1,527	1,580	1,795	-
28	0,676	0,805	0,995	-	1,302	1,596	-	1,878	-
30	0,726	0,865	1,070	-	1,402	1,722	-	2,028	-
32	0,776	0,925	1,146	-	1,502	1,847	-	2,178	-
33,7 1"	0,819	0,977	1,209	1,290	1,588	1,953	2,020	2,306	-
38	0,929	1,109	1,375	-	1,808	2,229	-	2,637	-
40	0,977	1,166	1,446	-	1,903	2,348	-	2,779	-
42,4 1 1/4"	1,037	1,238	1,536	1,630	2,023	2,498	2,590	2,960	3,847
45	1,102	1,316	1,634	-	2,153	2,661	-	3,155	-
48,3 1 1/2"	1,184	1,415	1,758	1,870	2,319	2,867	2,980	3,403	4,438
50	1,227	1,466	1,822	-	2,404	2,974	-	3,531	4,607
50,8	1,247	1,490	1,852	1,970	2,444	-	3,090	3,591	-
52	1,277	1,526	1,897	-	2,504	3,099	-	3,681	-
54	1,327	1,587	1,972	-	2,604	3,224	-	3,831	-
60,3 2"	1,485	1,776	2,209	2,350	2,920	3,618	3,760	4,304	5,640
63,5	1,565	-	2,329	2,480	3,080	3,819	3,960	4,545	5,960
70	1,728	2,067	2,573	-	3,405	4,226	-	5,033	6,611
76,1 2 1/2"	1,881	2,251	2,802	2,980	3,711	4,607	4,790	5,491	7,222
88,9 3"	-	-	3,283	3,500	4,352	5,409	5,620	6,453	8,504
101,6 3 1/2"	-	-	3,760	4,010	4,988	6,204	6,450	7,407	9,776
104	-	-	3,850	-	5,108	6,354	-	7,587	10,016
114,3 4"	-	-	4,237	4,520	5,624	6,999	7,270	8,361	11,048
129	-	-	4,789	-	6,360	7,919	-	9,465	12,520
139,7 5"	-	-	5,191	-	6,896	8,589	-	10,269	13,592
154	-	-	5,728	-	7,612	9,484	-	11,343	15,024
168,3 6"	-	-	6,245	-	8,328	10,379	-	12,417	16,456
204	-	-	-	-	10,120	-	-	-	-
219,1 8"	-	-	-	-	10,870	13,560	-	16,230	21,540





ЕЛЕКТРОЛУКС


INOX - МАТЕРИЈАЛИ

УВОЗ - ИЗВОЗ

Direkten uvoznik

SQUARE TUBES - KVADRATNI CEVKI

Dimenzija	Debelina (mm)						
	1,0	1,2	1,5	2,0	2,5	3,0	4,0
L x L							
12 x 12	0,358	0,415	0,508				
15 x 15	0,453	0,538	0,661				
16 x 16	0,485	0,576	0,709	0,920			
20 x 20	0,613	0,729	0,900	1,175			
25 x 25	0,772	0,921	1,140	1,494	1,846	2,179	
30 x 30	0,932	1,112	1,379	1,813	2,222	2,645	
35 x 35	1,091	1,303	1,618	2,132	2,629	3,118	
40 x 40	1,251	1,495	1,857	2,451	3,036	3,602	4,708
45 x 45	1,410	1,686	2,097	2,770	3,433	4,081	5,309
50 x 50	1,570	1,878	2,336	3,089	3,818	4,559	5,960
60 x 60			2,814	3,727	4,607	5,516	7,222
70 x 70			3,293	4,365	5,408	6,473	8,504
80 x 80			3,771	5,003	6,203	7,430	9,807
100 x 100			4,728	6,279	7,918	9,343	12,358
120 x 120				7,555		11,257	14,910



RECTANGULAR TUBES - PRAVOAGOLNI CEVKI

Dimenzija	Debelina (mm)						
	1,0	1,2	1,5	2,0	2,5	3,0	4,0
L x L							
20 x 10	0,453	0,538	0,661	-	-	-	-
20 x 15	0,533	0,634	0,781	-	-	-	-
25 x 15	0,613	0,729	0,900	1,175	-	-	-
30 x 10	0,613	0,729	0,900	-	-	-	-
30 x 15	0,693	0,825	1,020	1,335	-	-	-
30 x 20	0,772	0,921	1,140	1,494	-	-	-
35 x 20	0,852	1,017	1,259	1,654	-	-	-
40 x 15	0,852	1,017	1,259	1,654	-	-	-
40 x 20	0,926	1,112	1,379	1,813	-	-	-
40 x 30	1,091	1,303	1,618	2,132	2,661	3,156	-
50 x 20	1,091	1,303	1,618	2,132	-	-	-
50 x 25	-	1,399	1,738	2,292	-	-	-
50 x 30	1,251	1,495	1,857	2,451	-	-	-
50 x 40	-	1,686	2,097	2,770	3,412	4,081	-
60 x 20	-	1,495	1,857	2,451	-	-	-
60 x 30	-	1,686	2,097	2,770	3,412	4,081	-
60 x 40	-	1,878	2,336	3,089	3,819	4,559	5,960
80 x 40	-	2,261	2,814	3,727	4,600	5,516	7,222
80 x 60	-	-	3,293	4,365	5,408	6,473	8,504
100 x 40	-	-	3,293	4,365	5,408	6,473	8,504
100 x 50	-	-	3,532	4,684	5,790	6,952	9,115
100 x 60	-	-	3,771	5,003	-	7,430	9,807
120 x 40	-	-	-	5,003	-	7,430	9,807
120 x 60	-	-	-	5,642	-	8,387	11,083
120 x 80	-	-	-	6,279	-	9,343	12,358
150 x 50	-	-	-	6,279	-	9,343	12,358




ЕЛЕКТРОЛУКС

INOX - МАТЕРИЈАЛИ

УВОЗ - ИЗВОЗ

Direkten uvoznik

BARS ROUND - HEXAGONAL - SQUARE (Kg/m)							
KRUZEN OBLIK - OKA - KVADRATEN (Kg/m)							
Dimenzija (mm)				Dimenzija (mm)			
3	0,057	0,062	0,072	40	10,05	11,09	12,80
4	0,100	0,111	0,128	45	12,72	14,03	16,20
5	0,157	0,173	0,200	50	15,70	17,32	20,00
6	0,226	0,249	0,288	55	19,00	20,27	24,20
7	0,308	0,339	0,392	60	22,61	24,94	28,80
8	0,402	0,443	0,512	65	26,53	29,28	33,80
10	0,628	0,693	0,800	70	30,77	33,95	39,20
11	0,760	0,838	0,968	75	35,32	38,98	45,00
12	0,904	0,998	1,152	80	40,19	44,34	51,20
14	1,231	1,358	1,568	85	45,37	50,07	57,80
15	1,413	1,559	1,800	90	50,87	56,12	64,80
16	1,608	1,774	2,048	100	62,80	69,28	80,00
17	1,815	2,002	2,312	110	76,00	83,80	96,80
18	2,035	2,245	2,592	115	83,10	91,60	105,8
19	2,267	2,501	2,888	120	90,40	99,80	115,2
20	2,512	2,771	3,200	130	106,1	117,1	135,2
22	3,040	3,353	3,872	140	123,1	135,8	156,8
24	3,617	3,991	4,608	150	141,3	155,9	180,0
25	3,925	4,330	5,000	160	160,8	177,4	204,8
28	4,924	5,432	6,272	170	181,5	200,2	231,2
30	5,652	6,235	7,200	180	203,5	224,5	259,2
32	6,43	7,09	8,19	200	251,2	277,1	320,0
35	7,69	8,06	9,80	220	304,0	335,3	387,2
38	9,07	10,00	11,55				



Tolerancija kaj Kruznite profili h: + 0 - x

Dimenzija (mm)	h_{11}	h_{10}	h_9
1-3	+0/-0,060	+0/-0,040	+0/-0,025
3-6	+0/-0,075	+0/-0,048	+0/-0,030
6-10	+0/-0,090	+0/-0,058	+0/-0,036
10-18	+0/-0,110	+0/-0,070	+0/-0,043
18-30	+0/-0,130	+0/-0,084	+0/-0,052
30-50	+0/-0,160	+0/-0,100	+0/-0,062
50-80	+0/-0,190	+0/-0,120	+0/-0,074
80-120	+0/-0,220	+0/-0,140	+0/-0,087



ЕЛЕКТРОЛУКС

ИНОХ-МАТЕРИЈАЛИ

УВОЗ - ИЗВОЗ

Dimenzija	Kg/m
12 x1	0,271
12 x 1,5	0,394
20 x 1,2	0,565
22 x1,2	0,625
22 x 1,5	0,77
25 x 1,2	0,727
25 x 1,5	0,883
28 x 1,5	0,995
30 x 1,5	1,07
32 x 1,2	0,911
32 x 1,5	1,128
35 x 1,5	1,221
38 x 1,2	1,088
38 x 1,5	1,375
40 x 1,5	1,446
50 x 1,5	1,822
50 x 2	2,404
50,8 x 1,2	1,490
50,8 x 1,5	1,852
50,8 x 2	2,444
52 x 1,5	1,867
60,3 x 1,5	2,209
60,3 x 2	2,92
63,5 x 1,5	2,293
70 x 2	3,353
76,1 x 2	3,711



Dairy Tubes - Sjajna Cevka DIN 304/316 Ogledalno Polirana (BA)

DN	Diametar (mm)	Kg/m
DN20	22 x 1,5	0,770
DN25	28 x 1,2	0,805
	28 x 1,5	0,995
DN32	34 x 1,2	0,986
	34 x 1,5	1,221
DN40	40 x 1	0,970
	40 x 1,2	1,166
	40 x 1,5	1,446
DN50	52 x 1,2	1,526
	52 x 1,5	1,897
DN65	70 x 2	3,405
DN80	85 x 2	4,157
DN100	101,6 x 2	4,988
	104 x 2	5,108



Dairy Tubes - Sjajna Cevka SMS 304/316 Ogledalno Polirana (BA)

DN	Diametar (mm)	Kg/m
SMS25	25,4 x 1,2	0,727
	25,4 x 1,5	0,903
SMS38	38,1 x 1,2	1,140
	38,1 x 1,5	1,400
SMS50	50,8 x 1,2	1,490
	50,8 x 1,5	1,852
	50,8 x 2	2,444
SMS63	63,5 x 1,5	2,329
	63,5 x 2	3,080
SMS76	76,1 x 1,6	3,040
SMS104	104 x 2	5,108





ЕЛЕКТРОЛУКС

INOX-МАТЕРИЈАЛИ

УВОЗ - ИЗВОЗ

Diametar		Kg / m
Nadvoresen	Vnatresen	
32	20	4,23
	16	5,11
36	25	4,58
	20	5,96
	16	6,84
40	28	5,53
	25	6,51
	20	7,89
45	32	6,75
	28	8,23
	20	10,6
50	36	8,08
	32	9,75
	25	12,2
56	40	10,3
	36	12,1
	28	15,3
63	50	10
	40	15,6
	36	17,5
	32	19,1
71	56	13
	45	19,8
	40	22,4
	36	24,3
75	40	26,2
80	63	16,5
	50	25,5
	45	28,5
	40	31,1
85	45	33,7
90	71	20,8
	63	27,4
	56	32,5
	50	36,4
95	50	42,3
100	80	24,6
	71	32,9
	63	39,5
	56	44,6
106	80	30,4
	71	40,8
	63	47,4
	56	52,5

Diametar		Kg / m
Nadvoresen	Vnatresen	
112	90	30,4
	80	40,8
	71	49,2
	63	55,8
118	90	39,2
	80	49,7
	71	57,9
	63	64,6
125	100	38,4
	90	50,1
	80	60,5
	71	68,9
132	106	42,3
	90	61,6
	80	72
	71	80,3
140	112	48,2
	100	63,8
	90	75,4
	80	85,9
150	125	47,8
	106	74,7
	95	88,3
	80	104,4
160	132	56,6
	122	72,1
	112	86,5
170	140	64,3
	130	80,8
	118	99,1
180	150	68,9
	140	86,6
	125	111
190	160	73,5
	150	92,4
	132	123,3
200	160	98,4
	150	117,3
	140	135,2
212	170	109,7
	130	183,3
224	180	121,6
	140	200,2




ЕЛЕКТРОЛУКС

INOX - МАТЕРИЈАЛИ

УВОЗ - ИЗВОЗ

FLAT BARS - LAMA (Kg/m)

mm	Debelina (mm)													
	3	4	5	6	8	10	12	15	20	25	30	35	40	50
10	0,24	0,32	0,40	-	-	-	-	-	-	-	-	-	-	-
15	0,36	0,48	0,60	0,72	-	-	-	-	-	-	-	-	-	-
20	0,48	0,64	0,80	0,96	1,28	1,60	1,92	2,40	-	-	-	-	-	-
25	0,60	0,80	1,00	1,20	1,60	2,00	2,40	3,00	-	-	-	-	-	-
30	0,72	0,96	1,20	1,44	1,92	2,40	2,88	3,60	4,80	-	-	-	-	-
35	0,84	1,12	1,40	1,68	2,24	2,80	3,36	4,20	5,60	-	-	-	-	-
40	0,96	1,28	1,60	1,92	2,56	3,20	3,84	4,80	6,40	8,00	9,60	-	-	-
50	1,20	1,60	2,00	2,40	3,20	4,00	4,80	6,00	8,00	10,0	12,0	14,0	-	-
60	1,44	1,92	2,40	2,88	3,84	4,80	5,76	7,20	9,60	12,0	14,4	16,8	-	-
70	1,68	2,24	2,80	3,36	4,48	5,60	6,72	8,40	11,2	14,0	16,8	19,6	22,4	-
80	1,92	2,56	3,20	3,84	5,12	6,40	7,68	9,60	12,8	16,0	19,2	22,4	25,6	32,0
90	2,16	2,88	3,60	4,32	5,76	7,20	8,64	10,8	14,4	18,0	21,6	25,2	28,8	36,0
100	2,40	3,20	4,00	4,80	6,40	8,00	9,60	12,0	16,0	20,0	24,0	28,0	32,0	40,0
120	2,88	3,84	4,80	5,76	7,68	9,60	11,52	14,4	19,2	24,0	28,8	33,6	38,4	48,0
150	3,60	4,80	6,00	7,20	9,60	12,0	14,40	18,0	24,0	30,0	36,0	42,0	48,0	60,0
200	4,80	6,40	8,00	9,60	12,80	16,0	19,20	24,0	32,0	48,0	48,0	56,0	64,0	80,0



ANGLES (Kg/m) - "L" PROFIL (Kg/m)

mm	Debelina (mm)						
	2	3	4	5	6	8	10
20 x 20	0,608	0,888	1,152	-	-	-	-
25 x 25	0,768	1,128	1,472	1,800	-	-	-
30 x 30	0,928	1,368	1,792	2,200	-	-	-
35 x 35	1,088	1,608	2,112	2,600	3,072	-	-
40 x 40	1,248	1,848	2,432	3,000	3,552	-	-
50 x 50	-	2,328	3,072	3,800	4,512	-	-
60 x 60	-	2,808	3,712	4,600	5,472	-	-
80 x 80	-	3,768	4,992	6,200	7,392	9,73	-
100 x 100	-	-	6,272	7,800	9,312	12,29	15,20