

Seine Net with / without Purse

**Accessories, Floats,
Lead, Needles**

Bird Protection Net

Mirror Net

Winged Net Trap

Net Enclosure

Gill Net

Wire Trap


Eel Trap


Crayfish Trap

Scoop Nets

Cast Nets


**S
T
E
T
Z**





Seine Nets with Purse

For lake-, pond- and river-fishery



Mesh width:
Wings 30 mm, bottom of
purse 20 mm
Yarn-strength: den 210/18


Made of extremely break-proof and 100% pure polyamide net-yarn that has proven itself all over the world. Finished in high quality braided PP* multifilament ropes, with floats and leads.

The wings are tapered to the outside, the length of the purse is adapted to the overall length of the net.

„NYLON“ Order No.	Overall Length m	Height of wings Centre m	Tips m	Length of purse m	Overall Order No.	Height of wings Length m	Centre m	Tips m	Length of purse m
1/3-1-080-2	3	1	0,80	2	1/3-150-125-2	3	1,50	1,25	2
1/4-1-080-2	4	1	0,80	2	1/4-150-125-2	4	1,50	1,25	2
1/5-1-080-2	5	1	0,80	2	1/5-150-125-2	5	1,50	1,25	2
1/6-1-080-2	6	1	0,80	2	1/6-150-125-2	6	1,50	1,25	2
1/8-1-080-2	8	1	0,80	2	1/8-150-125-2	8	1,50	1,25	2
1/10-1-080-2	10	1	0,80	2	1/10-150-125-2	10	1,50	1,25	2
1/1-1-080	Each additional meter				1/1-3-2	Each additional meter			
1/3-2-150-250	3	2	1,50	2,50	1/6-3-2-3	6	3	2	3
1/4-2-150-250	4	2	1,50	2,50	1/8-3-2-3	8	3	2	3
1/5-2-150-250	5	2	1,50	2,50	1/10-3-2-3	10	3	2	3
1/6-2-150-3	6	2	1,50	3	1/12-3-2-4	12	3	2	4
1/8-2-150-3	8	2	1,50	3	1/15-3-2-4	15	3	2	4
1/10-2-150-3	10	2	1,50	3	1/20-3-2-4	20	3	2	4
1/1-2-150	Each additional meter				1/1-3-2	Each additional meter			
1/10-4-3-4	10	4	3	4					
1/15-4-3-4	15	4	3	4					
1/20-4-3-5	20	4	3	5					
1/30-4-3-6	30	4	3	6					
1/1-4-3	Each additional meter								


*PP = polyethylene

The nets are available in all dimensions. If you are interested in dimensions different from our standard sizes please let us know. We will quickly work out a quote for you.



Seine Nets without Purse

Also called "arched pond-net"




This net bulges outwards, when filled with fish because of its design. The tips are tapered, while the middle is especially deep, allowing huge catches to fit easily without exerting pressure on the fish and injuring them. The lake nets are made of especially break-proof polyamide, as it is used in fish-farms and fisheries all over the world. They are ready to use, finished in braided PP* multifilament ropes, with floats and leads. When used for emptying ponds chose a size where the outside wings are 50% higher than the water level: Thus the net will bulge sufficiently to allow for sure and smooth fishing. For trout a mesh spacing of 10 – 15 mm is advisable, larger is too wide though.

Order No.	Mesh width mm	Height of wings Centre m	Tips m	Order No.	Mesh width mm	Height of wings Centre m	Tips m
15/30-1-075	30	1	0,75	15/30-150-1	30	1,50	1
15/20-1-075	20	1	0,75	15/20-150-1	20	1,50	1
15/15-1-075	15	1	0,75	15/15-150-1	15	1,50	1
15/10-1-075	10	1	0,75	15/10-150-1	10	1,50	1
15/6-1-075	6	1	0,75	15/6-150-1	6	1,50	1
15/30-2-125	30	2	1,25	15/30-3-150	30	3	1,50
15/20-2-125	20	2	1,25	15/20-3-150	20	3	1,50
15/15-2-125	15	2	1,25	15/15-3-150	15	3	1,50
15/10-2-125	10	2	1,25	15/10-3-150	10	3	1,50
15/6-2-125	6	2	1,25	15/6-3-150	6	3	1,50
15/30-4-2	30	4	2				
15/20-4-2	20	4	2				
15/15-4-2	15	4	2				
15/10-4-2	10	4	2				
15/6-4-2	6	4	2				

Yarn-strengths:


For 6 mm mesh spacing den 210/9
 10 mm mesh spacing den 210/15
 15-30 mm mesh spacing den 210/18

*PP = polypropylene



S
T
E
W
E
T





Net Cloth, bundled

Made of highest quality polyamide

Order No. 210/4-4	4 mm mesh width
Order No. 210/9-6	6 mm mesh width
Order No. 210/9-10	10 mm mesh width
Order No. 210/12-10	10 mm mesh width
Order No. 210/12-15	15 mm mesh width
Order No. 210/12-20	20 mm mesh width
Order No. 210/15-10	10 mm mesh width
Order No. 210/18-10	10 mm mesh width
Order No. 210/18-15	15 mm mesh width
Order No. 210/18-20	20 mm mesh width
Order No. 210/18-30	30 mm mesh width
Order No. 210/21-20	20 mm mesh width

Braided Ropes

Plastic weighted line

per 100 m	approx. 1200 g	1700 g
Order No.	220/100-1200	220/100-1700

"Perlon" lead line

per 100 m	approx. 2 kg	approx. 7,1 kg
Order No.	230/100-2	230/100-7,1

15 kg	30 kg
230/100-15	230/100-30

"Poly" cork line

per 100 m	No. 2	No. 2 1/2	No. 3
Order No.	240-100-2	240/100-2,4	240/100-3

PP-Multifilament white, braided

	rope Ø	break load approx
Order No. 250/1,0	1,0 mm	40 kg
Order No. 250/2,0	2,0 mm	85 kg
Order No. 250/3,0	3,0 mm	198 kg
Order No. 250/4,0	4,0 mm	341 kg
Order No. 250/5,0	5,0 mm	510 kg
Order No. 250/6,0	6,0 mm	665 kg
Order No. 250/7,0	8,0 mm	950 kg
Order No. 250/10,0	10,0 mm	1320 kg

Polypropylene, hemp-coloured, twisted

	rope Ø	break load approx.
Order No. 260/4,0	4,0 mm	165 kg
Order No. 260/6,0	6,0 mm	335 kg
Order No. 260/8,0	8,0 mm	595 kg
Order No. 260/12,0	12,0 mm	1340 kg

Plastic Floats

Hard PVC, drum-shaped

Order No. 270/10	for mirror nets
Order No. 270/11	for dragnets
Order No. 270/12	for dragnets lead (60 g apiece)
Order No. 270/13	for cast nets (15 g apiece)
Order No. 270/14	lead ribbon, width 30 mm, thickness 0.3 mm, 30 g reel, length 30 cm



Plastic Floats

Hard PVC, drum-shaped

Order No. 270/10	for mirror nets
Order No. 270/11	for dragnets
Order No. 270/12	for dragnets lead (60 g apiece)
Order No. 270/13	for cast nets (15 g apiece)
Order No. 270/14	lead ribbon, width 30 mm, thickness 0.3 mm, 30 g reel, length 30 cm

Net yarn in any strength

Order No. 280/10	PERLON
Order No. 280/11	NYLON

Surcharge

for coloured nets and yarns

Order No. 290/10

Mosquito Net

Loose mosquito net made of polyester, olive-green

Order No. 295/10 width 300 cm

Bird Protection Nets

Nylon

Order No. 296/10 mesh spacing 20 mm


Pigeon Protection Nets

Perlon,-wire

Order No. 297/30 mesh spacing 30 mm

Order No. 297/45 mesh spacing 45 mm

S
T
E
Z



Nets

Cover nets, window protection, barriers, loading, compartmentalisation, rubbish, balconies, construction sites.

Order No. 9/1-100	Polyethylene	green	1 mm Ø	100 mm mesh width
Order No. 10/3-100	Polyethylene	green	3 mm Ø	100 mm mesh width
Order No. 12/4-100	Polyethylene	green	4 mm Ø	100 mm mesh width
Order No. 13/2-100	Polyethylene	green	2 mm Ø	100 mm mesh width
Order No. 11/2-45	Polyethylene	green	2 mm Ø	45 mm mesh width
Order No. 14/3-45	Polyethylene	green	3 mm Ø	45 mm mesh width
Order No. 15/4-45	Polyethylene	green	4 mm Ø	45 mm mesh width
Order No. 16/4,5-45	Polypropylene	hemp-coloured	4,5 mm Ø	45 mm mesh width
Order No. 17/4,5-75	Polypropylene	hemp-coloured	4,5 mm Ø	75 mm mesh width
Order No. 21/4-100	Polyamide	white	4 mm Ø	100 mm mesh width
Order No. 22/4-45	Polyamide	white	4 mm Ø	45 mm mesh width
Order No. 23/1,4-20	Polyamide	black	1,4 mm Ø	20 mm mesh width
Order No. 24/2,5-30	Polyamide	white	2,5 mm Ø	30 mm mesh width
Order No. 25/2-45	Polyamide	white	2 mm Ø	45 mm mesh width
Order No. 26/2,5-45	Polyamide	green/black	2,5 mm Ø	45 mm mesh width
Order No. 27/2,5-100	Polyamide	green/black	2,5 mm Ø	100 mm mesh width

less than 10 m - on request

Foliage nets

Order No. 28/1,2-20	Polyamide	white & green	1,2 mm Ø	20 mm mesh width
Order No. 28/1-10	Polyamide	white	1 mm Ø	10 mm mesh width

Border for the above nets polyester line

No. 29	Order No. 29/3	Order No. 29/5	Order No. 29/8	Order No. 29/12
	3 mm Ø	5 mm Ø	8 mm Ø	12 mm Ø

Plastic Net Needles

For repairing of nets



L x W	Order No. single / the dozen
141 x 8 mm	30/141-8-1 / 30/141-8-12
171 x 10 mm	30/171-10-1 / 30/171-10-12
145 x 15 mm	30/145-15-1 / 30/145-15-12
165 x 21 mm	30/165-21-1 / 30/165-21-12
197 x 25 mm	30/197-25-1 / 30/197-25-12

Hammocks

Order No. 300-N

Length 300 cm, 100% pure Nylon-network, with spread-bow, including hang-up ropes.
Strong version

Order No. 300-B

As above, but hand-knit from braided cotton rope with spreading bow.

High-sea glass spheres

For decoration purposes

Order No. 31


Covered with a hand-knit net. Very decorative.

Price on Request

For all kinds of sporting-nets

Please tell us about your wish and we will quickly present our offers.


S
T
U
V
W
X
Y
Z



Layered Gill Nets

Article. 2

Also called kelb-, staak-, night- and three-walled trap-net



It is our most successful trap-net, as it can be set up day and night and always produces great catches. When it is immersed in water it is nearly invisible.

Inside net: light polyamide, mesh spacing 30 mm, thickness den 210/3

Outside net: strong polyamide, mesh spacing 180 mm, thickness den 210/15

Finished ready for the catch in braided PP multifilament ropes, with floats and leads.


„NYLON“ Order No.	Length m	Depth m	„NYLON“ Order No.	Length m	Depth m
2/3-1	3	1	2/3-1,25	3	1,25
2/4-1	4	1	2/4-1,25	4	1,25
2/5-1	5	1	2/5-1,25	5	1,25
2/6-1	6	1	2/6-1,25	6	1,25
2/8-1	8	1	2/8-1,25	8	1,25
2/10-1	10	1	2/10-1,25	10	1,25
2/1-1	1	1	2/1-1,25	1	1,25
2/3-1,50	3	1,50	2/4-2	4	2
2/4-1,50	4	1,50	2/5-2	5	2
2/51,50	5	1,50	2/6-2	6	2
2/61,50	6	1,50	2/8-2	8	2
2/8-1,50	8	1,50	2/10-2	10	2
2/10-1,50	10	1,50	2/15-2	15	2
2/1-1,50	1	1,50	2/1-2	1	2
2/10-2,50	10	2,50			
2/15-2,50	15	2,50			
2/20-2,50	20	2,50			
2/25-2,50	25	2,50			
2/30-2,50	30	2,50			
2/40-2,50	40	2,50			

Important notice: to facilitate the catch, the loose inside net has to spill over the fish. This you reach before you set up the net by lifting it at the bottom line and letting the inside net drop to the cork string by slightly shaking it. This way the net is made really catchy and success is assured.

Polyamide nets do not decay and thus do not need to be dried. They should be protected from long-term sun exposure, as intensive UV-radiation damages the material.

We will sketch up an offer for any other mesh size, if you tell us length and depth of the desired net.

S
T
E
Z



Trout Gill Net article 3

Three-walled as article 2, finished in high-quality PP* multifilament lines with floats and lead cord, ready for the catch.

Inside net: fine Nylon 20 mm, den 210/6 • Outside net Nylon 100 mm, den 210/15

Also called trout-, staak- or pole net. It is used for fishing in trout streams and is always successful. Nearly invisible in the water.

„NYLON“ Order No.	Length m	Depth m	„NYLON“ Order No.	Length m	Depth m
3/2,5-0,50	2,5	0,50	3/2,5-1	2,5	1
3/3-0,50	3	0,50	3/3-1	3	1
3/4-0,50	4	0,50	3/4-1	4	1
3/5-0,50	5	0,50	3/5-1	5	1
3/1-0,50	1	0,50	3/1-1	1	1
3/2,5-0,75	2,5	0,75			
3/3-0,75	3	0,75			
3/4-0,75	4	0,75			
3/5-0,75	5	0,75			
3/1-0,75	1	0,75			

Bird Nets article 33

Order No. 33/2-2 length 2 m, height 2 m

Order No. 33/1-2 every added meter

Picture as article 2, three-walled, black

Inside net: fine Nylon yarn with mesh diameter 16 mm • Outside net: polyamide 180 mm mesh spacing.

Finished in ropes with pull rope and eyes, ready for catching. Indispensable for ringing.

Partitioning Net article 27

Partitioning net, also called dividing net

Partitioning net for cleaning, sorting and keeping fish after the catch. An invaluable aid especially for the use in ponds. Made of strong net yarn, fitted in high quality linen.

Order No.	Mesh mm	Yarn strength	Length m	Width m	Depth m
Nylon, nondecaying					
27A/1,50 m-5	5	210/9	1,50	1,00	app. 0,75
27A/1,50 m-10	10	210/15	1,50	1,00	app. 0,75
27A/1,50 m-15	15	210/18	1,50	1,50	app. 1,00
27A/1,50 m-20	20	210/18	1,50	1,50	app. 1,00

Partitioning net, box shaped, for rearing in ponds (net enclosure)


Order No.	Mesh mm	Yarn strength	Length m	Width m	Depth m
27K/1,50 m-5	5	210/9	1,50	1,00	app. 0,70
27K/1,50 m-10	10	210/15	1,50	1,00	app. 0,70
27K/2,00 m-10	10	210/15	2,00	1,00	app. 1,50
27K/2,50 m-10	10	210/15	2,50	1,00	app. 2,00
27K/3,00 m-10	10	210/15	3,00	1,00	app. 2,00

We manufacture any size. Just ask us for a quote


*PP = polypropylene

S
T
W
Z





Winged Net Trap article 8




Also called fish sack with one throat, 1 entrance, 2 wings à 1.50 m, 3 rust-free galvanised metal bows.

Winged net traps can be set up just about anywhere, they serve very well for blocking, too.

	"Nylon", non-decaying					
	20 mm	15 mm	10 mm	5 mm	Inlet Ø	
Order No.	8/40-20	8/40-15	8/40-10	8/40-5	40 cm	
Order No.	8/50-20	8/50-15	8/50-10	8/50-5	50 cm	
Order No.	8/60-20	8/60-15	8/60-10	8/60-10	60 cm	
Order No.	8/75-20	8/75-15	8/75-10	8/75-10	75 cm	

Yarn Sack article 10



Called eel-, pike- or trap sack. Great success in all waters.

One inlet, 2 throats, 5 rust-free bows, 2 wings à 2.0 m. The second throat is especially catchy, the fish cannot flee anymore.

	"Nylon", non-decaying				
	20 mm	15 mm	10 mm	Inlet Ø	
Order No.	10/40-20	10/40-15	10/40-10	40 cm	
Order No.	10/50-20	10/50-15	10/50-10	50 cm	
Order No.	10/60-20	10/60-15	10/60-10	60 cm	
Order No.	10/75-20	10/75-15	10/75-10	75 cm	

Quick Catcher article 12

Show unsurpassed results

"Nylon", non-decaying


	Inlet Ø
Order No. 12/40	ca. 40 cm
Order No. 12/50	ca. 50 cm
Order No. 12/60	ca. 60 cm

Special yarn sack like article 10, with 3 inlets, 3 throats, 7 bows, 2 wings à 2.0 m. Mesh spacing: last basket: 10 mm, middle: 10 mm, front: 15 mm and wings: 15 mm. Especially suitable for eel.

Net Enclosure


For rearing and fattening of trout and carp

For rearing and fattening of trout and carp in lakes or deep ponds, as well as in free-flowing waters. Stable tubular construction with slip-in connections, easy to disassemble, with plastic floats. Rustproof chlorine-caoutchouc finish or zinc-plated. Occupation with up to 1000 fish per enclosure. Dimensions and price on request.




S
T
E
T
Z





Gill Nets article 29

For bass, zander, pike, tench etc



Also called single-walled trap-net. It is invisible in the water because it is made of light, fine single-filament wire. Fish poke the net during their migrations and get stuck with gills and fins.

Gill net ready for catching finished in crocheted linen with enclosed corks (floating line) and ground line made of crocheted linen with lead inlay (patented lead inlay). There is no danger of lead weights getting tangled in the net and undisturbed fishing is assured. All ropes made of non-decaying polyamide.

„NYLON“	Mesh	Depth	Length	„NYLON“	Mesh	Depth	Length
Order No. 29/7-100	7 mm	1,00 m	Per m	Order No. 29/7-125	7 mm	1,25 m	Per m
Order No. 29/10-100	10 mm	1,00 m	Per m	Order No. 29/10-125	10 mm	1,25 m	Per m
Order No. 29/25-150	25 mm	1,50 m	Per m	Order No. 29/25-200	25 mm	2,00 m	Per m
Order No. 29/35-150	35 mm	1,50 m	Per m	Order No. 29/35-200	35 mm	2,00 m	Per m
Order No. 29/40-150	40 mm	1,50 m	Per m	Order No. 29/40-200	40 mm	2,00 m	Per m
Order No. 29/45-150	45 mm	1,50 m	Per m	Order No. 29/45-200	45 mm	2,00 m	Per m
Order No. 29/50-150	50 mm	1,50 m	Per m	Order No. 29/50-200	50 mm	2,00 m	Per m
Order No. 29/60-150	60 mm	1,50 m	Per m	Order No. 29/60-200	60 mm	2,00 m	Per m
Order No. 29/70-150	70 mm	Larger sizes available		Order No. 29/70-200	70 mm	Larger sizes available	

All nets with less than 10 m of length are covered with a surcharge of DM 8.- If different yarn strengths or mesh diameters are of interest, please ask us for a quote.

Decoration Net

Decoration net made of hemp, natural

Order No. 37/20x2

Diagonal mesh pattern, string Ø app. 0.75 mm, mesh 35 mm, bundled 2 x 20 m = 40 qm

Order No. 37/1 per meter

Decoration net made of Nylon

Order No. 39/1-50-250

White, brown or green, square pattern, string Ø 1mm, mesh 50 mm, width 2.5 m

Decoration Fish Net


Order No. 38/3-2

Decoration net made of hemp, natural, as above
With jute rope and natural corks, length 3 m, width 2 m

Wire Trap article 40

Order No. 40

Circumference 150 cm, length 100 cm, mesh 12 cm




With nylon-yarn throat, non-decaying. The inlet is soft and hence very catchy. Very durable.

For trapping muskrats we advise to order the trap with wire throat.

S
T
W
Z





Eel-Traps made of Plastic

Order No. 60002 - 1-throat version, approx. 1.0 m long

Order No. 61001 - 2-throat version, approx. 1.4 m long

These easy to handle and maintenance free plastic traps have been tested in practice and are suitable for both the professional and the sports fisherman.

Features such as correct shape and colouring (eel like dark and narrow places to hide out) are the result of fishing expertise on the customs of the fish. A favourable price/performance ratio ensures highest economy in use. Of course the traps are saltwater and corrosion resistant and also resistant to crabs and other pests.

The olive green traps (with exchangeable components) have a

catch width of 43 cm

catch height of 33 cm

Overall length is max 140 cm

Cap with fastener

Order No. 6010

End Piece

Order No. 6001

Mat

Order No. 6003

Stopper

Order No. 6009

Throat

Order No. 6004

Inlet

Order No. 6004


Accessories

Order No. 6005 Strap

Order No. 6006 Fastener for lid


Order No. 6007 Metal pole short for single throat trap

Order No. 6008 Metal pole long for double throat trap




Crayfish Trap

Order No. 20/1




STEIN





Aquarium Net

Frame and handle made of wire, plastic coated



Order No. 4 100 000 157
Frame dimensions
L x W 10.5 x 12.7 cm,
handle 24 cm



Order No. 4 100 000 158
Frame dimensions
L x W 13 x 16.3 cm,
handle 29.5 cm



Order No. 4 100 000 159
Frame dimensions
L x W 16.3 x 19.5 cm,
handle 31 cm

Aquarium Net

Bow and handle made of plastic



Order No. 4 100 000 161
Bow size
L x W 11 x 11.8 cm,
handle 28 cm

Order No. 4 100 000 162
Bow size L x W 12.8 x 15.3 cm,
handle 28 cm

Order No. 4 100 000 163
Bow size L x W 14.5 x 20 cm,
handle 28 cm

Fry Scoop Net

Bow made of galvanised steel, handle made of aluminium pipe, slipped-in




Order No. 4 100 000 153
Bow size
L x W 26 x 29 cm,
handle 50 cm

Order No. 4 100 000 154
Bow size
L x W 19.5 x 22 cm,
handle 50 cm

Fry and Plankton Scoop Net

Frame made of galvanised steel



Order No. 23/20
Bow size
L x W 20 x 20 cm

Order No. 23/30
Bow size
L x W 25 x 30 cm

Order No. 23/40
Bow size
L x W 35 x 40 cm

Order No. 23/50
Bow size
L x W 40 x 50 cm

Wire Landing Net

Bow made of galvanised steel
Handle aluminium pipe
Net made of stainless steel

Wire Landing Net




Order No. 4 110 000 206
Bow dimensions
L x W 49 x 46 cm
mesh width 10 mm,
handle 30 mm,
depth 50 cm



Order No. 18015/07
Bow size L x W 25 x 25 cm
mesh width 7 mm
handle 1 m

Order No. 18015/10
Bow size L x W 25 x 25 cm
mesh width 10 mm
handle 1 m

S
T
E
W
Z



Reform Scoop Net Bows article 22



Aluminium

The are especially preferred by aquaculturists and fish traders. The protective bar prevents ripping the net or the yarn.

The prices are without nets.

Stainless steel bows available on request!

**Please specify aluminium or painted steel versions when ordering.
Order No. (below) + /A when aluminium or +/ST when steel version desired**

Width of bow:	30 cm	40 cm	50 cm	60 cm	70 cm
Order No.	22/30	22/40	22/50	22/60	22/75

Complete Reform Scoop Nets article 22/17

With non-decaying Nylon net



Aluminium

**Please specify aluminium or painted steel versions when ordering:
Order No. (below) + /A when aluminium or +/ST when steel version desired**

Width of bow:	30 cm	40 cm	50 cm	60 cm	75 cm	
Depth of net:	30 cm	40 cm	50 cm	55 cm	65 cm	Mesh width
Order No.	Order No.	Order No.	Order No.	Order No.	Order No.	
22/17/4-30	22/17/4-40	22/17/4-50	22/17/4-60	22/17/4-75		4 mm
22/17/6-30	22/17/6-40	22/17/6-50	22/17/6-60	22/17/6-75		6 mm
22/17/10-30	22/17/10-40	22/17/10-50	22/17/10-60	22/17/10-75		10 mm
22/17/15-30	22/17/15-40	22/17/15-50	22/17/15-60	22/17/15-75		15 mm
22/17/20-30	22/17/20-40	22/17/20-50	22/17/20-60	22/17/20-75		20 mm

Reform Scoop Net Bows article 22-R



Aluminium

**Please specify aluminium or painted steel versions when ordering:
Order No. (below) + /A when aluminium or +/ST when steel version desired**

Diameter of bow:	30 cm	40 cm	50 cm	60 cm	75 cm
Order No.	22/30-R	22/40-R	22/50-R	22/60-R	22/75-R

Complete Reform Scoop Net article 22/17-R


With non-decaying Nylon net



Aluminium


**Please specify aluminium or painted steel versions when ordering:
Order No. (below) + /A when aluminium or +/ST when steel version desired**

Width of bow:	30 cm	40 cm	50 cm	60 cm	
Depth of net:	30 cm	40 cm	50 cm	55 cm	Mesh width
Order No.	Order No.	Order No.	Order No.	Order No.	
22/17/4-30-R	22/17/4-40-R	22/17/4-50-R	22/17/4-60-R		4 mm
22/17/6-30-R	22/17/6-40-R	22/17/6-50-R	22/17/6-60-R		6 mm
22/17/10-30-R	22/17/10-40-R	22/17/10-50-R	22/17/10-60-R		10 mm
22/17/15-30-R	22/17/15-40-R	22/17/15-50-R	22/17/15-60-R		15 mm
22/17/20-30-R	22/17/20-40-R	22/17/20-50-R	22/17/20-60-R		20 mm



Complete Scoop Net article 22/18

Hand-knotted net (see below). Handles not included, consult accessories.



Extremely durable!

Order No.	Order No.	Width of bow, bow Ø/mesh width
22/18/40-15	22-R/18/40-15	40 cm/15 mm
22/18/40-15	22-R/18/40-15	40 cm/20 mm
22/18/50-15	22-R/18/50-15	50 cm/15 mm
22/18/50-20	22-R/18/50-20	50 cm/20 mm
22/18/60-15	22-R/18/60-15	60 cm/15 mm
22/18/60-20	22-R/18-60-20	60 cm/20 mm

Accessories:


- Order No. 888881 fibreglass handle Ø 30 mm
- Order No. 888883 plastic cap Ø 30 mm
- Order No. 888882 fibreglass handle Ø 35 mm
- Order No. 888884 plastic cap Ø 35 mm
- Order No. 888885 wooden handle

Please specify aluminium or painted steel versions when ordering: Order No. (below) +/A when aluminium or +/ST when steel version desired

Scoop Nets, loose article 17

"Nylon" non-decaying

For professional fishermen, fish breeders and traders. The nets are made of strong, non-decaying yarn.



Width of bow:	30 cm	40 cm	50 cm	60 cm	75 cm	
Depth of net:	30 cm	40 cm	50 cm	55 cm	65 cm	Mesh width
Order No.	Order No.	Order No.	Order No.	Order No.	Order No.	
17/4-30-30	17/4-40-40	17/4-50-50	17/4-60-55	17/4-75-65		4 mm
17/6-30-30	17/6-40-40	17/6-50-50	17/6-60-55	17/6-75-65		6 mm
17/10-30-30	17/10-40-40	17/10-50-50	17/10-60-55	17/10-75-65		10 mm
17/15-30-30	17/15-40-40	17/15-50-50	17/15-60-55	17/15-75-65		15 mm
17/20-30-30	17/20-40-40	17/20-50-50	17/20-60-55	17/20-75-65		20 mm

Anglers' Landing Nets, loose article 24

"Nylon" non-decaying not suitable for professional fishermen.


Width of bow:	30 cm	40 cm	
Depth of net:	30 cm	40 cm	Mesh width
Order No.	Order No.		
24/10/30-40	24/10/40-50		10 mm
24/15/30-40	24/15/40-50		15 mm
24/20/30-40	24/20/40-50		20 mm

Width of bow:	50 cm	60 cm	
Depth of net:	50 cm	55 cm	Mesh width
Order No.	Order No.		
24/10/50-60	24/10/60-70		10 mm
24/10/50-60	24/10/60-70		15 mm
24/20/50-60	24/20/60-70		20 mm

Landing Nets article 18

Strong, knotted version


Extremely durable!



Order No.	Width of bow, mesh width
Order No. 18/40-15	40 cm/15 mm
Order No. 18/40-20	40 cm/20 mm
Order No. 18/50-15	50 cm/15 mm
Order No. 18/50-20	50 cm/20 mm
Order No. 18/60-15	60 cm/15 mm
Order No. 18/60-20	60 cm/20 mm

S
T
E
E
L






Stoßhamen article 13

Also called Push-Pull Nets. They are a very popular catching device which can be used under just about any conditions. Delivery without bow which you can easily make yourself.

The nets are manufactured from highest grade net yarns.




	20 mm	15 mm	10 mm	Length	Circumference
Order No.	13/100-160-20	13/100-160-15	13/100-160-10	1,00	1,60 m
Order No.	13/125-200-20	13/125-200-15	13/125-200-10	1,25	2,00 m
Order No.	13/150-240-20	13/150-240-15	13/150-240-10	1,50	2,40 m
Order No.	13/175-280-20	13/175-280-15	13/175-280-10	1,75	2,80 m
Order No.	13/200-320-20	13/200-320-15	13/200-320-10	2,00	3,20 m
Order No.	13/250-400-20	13/250-400-15	13/250-400-10	2,50	4,00 m
Order No.	13/300-500-20	13/300-500-15	13/300-500-10	3,00	5,00 m

Tauchhamen article 13

Also called sink-net or duker.

They can be used as cast nets or framed in any type of water and for any type of fish (or bait)

The nets are finished with Polyamide ropes, without frame.



	20 mm	15 mm	10 mm	5 mm	Dimensions
Order No.	14/100-20	14/100-15	14/100-10	14/100-5	1.00 x 1.00 m
Order No.	14/125-20	14/125-15	14/125-10	14/125-5	1.25 x 1.25 m
Order No.	14/150-20	14/150-15	14/150-10	14/150-5	1.50 x 1.50 m
Order No.	14/175-20	14/175-15	14/175-10	14/175-5	1.75 x 1.75 m
Order No.	14/200-20	14/200-15	14/200-10	14/200-5	2.00 x 2.00 m
Order No.	14/250-20	14/250-15	14/250-10	14/250-5	2.50 x 2.50 m
Order No.	14/300-20	14/300-15	14/300-10	14/300-5	3.00 x 3.00 m

Bait Cast Nets article 142

Perlon wire, green (without frame or bow)

	10 mm	Dimensions
Order No.	142/100-100-10	1.00 x 1.00 m
Order No.	142/125-125-10	1.25 x 1.25 m
	6 mm	Dimensions
Order No.	142/100-100-6	1.00 x 1.00 m
Order No.	142/125-125-6	1.25 x 1.25 m

Frame for Cast Nets article 141

Made of sturdy steel wire, telescopic.

Order No.	Net Size	Rod Ø
141/100-100	1,00 x 1,00 m	3,50 mm
141/150-150	1,50 x 1,50 m	5,00 mm
141/200-200	2,00 x 2,00 m	6,00 mm
141/250-250	2,50 x 2,50 m	6,50 mm
141/300-300	3,00 x 3,00 m	7,00 mm