



## SC168 168L



Model: SC168

Description:

- \* Net capacity Litre: 168L
- \* Refrigerant: R134a or R600a
- \* Input power: 135W
- \* Power Consumption: 1.1 kw.h/24h
- \* With compressor
- \* Adjustable Thermostat temperature control
- \* Refrigerating temperature: 0°C-10°C
- \* 220V/50Hz/VDE plug
- \* Warranty term:
  - Compressor (year): 3
  - Whole unit (year): 1
- \* Safety approval: CE, CB, RoHS

Packing & Loading:

- \* 1PC/CTN
- \* Export Standard Carton
- \* N.W.: 41KGS G.W.: 48KGS

[www.frinko.mk](http://www.frinko.mk) [www.klimafilia.mk](http://www.klimafilia.mk) +389 47 203 900



- \* Product size: 525\*510\*1260mm
- \* EC Dimension: 565\*575\*1275mm
- \* 1\*40"HQ: 160pcs

## SC198 198L



Model: SC198

Description:

- \* Net capacity Litre: 198L
- \* Refrigerant: R134a or R600a
- \* Input power: 145W
- \* Power Consumption: 1.25 kw.h/24h
- \* With compressor
- \* Adjustable Thermostat temperature control
- \* Refrigerating temperature: 0°C-10°C
- \* 220V/50Hz/VDE plug
- \* Warranty term:
  - Compressor (year): 3
  - Whole unit (year): 1
- \* Safety approval: CE, CB, RoHS

Packing & Loading:

- \* 1PC/CTN
- \* Export Standard Carton
- \* N.W.: 45KGS G.W.: 50KGS



- \* Product size: 525\*510\*1385mm
- \* EC Dimension: 565\*575\*1420mm
- \* 1\*40"HQ: 80pcs

## SC248 248L



Model: SC248

Description:

- \* Net capacity Litre: 248L
- \* Refrigerant: R134a or R600a
- \* Input power: 155W
- \* Power Consumption: 1.85 kw.h/24h
- \* With compressor
- \* Adjustable Thermostat temperature control
- \* Refrigerating temperature: 0°C-10°C
- \* 220V/50Hz/VDE plug
- \* Warranty term:
  - Compressor (year): 3
  - Whole unit (year): 1
- \* Safety approval: CE, CB, RoHS

Packing & Loading:

- \* 1PC/CTN
- \* Export Standard Carton
- \* N.W.: 50KGS G.W.: 60KGS



- \* Product size: 525\*510\*1545mm
- \* EC Dimension: 565\*575\*1570mm
- \* 1\*40"HQ: 80pcs

## SC298 298L



Model: SC298

Description:

- \* Net capacity Litre: 298L
- \* Refrigerant: R134a or R600a
- \* Input power: 175W
- \* Power Consumption: 1.85 kw.h/24h
- \* With compressor
- \* Adjustable Thermostat temperature control
- \* Refrigerating temperature: 0°C-10°C
- \* 220V/50Hz/VDE plug
- \* Warranty term:
  - Compressor (year): 3
  - Whole unit (year): 1
- \* Safety approval: CE, CB, RoHS

Packing & Loading:

- \* 1PC/CTN
- \* Export Standard Carton
- \* N.W.: 55KGS G.W.: 60KGS



- \* Product size: 525\*510\*1730mm
- \* EC Dimension: 565\*575\*1770mm
- \* 1\*40"HQ: 80pcs



## SC358 358L



Model: SC358

Description:

- \* Net capacity Litre: 358L
- \* Refrigerant: R134a or R600a
- \* Input power: 200W
- \* Power Consumption: 2.4 kw.h/24h
- \* With compressor
- \* Adjustable Thermostat temperature control
- \* Refrigerating temperature: 0°C-10°C
- \* 220V/50Hz/VDE plug
- \* Warranty term:
  - Compressor (year): 3
  - Whole unit (year): 1
- \* Safety approval: CE, CB, RoHS

Packing & Loading:

- \* 1PC/CTN
- \* Export Standard Carton
- \* N.W.: 65KGS G.W.: 70KGS



- \* Product size: 525\*510\*1930mm
- \* EC Dimension: 565\*575\*1950mm
- \* 1\*40"HQ: 80pcs